

BULLETIN NO. 35

1943

GROUND WATER SUPPLIES
OF THE
CHICAGO-JOLIET-CHICAGO HEIGHTS AREA



ISSUED BY

STATE WATER SURVEY DIVISION

A. M. BUSWELL, *Chief*

URBANA, ILLINOIS

[Reprinted by Authority of the State of Illinois]

GROUND WATER SUPPLIES
OF THE
CHICAGO-JOLIET-CHICAGO HEIGHTS AREA

ISSUED BY

STATE WATER SURVEY DIVISION

A. M. BUSWELL, *Chief*

URBANA, ILLINOIS

ORGANIZATION

STATE OF ILLINOIS
DWIGHT H. GREEN, *Governor*
DEPARTMENT OF REGISTRATION AND EDUCATION
FRANK G. THOMPSON, *Director*

Board of Natural Resources and Conservation Advisers.

FRANK G. THOMPSON, *Chairman*

ROGER ADAMS, *Chemistry*
Louis R. HOWSON, *Engineering*
EDSON S. BASTIN, *Geology*

E. J. KRAUS, *Forestry*
WILLIAM TRELEASE, *Biology*
ARTHUR C. WILLARD, *President of
the University of Illinois*

State Water Survey Division Committee.

FRANK G. THOMPSON
ARTHUR C. WILLARD

LOUIS E. HOWSON
ROGER ADAMS

STATE WATER SURVEY DIVISION

A. M. BUSWELL, *Chief*

LETTER OF TRANSMITTAL.

STATE OF ILLINOIS

DEPARTMENT OF REGISTRATION AND EDUCATION
STATE WATER SURVEY DIVISION

URBANA, ILLINOIS, *February 24, 1943.*

Frank G. Thompson, Chairman, and Members of the Board of Natural Resources and Conservation:

GENTLEMEN: Herewith I submit a report entitled, "Ground Water Supplies of the Chicago-Joliet-Chicago Heights Area" and recommend that it be published as Illinois State Water Survey Bulletin No. 35.

This report has been compiled from data in the State Water Survey files, which has been collected over a long period of years. The office compilation was carried out largely by Mr. Ross Hanson, Engineer, and Mr. W. D. Gerber, Engineer, with the assistance rendered from time to time by other members of the State Water Survey staff. Dr. T. E. Larson, Chemist for the State Water Survey, prepared and assembled the chemical data.

Respectfully submitted,

A. M. BUSWELL, *Chief.*

INTRODUCTION.

The report on the ground water supplies in the Chicago-Joliet-Chicago Heights Area includes a large amount of physical and chemical data assembled from the files of the State Water Survey. The purpose of this report is to furnish certain factual data that would be helpful in determining the possibility of producing a suitable ground water supply in any portion of the Area. This report does not purport to furnish conclusive estimation of the quality or quantity of the ground water supply that may be desired at any specific location but should be helpful in making approximations.

REASONS FOR THE REPORT.

Since the origin of the State Water Survey, there has been accumulated in the Water Survey files a large amount of technical and historical information concerning ground water, throughout the State of Illinois and particularly in the Chicago-Joliet-Chicago Heights Area. Owing to the very large extraction from the municipal and industrial wells in the Area, it is thought advisable to record, in this manner, all the information in the files which may be of value to the owner or driller who may be planning to develop or increase water supply. The Water Survey has records of more than four thousand wells in the Area, ranging in depths from shallow drift to the Mt. Simon sandstone.

The Area is one of major industrial development and daily water pumpage amounts to many million gallons.

THE AREA.

The Chicago-Joliet-Chicago Heights Area (Figure 1) comprises all of Will County and all of that part of Cook and DuPage Counties which lies south of the north line of Township 39 North. Lake Michigan and the Illinois-Indiana State line form the east boundary of the Area. State Highway No. 64, which traverses North Avenue, forms the north boundary of the area from Lake Michigan west to a point just north of Wheaton.

The west line of the Area coincides with the west line of Range 9 East of the Third Principal Meridian.

The south line is the south line of Will County.

CLASSIFICATION OF WELLS.

In the Water Survey files there are physical data records for 3,312 wells in the Chicago-Joliet-Chicago Heights Area. The records of these wells are complete to the extent that a general classification is made, which indicates the source of ground water, types of water usage and the estimated amount of daily water usage. A large portion of the information on the estimated daily usage is obtained from actual pumping records of individuals, industries, and municipal water plants. Where there were no actual water production records, estimates were made.

The Area has been divided into four zones, (Figure I-A) as follows:

Zone 1—That part of the City of Chicago within the Area.

Zone 2—That part of Cook County, outside of Chicago, within the Area.

Zone 3—That part of DuPage County within the Area.

Zone 4—Will County, all of which is within the Area.

There are four principal sources of ground water in the Area. The shallow wells, commonly referred to as drift or limestone wells, are those which do not penetrate the St. Peter sandstone. Other sources are the St. Peter, Galesville and Mt. Simon sandstones.

Minimum and maximum depths of wells under each source of water show that some wells penetrate below the aquifer under which the well is listed, but do not penetrate the next lower aquifer. This would indicate that an adequate or suitable supply of water was obtained before penetrating the next lower aquifer.

Of the 3,312 wells (Table I) latest information shows that there are 3,009 wells in active usage and 303 wells are not in use, due to their being abandoned or retired. There are 2,796 drift or limestone wells which do not penetrate the St. Peter sandstone. There are 48 wells ranging in depth from 630 feet to 1,308 feet which penetrate into the St. Peter sandstone. Some of the deeper wells in this group penetrate below the St. Peter sandstone but do not reach into the Galesville. There are 120 wells, ranging in depths from 1,400 feet to 1,850 feet which penetrate the, Galesville sandstone, and there are 45 wells, ranging in depths from 1,900 feet to 2,756 feet which penetrate the Mt. Simon sandstone.

Of the 3,009 wells, which] are classified as In Use, there are 2,623 wells which are classified as Private, there are 108 wells which are used for Municipal Water Supply and 278 wells are for Industrial uses.

From actual production records and some estimates, there is a total daily extraction of 12.70 million gallons of water from wells which do not penetrate the St. Peter sandstone, and there is a total daily extraction of 60.05 million gallons from the sandstone aquifers. The total ground water extraction from all wells of record in the Chicago-Joliet-Chicago Heights Area is estimated to be 72.75 million gallons per day.




Figure 1. Map of Chicago-Joliet-Chicago Heights Area.




Figure I-A. Zone map of the Chicago-Joliet-Chicago Heights Area.

TABLE I
CLASSIFICATION OF WELLS
in the
CHICAGO—JOLIET—CHICAGO HEIGHTS AREA

Zone	Number of wells			Source of water Formation penetrated								Type of usage			Estimated million-gallons-day		
	Office record	In use	Not in use	Drift and or Limestone		St. Peter		Galesville		Mt. Simon		Private	Municipal	Industrial	Limestone	Sandstone	Total
				No. of wells	Depths in feet	No. of wells	Depths in feet	No. of wells	Depths in feet	No. of wells	Depths in feet						
1.....	226	62	164	26	114-402	5	700-1308	21	1400-1702	10	1902-2100	3	1	58	1.25	18.52	19.77
2.....	1132	1072	60	988	0-700	7	790-1090	52	1408-1850	27	1900-2756	957	46	69	3.01	21.10	24.11
3.....	486	469	17	455	0-657	4	650-1208	2	1485-1500	8	1900-2222	427	31	11	6.65	1.29	7.94
4.....	1468	1406	62	1329	0-850	32	630-1001	45	1450-1672	1236	30	140	1.79	19.14	20.93
Total.....	3312	3009	303	2796	0-700	48	630-1308	120	1400-1850	45	1900-2756	2623	108	278	12.70	60.05	72.75

∞

MINERAL QUALITY AND TEMPERATURE OF GROUND WATERS.

The data presented on chemical analyses of samples) of water are obviously over-balanced with respect to location (Figures II, III, IV). Nevertheless it is possible to present a summary on the quality of the water which is present in the main water-bearing strata below the drift.

Of the 579 analyses (Table III) listed, 279 represent samples of water from wells which do not penetrate the St. Peter sandstone (Figure IV). For the greater part, these waters are of exceptional hardness (400-1200 p.p.m.) and of high sulfate content. A high non-carbonate hardness is present and in general these waters are more or less corrosive. It is also noted that an iron content of more than 0.3 p.p.m. is present in four waters out of five.

By exception, the limestone waters in Chicago within a few miles of Lake Michigan and south to Eiverdale and Lansing are of lower total mineral content and hardness than that of Lake Michigan water. These waters all lie within the area, inundated by Lake Michigan during the Toleston stage.¹

Also by exception, the moderately hard waters in the vicinity of the Ordnance Plant area are from the Maquoketa and Galena limestone below and at the feathered western edge of the Niagara limestone.¹ It is notable that several of these waters are of low hardness and high alkalinity.

The chloride content of all waters from above the sandstones is rarely more than a few parts per million.

As for the St. Peter and Galesville sandstone waters it appears that this area must be divided into two sections by an indefinite zone extending south from the west line of T. 39 N., E. 13 E. (Figure III).

To the west of this zone few analyses of St. Peter sandstone water are available for wells in which the limestone water has been cased out. Between Joliet and Wilmington there is a general change in the mineral content which has been fully indicated in Bulletin 34. This water at Joliet is of about 35 p.p.m. chloride content, 100 p.p.m. sulfate content, 275 p.p.m. alkalinity, 225 p.p.m. hardness, and 540 p.p.m. total mineral content. At Wilmington the chloride content is some 200-300 p.p.m. and the total mineral content increased to 800-900 p.p.m.

North of Joliet the St. Peter sandstone water is similar in mineral content to that in Joliet.

The Galesville sandstone water has been indicated in Bulletin 34 to be similar in mineral content to that of the St. Peter but of perhaps 50 p.p.m. greater hardness. This is also true for the area north of Joliet.

In the eastern section of the area the quality appears to be less definite for two important reasons. First, the pumpage particularly in the Stock Yards area has been very excessive. One out of every five sandstone wells in this area penetrates the Mt. Simon sandstone to a limited extent (Figure III). It is obvious that the heavy pumpage in some localities has lowered the non-pumping level as well as the pumping level of the St. Peter and Galesville waters below the non-pumping level

¹ Illinois State Geological Survey Bulletin No. 65.




Figure II. Distribution of recorded wells which do not penetrate sandstone.




Figure III. Distribution of wells penetrating sandstone.




Figure IV. Distribution of analytical data for wells which do not penetrate the sandstone.




Figure V. Chloride concentrations of waters obtained from various elevations below sea level.

of the Mt. Simon sandstone. This tends to promote the influx of high chloride Mt. Simon sandstone water into the upper sandstones to a more or less limited extent, and is particularly noticeable where a well into the Galesville or St. Peter sandstone is in close proximity to a well which has penetrated the Mt. Simon sandstone.

Limestone water is also apparent in analyses of a few samples from sandstone wells in Chicago near the lake shore.

The second factor is the elevation of the top of the St. Peter and the Galesville sandstones relative to their top elevations to the west. It is well known that these sandstones dip to the east and south, and lie some 100 to 200 feet lower in Chicago than at Bensenville and Elmhurst.

Nearly all of the waters from the St. Peter and Galesville sandstones in the east section are of high mineral content and hardness. The chloride content is generally 100-200 p.p.m., sulfate 200-450 p.p.m., alkalinity 200-250, hardness 400-600 p.p.m. and mineral content 800-1500 p.p.m. Perhaps the most reliable data for Galesville water quality are those for the Buda Motor Company, Harvey, and the Western Electric Company, Chicago.

Mt. Simon sandstone is characterized by its high chloride content, increasing with depth. The available data have been plotted with respect to elevation above sea level and chloride content (Figure V). Fairly good correlation has been obtained to indicate the rate of increase with depth. From these data it is estimated that the chloride content is about 400 p.p.m. at a sea level elevation of -1250 feet and increases at a rate of 400 p.p.m. (possibly 700 p.p.m.) per 100 feet of penetration. These concentrations refer specifically to the elevation in question. If an appreciable yield is obtained from two or more porous zones the chloride content will be a blend of the chloride contents of these strata.

The hardness of the Mt. Simon sandstone appears to be less than that of the upper sandstone and the total mineral content of the deepest Mt. Simon sandstone waters can usually be estimated as about 350 plus 1.65 times the chloride content. Many wells penetrate the Mt. Simon sandstone to an elevation above -1250 feet. The waters from these wells are of lesser chloride content not only by nature of the Mt. Simon sandstone water but also by blending with Galesville and St. Peter sandstone and limestone waters.

Selected available data on temperature of ground waters have been plotted against the sea level elevation of the source of the water (Figure VI). These data indicate that water at sea level is 56° F. and increases or decreases by one degree per 160 feet. If the sea level temperature is considered as 55° F., the corresponding rate of increase or decrease is one degree per 120 feet. These temperatures refer to the temperature of the water pumped or flowing from wells in which all or practically all the water is obtained from a single water-producing strata.

By comparison, at Galesburg, Illinois, it appears that the temperature at sea level is 61.5° F. with a gradient of one degree per 160 feet. Therefore it is evident that the above data are applicable, only locally, and not to other localities in the state.




Figure VI. Temperature of water from various elevations below sea level.

PHYSICAL DATA AND THEIR SOURCES.

The Water Survey has accumulated pertinent physical information on wells in the Chicago-Joliet-Chicago Heights Area. This information has been assembled from sources such as:

Well logs from the State Geological Survey.

Well logs and other well data from numerous Well Drillers.

Historical data as to date of drilling, well depths, casing sizes, water levels and pumpings from drillers, owners and municipal officials and considerable factual data on ground water extraction and its mineral qualities has been recorded and filed by all the Engineers and Chemists of the Water Survey Staff. It has long been a policy of the Water Survey to make production tests of wells, upon the request of the owner or driller, particularly for industrial or municipal water supply projects where it is necessary to know the quantity and mineral qualities of the water produced.

In Table II is listed all recorded physical data on the wells in the Area, which can be located in the field. The information set out has been collected from reliable sources but some of the descriptive locations may not be precise. Sufficient information is given so that any listed well should be readily identified for location. Some of the data are rather meager and the Water Survey would welcome any supplemental information, as well as information on wells which do not appear in Table II. If any of the tabulated physical data are erroneous the Water Survey would, appreciate correct information.

All ground and water level elevations are referred to "Mean Sea Level datum (Biloxi, Mississippi)." The "average gallons per day" for industrial and municipal plants is the actual pumping as given by plant officials from their records. For farm wells and smaller industrial wells, some of the daily extractions are estimated. Where water samples have been analyzed, the analyses numbers are given in numerical and chronological order and the mineral qualities for that analysis, identified by its number, may be found in Table III.

Where number in parenthesis is shown under "Remarks"—it refers to same number under "Remarks" section in the pack part of this bulletin.

TABLE II
PHYSICAL DATA

ZONE I

COOK COUNTY
CITY OF CHICAGO
TOWNSHIP 37 NORTH; RANGE 13 EAST

Section	14	23	23
Owner		3200 Block W. 115th St.	Hugh Hummel
Location	1250' W-1350' N. of SE. Sec. Cor.	450' W-2550' S of NE. Sec. Cor.	2150' W-1500' N of SE. Sec. Cor.
Driller	Wm. Macauley	Wm. Macauley	John Wieting
Date Drilled			
Depth			114'
Diameter			
Status	In use	In use	In use
S. L. Elevation			
Ground	620'	623'	621'
Static Max			
Static Min			
Av. G. P. D.			
Yield g. p. m.			
Drawdown			
Date			
Use	House	House	House
Analysis No.			
Remarks	Rock at 69'	Rock at 50'	57' of casing Rock at 57'

TOWNSHIP 37 NORTH; RANGE 14 EAST

Section	13	13	13	17	19	22	27
Owner	Interlaken Iron & Steel Co. Hole No. 2	Interlaken Iron & Steel Co. 11234 S. Torrence Ave.	Interlaken Iron & Steel Co.	Washington Heights Well		Sherwin-Williams	Kensington Elevators
Location	350' W-200' N of SE. Sec. Cor.	135' W. of C.L. Torrence Ave.-25' S. of 112th St. extended	11234 Torrence Ave.	3970' W-710' S of NE. Sec. Cor.	1260' E-2670' N. of SW. Sec. Cor.	650' W-2900' S of NE. Sec. Cor. 116th St. & Stephanson	810 E. 124th St.
Driller		Wm. Cater Co.	Wm. Cater Co.	J. P. Miller Co.		J. P. Miller Co.	Wilson
Date Drilled		1916	1916	1889		1907	1914
Depth	1000'	1690'	1000'	1308'		1634'	213'
Diameter		10"	10"				4"
Status	Filled in ('43)	In use	Abandoned	Abandoned		Filled up ('43)	
S. L. Elevation							
Ground		593'				588'	585'
Static Max		403 ('33)					
Static Min							
Av. G. P. D.	25,000	500,000		100,000		25,000	14,400
Yield g. p. m.							
Drawdown							
Date							
Use							Boilers only
Analysis No.		93755					
Remarks	Rock at 110' Plugged	(1)	(2)	(373)	(9)	(374)	Well on E. side of boiler room

TOWNSHIP 37 NORTH; RANGE 14 EAST—Concluded

Section	27	27	27	29	29	33
Owner	American Malting Co.	American Malting Co.	American Malting Co.	International Harvester Co.	Ingersoll Steel & Disc Co.	Riverdale Water Works
Location	123rd St. at C. & W. I. R. R.	123rd St. at C. & W. I. R. R.	1400'E-4400'N. of SW. Sec. Cor.	2180'W-176'S of NE. Sec. Cor. 120th St. at Morgan Ave.	1210'W-810'S of NE. Sec. Cor.	
Driller	J. P. Miller Co.	J. P. Miller Co.	J. P. Miller Co.		J. P. Miller Co.	
Date Drilled	1914		1893	1900	1893	1903
Depth	1643'		1658'	1246'	1308'	430'
Diameter	12" at top	8"	10"			12" top-3" bottom
Status	Abandoned	Retired ('21)	Abandoned	Not in use	Filled up	Retired
S. L. Elevation						
Ground	590'	593'	590'	612'	612'	595'
Static Max	415 ('14)					580 ('10)
Static Min						550 ('15)
Av. G. P. D.					25,000	
Yield g. p. m.				150 (test)		120 (test)
Drawdown						
Date				1914		1902
Use				Drinking		City Water
Analysis No.	27782			27949		28215
Remarks	68' of casing-12" Rock at 68'	(4)	68' of casing-10" Rock at 68'	(5)	Filled and plugged	(6)

TOWNSHIP 37 NORTH; RANGE 15 EAST

Section	5	5	5	5	5	6	
Owner	Lzzi Service St.	Illinois Steel Co. (Original well)	Illinois Steel Co. (South well)	Schaeffer Elevator Co.	Schaeffer Elevator Co.	People's Laundry	Norris Grain Elevator Co.
Location	9701 Ewing Ave.	3200' W. & 1800' S. NE Sec. Cor.	3634' E. 89th St. Gray-Mileager Co.	93rd & Harbor Ave.*	93rd & Harbor Ave.*	9220 Burley Ave.	98th St. & Calumet River
Driller	Snelton Bros.	H. K. Wilson	H. K. Wilson	H. K. Wilson	H. K. Wilson	H. K. Wilson	H. K. Wilson
Date Drilled	1932	1887	1930	1906	1906	1916	1910
Depth	280'	2080'	1680'	367'	347'	346'	346'
Diameter	4 1/2"	4"	12" top 8" bottom	6"	6" top 4" bottom	4"	8" top 4" bottom
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	585'	588'	585'	586'	586'		587'
Static Max	545 ('32)	463 ('30)	360	406 ('34)	406 ('34)		
Static Min							
Av. G. P. D.	2,900		75,000 ('34)	173,000 ('34)	173,000 ('34)	2,600	23,000 ('34)
Yield g. p. m.		35	150				
Drawdown		45	58				
Date							
Use			*Drinking	Boiler & drinking	Boiler & drinking		Boiler & drinking
Analysis No.		25037	93733	28030	28535		28532
Remarks	(7)	(8)	(9)	(11)	(12)	(13)	(14)

**COOK COUNTY
CITY OF CHICAGO
TOWNSHIP 37 NORTH; RANGE 15 EAST—Continued**

Section.....	6	6	7	7	7	7
Owner.....	Pollock Steel Co.	John Mohr & Sons	Calumet Elevator Well "A"	Calumet Elevator Well "B"	Rosenbaum Elevator	Rialto Elevator (Star Grain Co.)
Location.....	98th St. & Balti- more	98th St. & Calumet River	102nd & Calumet River	102nd & Calumet River	102nd & Calumet River	104th & Calumet River
Driller.....	S. B. Geiger Co.	Gray Well Drilling Co.	H. K. Wilson	H. K. Wilson	H. K. Wilson	H. K. Wilson
Date Drilled.....	1921	1927	1911	1909	1910	1910
Depth.....	255'	1691'	353'+	350'	400'	400'
Diameter.....	10" top-8" bottom	10" top-8" bottom	10" top-8" bottom	6" top	6" top	6" top
Status.....	Abandoned ('34)	Not in use ('34)	In use	Abandoned ('28)	Abandoned ('34)	In use
S. L. Elevation						
Ground.....	588'	590'	586'	586'	588'	587'
Static Max.....		374 ('27)	406	406	406	557 ('05)
Static Min.....						507 ('15)
Av. G. P. D.....			43,000 ('30)		85,000 ('30)*	15,000 ('15)
Yield g. p. m.....	15 (test)	70		18 (test)		
Drawdown.....		94				
Date.....	1914			1914		
Use.....		Boilers only	Boiler & drinking			Boiler & drinking
Analysis No.....	28334		28375	28381		28398
Remarks.....	(15)	Rock at 73'	(16)	(17)	(18)*	(19)

TOWNSHIP 37 NORTH; RANGE 15 EAST—Continued

Section.....	7	7	8	8	8	8
Owner.....	Washburn-Crosby	Lehigh Valley Coal Sales Co.	Columbia Malting Co. Well "A"	Columbia Malting Co. Well "B"	Columbia Malting Co. Well "C"	Columbia Malting Co.
Location.....	104th & Calumet River	1200' W. 4150' N. of SE. Cor.	105th & Ave. "C" 250' W-1100' N. of SE. Sec. Cor.	175' W-1100' N. of SE Sec. Cor.	150' W-1100' N. of SE. Sec. Cor.	10' SE. of well "B" & 15' S. of "C"
Driller.....			S. B. Geiger	J. P. Miller Co.	S. B. Geiger	
Date Drilled.....			1903	1898	1917	1902
Depth.....	340'	365'	1400'	1353'	1702'	340'
Diameter.....			10"	12" top-5" bottom	12" top-8" bottom	6"
Status.....	Abandoned ('22)	In use	Stand-by	Stand-by	In use	Abandoned ('14)
S. L. Elevation						
Ground.....	587'	587'	587'	587'	587'	583'
Static Max.....			551 ('98)	437 ('23)	286 ('43)	
Static Min.....					520,000 ('43)	
Av. G. P. D.....		2,000				
Yield g. p. m.....				220 (test)		
Drawdown.....				23		
Date.....				1898		
Use.....					Washing	
Analysis No.....	28376	28369			95275	28367
Remarks.....	(20)	67' of casing	(21)	(22)	(23)	(24)

TOWNSHIP 37 NORTH; RANGE 15 EAST—Concluded

Section	8	8	18	18	18	30
Owner	Albert Schwill	Albert Schwill	Rosenbaum Grain	Wisconsin Steel	Wisconsin Steel	General Chemical
Location	Malting Co. 103rd & Ave. "C" 3700'E-3750'S of NW Sec. Cor.	Malting Co. 3700'E-3850'S of NW Sec. Cor.	Corp. 107th & Calumet River	Co. 106th & Torrence Ave.	Co. 1350'E-1750'S. of NW Cor.	Co. 123rd & Carondelet Ave.
Driller	S. B. Geiger	S. B. Geiger	Geiger and Wilson	S. B. Geiger		
Date Drilled	1903	1896	1902	1913	1903	1901
Depth	1715'	1400'	502' *	1706'	405'	275'
Diameter	6"					
Status	Not in use	Abandoned ('31)	Not in use ('34)	Abandoned ('27)	Abandoned ('31)	In use
S. L. Elevation						
Ground	587'			592'	592'	585'
Static Max	522 ('27)					561 ('01)
Static Min						
Av. G. P. D.	60,000 ('30)		7,000			5,000
Yield g. p. m.						15
Drawdown						40
Date						
Use			Boilers		Locomotive-Boilers	
Analysis No.			28382		28370	
Remarks	(25)	Well is near "A" house	(26) *	28379 12" casing to rock at 65'	Casing to rock at 72'	S.W.L. can be measured

TOWNSHIP 38 NORTH; RANGE 13 EAST

Section	9
Owner	Studebaker Aviation Eng. Plant
Location	
Driller	
Date Drilled	
Depth	
Diameter	
Status	
S. L. Elevation	
Ground	
Static Max	
Static Min	
Av. G. P. D.	
Yield g. p. m.	
Drawdown	
Date	
Use	
Analysis No.	
Remarks	No wells—water purchased from Chicago

COOK COUNTY
CITY OF CHICAGO
TOWNSHIP 38 NORTH; RANGE 14 EAST

Section	2	2	2	3	3	4	4
Owner	Drexel Cafe	Drexel Arms Hotel	Winnemer Apartments	Bissell Laundry	Goldenrod Ice Cream	Brennan Packing Co.	Illinois Meat Co.
Location	39th & Cottage Grove	3933 Cottage Grove	3914 Ellis Ave.	651 E. Pershing Rd.	3900 S. Michigan 1200'E-250'S of NW cor.	40th and Normal	3937 Wallace 1000'E-200'S of NW. Sec. Cor.
Driller		Wm. Cater			S. B. Geiger	J. P. Miller Artesian Well Co.	J. P. Miller Artesian Well Co.
Date Drilled		1902	1893	1910	1938		1913
Depth	450'	185'	400'	185'	374'	1366'	1632'
Diameter		4"	6"	4"	12"		10"
Status	Not in use	Retired ('34)	Retired ('19)	Retired ('15)	In use	Retired ('18)	Abandoned ('17)
S. L. Elevation							
Ground				600'	600'	593'	593'
Static Max				556 ('34)	553 ('39)		
Static Min							
Av. G. P. D.		29,000 ('30)			70,000		
Yield g. p. m.					90		
Drawdown					153		
Date					1939		
Use		General except drinking	General except drinking				
Analysis No.	28672*	28669	28666	28724	36931	26724	26721
Remarks	*Sample collected 1914	(27)	(28)	Rock at 90'	52' of casing (12") to rock	(29)	44' of casing (10") Rock at 39'

22

TOWNSHIP 38 NORTH; RANGE 14 EAST—Continued

Section	4	4	4	4	4	5	5
Owner	Illinois Meat Co.	Manhattan Brewery	P. Brennan Co.	Agar Packing and Provision Co.	American Bridge	Swift & Co. Ind. Packing Co.	Produce Terminal Co.
Location	3937 Wallace St.	70'E-400'S of 39th and Emerald	3827 Halsted St. 160'E-350'S of NW. Sec. Cor.	4057 S. Union Ave.	4052 Princeton Ave	1135'W-220'S of 500'N. of 41st	NE. Sec. Cor.
Driller	J. P. Miller Artesian Well Co.	J. P. Miller Artesian Well Co.		J. P. Miller Artesian Well Co.		J. P. Miller Artesian Well Co.	C. W. Whitney
Date Drilled	1895*	1893	1850'	1893	1880	1912*	1913
Depth		1615'		1610'	200'	1605'	1625'
Diameter		4"			5"	12" top	16" top-15" bottom
Status	Not in use	Not in use*	*Not in use	Not in use	Not in use	Abandoned ('25)	In use
S. L. Elevation							
Ground		593'	593'			593'	595'
Static Max		468				458 ('12)	345 ('34)
Static Min						293 ('27)	227 ('12)*-275' ('42)
Av. G. P. D.		24,000 ('34)					2300,000
Yield g. p. m.						75 (test)	
Drawdown							
Date						1914	
Use				Drinking			Stock water
Analysis No.		23035	23621			23673	76895-73057-85273
Remarks	*(30)	*(31)	*(32)	(35)	(34)	*(36)	*(36)

TOWNSHIP 38 NORTH; RANGE 14 EAST—Continued

Section.....	5	5	5	5	5	5	5
Owner.....	Swift & Co. No. Boiler Room Well	Swift & Co. Central Well	Swift & Co. Fertilizer House Well	Swift & Co. Bonehouse	Swift & Co. Hog house No. 2	Swift & Co. Cen. Refrigerating Plant	Swift & Co. No. 70 house
Location.....	1130'E-1280'S. of NW. Sec. Cor.	2000'E-1300'S. of NW. Sec. Cor.	325'E-2510'S. of NW. Sec. Cor.	175'S. of 42nd St. Pl. 425'E. of Ashland	475'W. of Racine 35'N. of 42nd Place	220'N. of 42nd Pl. 450'E. of Ashland	150'W. of Loomis St. 50' N. of 41st St.
Driller.....	W. H. Gray & Bro.		J. P. Miller Co.	J. P. Miller Co.	J. P. Miller Co.	J. P. Miller Co.	
Date Drilled.....	1917		1896-1900		1900	1907	1915
Depth.....	1619'		2019'	1879'	2008'	1843'	1900'
Diameter.....							16"
Status.....	Not in use ('35)	Not in use*	Not in use	Abandoned	Abandoned	Abandoned	Retired
S. L. Elevation.....							
Ground.....	594'	593'	593'				
Static Max.....	321 ('35)	331 ('35)	323 ('35)				
Static Min.....							
Av. G. P. D.....							
Yield g. p. m.....			250	300	250	200	
Drawdown.....							
Date.....			1914	1914	1914	1914	
Use.....							General
Analysis No.....			28748	28748	28757	28752	
Remarks.....	Rock at 30'	*('37)	(36)	72' of casing	70' of casing	50' of casing	(38)

TOWNSHIP 38 NORTH; RANGE 14 EAST—Continued

Section.....	5	5	5	5	5	5	5
Owner.....	Swift & Co. No. 5 house	Armour & Co. Packers Ave. Well	Armour & Co. Power House Well	Armour & Co. Wool House	Armour & Co. Well No. 1	Armour & Co. formerly (Nelson-Morris)	Armour & Co. (Nelson-Morris)
Location.....	350'E. of Ashland 75'N. of 43rd St.	1650'E-2150'N. of SW. Sec. Cor.	1460'E-2465'N. of SW. Sec. Cor.	2040'E-1850'N. of SW. Sec. Cor.		42nd & Packers Ave.	42nd & Packers Ave.
Driller.....		C. W. Whitney				J. P. Miller Co.	J. P. Miller Co.
Date Drilled.....	1915	1914		1910	1889	1903	1901
Depth.....	1600'	1600'	1581'	1560'	1603'	1622'	1628'
Diameter.....	16"	26" top-15" bottom		25" top-12" bottom	17 1/2" top-13 1/2" bottom	10"	10"
Status.....	Retired	Not in service	Retired ('28)	Not in service	Retired ('29)	Abandoned	Abandoned
S. L. Elevation.....							
Ground.....		593'	593'	593'	593'	592'	
Static Max.....		390 ('13)	322 ('35)	288 ('21)			
Static Min.....		309 ('29)	287 ('24)	320 ('35)			
Av. G. P. D.....							
Yield g. p. m.....	250					400-300	
Drawdown.....							
Date.....	1914					1903-1914	
Use.....							
Analysis No.....	28758	28145	28146			28038	
Remarks.....	(40)	1303' of casing rock at 70'		(41)	(42)	(43)	

COOK COUNTY
CITY OF CHICAGO
TOWNSHIP 38 NORTH; RANGE 14 EAST—Continued

Section	5	5	5	5	6	5	5
Owner	Armour & Co.* (Nelson-Morris)	Chicago Packing Co.	Continental Packing Co.*	Darling Packing Co.	Darling & Co.	Miller & Hart	Hammond Packing Co. (west well)
Location	42nd & Packers Ave.	4535 Gross Ave.		42nd St. & Ash- land*	42nd St. & Ash- land Ave.	45th Pl. & Packers	46th & Racine
Driller	J. P. Miller Co.	C. W. Whitney	J. P. Miller & Co.	S. B. Geiger	J. P. Miller & Co.	C. W. Whitney	J. P. Miller Co.
Date Drilled	1898	1913	1892	1913	1897	1915	1902
Depth	1607'	1615'	2012'	1883'	1301'	1641'	1593'
Diameter	12" top-8" bottom	12"		6"	8"	12"	5"
Status	Abandoned	Abandoned ('20)	Abandoned	In use ('34)	Abandoned	Abandoned ('25)	Abandoned
S. L. Elevation							
Ground				593'			504'
Static Max.				343 ('27)			
Static Min.				293 ('30)			
Av. G. P. D.				300,000			
Yield g. p. m.		83		300-400		225	
Drawdown				59			
Date		1914		1927		1914	
Use				General-no drinking			
Analysis No.		28216		28719		28209	28728
Remarks	*Formerly called beef-house well	Sealed & capped	*(44)	*(45)	(46)		(47)

TOWNSHIP 38 NORTH; RANGE 14 EAST—Continued

Section	5	5	5	6	6	6	6
Owner	Hammond Packing Co. (middle well)	G. H. Hammond (east well)	Anglo American Co.	Wilson & Co. Well "A"	Wilson & Co. Well "C"	Wilson & Co. Well "D"	Wilson & Co. Well "E"
Location	46th & Racine	46th & Racine	40th & Packers Ave.	42nd St. & Ashland	42nd St. & Ashland	42nd St. & Ashland	42nd St. & Ashland Ave.
Driller	J. P. Miller Co.	Gray Bros.	J. P. Miller Co.	F. M. Gray, Jr.	J. P. Miller & Co.	J. P. Miller & Co.	Geiger
Date Drilled	1803	1918	1897-1902	1928-29	1914	1913	1920
Depth	1595'	1592'	1594'	1701'	1690'	1620'	1500'
Diameter	10"	9"	10"	22"		8"	18" top
Status	Abandoned	In use ('34)	Abandoned (1910)	In use	Abandoned ('21)	Abandoned ('16)	Abandoned
S. L. Elevation							
Ground		594'		593'			
Static Max.		328 ('30)		338 ('33)			
Static Min.		310 ('29)		299 ('42)			
Av. G. P. D.		300,000		2738,000 ('31)			
Yield g. p. m.		600 (test)		1450	600		
Drawdown				191			
Date		1937		1942			
Use		Cooling-condensing		Condensing		Cooling-condensing	
Analysis No.	28725	28723		93037	28029	28652	
Remarks	(48)	(49)	(50)	(51)	(52)		

TOWNSHIP 38 NORTH; RANGE 14 EAST—Continued

Section	7	7	7	7	7	7	7
Owner	Standard Brands Well No. 1	Standard Brands Well No. 2	Standard Brands Well No. 3	C. F. Clausen 5147 S. Western Ave.	Certainteed Products 49th & Oakley Ave.	Fleischmann Malting Co. 51st Pl. & Homan Ave.	Fleischmann Malting Co. 51st Pl. & Pennsyl- vania R. R.
Location	48th & Oakley Ave.	48th & Oakley Ave.	48th & Oakley Ave.				
Driller	S. B. Geiger	S. B. Geiger	Gray Bros.	R. Hartman		S. B. Geiger	
Date Drilled	1919	1922	1912-13	1923		1935-36	
Depth	1938'	1942'	1639'	270'		1964-66'	800'
Diameter	20" top-8" bottom			8"			
Status	In use	In use	Not in use	In use	Abandoned ('16)	In use	Not in use
S. L. Elevation							
Ground	594'	594'		594'		594'	
Static Max	310 ('31)	329 ('32)		564 ('30)		309 ('35)	
Static Min	334 ('35)	296 ('28)					
Av. G. P. D.	1800,000 ('34)	1670,000 ('30)		8,000		1,800,000	
Yield g. p. m.			350 (test)				20
Drawdown							
Date			1914				1914
Use	Cooling-condensing			General			
Analysis No.	76001	30537	31,842				28670
Remarks	(53)	S.W.L. can be measured	(54)	S.W.L. can be measured			

TOWNSHIP 38 NORTH; RANGE 14 EAST—Continued

Section	8	12	14	14	16	18
Owner	Nutriment Co.- Chemists	Chicago Beach Hotel	Consumer's Ice Co.	Del Prado Hotel	Washburn & Co.	Independent Beverage
Location	814 W. 49th Place	51st St. & Lake Shore	6105 Uni. Ave.	59th & Blackstone	6201 S. LaSalle St.	
Driller	J. P. Miller Co.		J. P. Miller & Co.			
Date Drilled	1899	1900	1892			1927
Depth	1308'+	240'	1967'	300'		200'
Diameter	9"	12"				
Status	Abandoned	In use	Abandoned ('20)	Not in use	Abandoned	Abandoned
S. L. Elevation						
Ground		590'				
Static Max		566 ('33)				
Static Min						
Av. G. P. D.		1,000				12,000 ('30)
Yield g. p. m.						
Drawdown						
Date						
Use		Drinking only	Cooling-condensing	Drinking only		Bottling
Analysis No.			26720			
Remarks	64" 9" casing to rock	12" casing to rock		Exact location of well unknown	Sealed & capped 1927	

COOK COUNTY
CITY OF CHICAGO
TOWNSHIP 38 NORTH; RANGE 14 EAST—Continued

Section	21	21	22	23	26	26
Owner	Consumer's Ice Co.	All-Weather Tire Co.	A. J. Canfield	Woodlawn Laundry	McClintic Marshall	Republic Steel Corp. Well A
Location	65th & Lowe Ave.	6622 S. State	6788 S. Chicago Ave.	1221 E. 63rd St.	7749 Dante Ave.	79th & S. Chicago
Driller	J. P. Miller Co.		S. B. Geiger			
Date Drilled	1893		1926	1905	1908	1900
Depth	1700'		284'	350'	250'	292'
Diameter			4"		4"	6"
Status	Closed-1912	Not in use	In use	Closed-1928	Last used-1927	Not in use
S. L. Elevation						
Ground				590'		
Static Max				500 ('30)		
Static Min						
Av. G. P. D.			4,000		15,000	1,000
Yield g. p. m.						
Drawdown						
Date						
Use			Soft drinks			General-except drinking
Analysis No.	27952					
Remarks	Location unknown	Spring found in 1926 during construction			Formerly Kenwood Bridge Co.	Condemned by Health Dept. prior 1934

TOWNSHIP 38 NORTH; RANGE 14 EAST—Concluded

Section	26	26	26	26	26	28
Owner	Republic Steel Corp. Well B	Republic Steel Corp. Well C	Republic Steel Corp. Well D	Republic Steel Corp. Well E	Republic Steel Corp. Well F	A. L. Randall Co.
Location	79th & S. Chicago	79th & S. Chicago	79th & S. Chicago	79th & S. Chicago	79th & S. Chicago	525 W. 76th
Driller						
Date Drilled						
Depth	300'	1632'	300'	300'	1800'	
Diameter						
Status	Sealed-1916	Sealed-1912	Sealed-1912	Sealed-1910	Sealed-1908	Sealed-1922
S. L. Elevation						
Ground					535'	
Static Max						
Static Min						
Av. G. P. D.						
Yield g. p. m.					110 (test)	
Drawdown						
Date					1914	
Use						
Analysis No.		28032	28028			
Remarks	Sealed & capped 1916	Sealed in 1912	Sealed	Sealed in 1910	Sealed in 1908 Rock at 20'	

TOWNSHIP 38. NORTH; RANGE 15 EAST

Section.....	32
Owner.....	Carnegie-Illinois Steel Co.
Location.....	3426 E. 89th St.
Driller.....	Gray-Milaegeer Drill. Co.
Date Drilled.....	1930
Depth.....	1660'
Diameter.....	12 3/4" top—8" bottom
Status.....	In use
S. L. Elevation	
Ground.....	595'
Static Max.....	375'
Static Min.....	
Av. G. P. D.....	310,000
Yield g. p. m.....	150
Drawdown.....	65
Date.....	
Use.....	Drinking
Analysis No.....	93750
Remarks.....	Rock at 39'

27

TOWNSHIP 39 NORTH; RANGE 13 EAST

Section.....	3	3	9	9	11	12	12
Owner.....	Peerless Tool & Engineering Co.	Pettibone-Mullilan Co.	Meyer-cord Corp.	Peterson Ice Cream Co.	Bunte Bros.	Mechanical Rubber Co.	Griffin Wheel Co.
Location.....	4431 W. Division	4710 W. Division	Lorel Ave. at Lake St.	5835 W. Lake St.	No. Homan & Franklin Blvd.	2639 W. Grand Ave.	445 N. Sacramento Blvd.
Driller.....		S. B. Geiger	W. H. Gray & Bro.		S. B. Geiger Bros.		
Date Drilled.....			1910	1905	1919	1900	
Depth.....	212'	1700'	130-135'	270'	1950'	1280'	1738'
Diameter.....		8"	8"	6"	18"-8"	6"	
Status.....	?	Abandoned (2-'42)	In use	In use	In use	Sealed ('08)	Abandoned ('06)
S. L. Elevation							
Ground.....			612'	618'	600'		
Static Max.....			544 ('34)	580 ('34)	380 ('19)		
Static Min.....					385 ('33)		
Av. G. P. D.....			5,000	5,000	50,000		
Yield g. p. m.....			30	65			175
Drawdown.....			10	84			
Date.....			1934	1934			1914
Use.....		Drinking-cooling	Cooling	Condensers	Condensers	Drinking	
Analysis No.....	90329				78213	28380	26886
Remarks.....			60' of casing		S.W.L. can be measured Rock at 40'		(66)

COOK COUNTY
CITY OF CHICAGO
TOWNSHIP 39 NORTH; RANGE 13 EAST—Continued

Section	12	13	13	13	13	14	14
Owner	Schreever Laundry Co.	J. F. Jelke Co.	Murray-Nichols Co.	Heywood Wakefield	Apex Smelting Co.	Sears Roebuck Co. Hole No. 1	Sears-Roebuck Co. Hole No. 2
Location	3132 W. Lake St	460' E. of S. Wash-tenaw 145' N. of Polk St.	2610 Arthington St.	2623 Arthington St.	2555 W. Taylor St.	900 S. Homan	900 S. Homan
Driller		S. B. Geiger & Co.		J. P. Miller Co.	S. B. Geiger & Co.	S. B. Geiger	S. B. Geiger
Date Drilled	1905	1909	1912	1927	1927	1912	1910
Depth	400'	1607'	286'	1615'	2100'	1363'+	1623'
Diameter		10"-5"	4"		18"	15"-8"	
Status	Sealed ('22)	In use	Not in use	Capped-1918	Plugged	In use	Abandoned ('27)
S. L. Elevation							
Ground		595'			595'	590'	590'
Static Max		395 ('10)			495 ('34)	510 ('08)	
Static Min		195 ('31)				350 ('32)	
Av. G. P. D.		135,000				230,000	
Yield g. p. m.			30			509	
Drawdown						30	
Date			1914			1932	
Use	Washing		Condensing		Industrial	All-purpose	
Analysis No.		28620	28726			27950-22966*	31820
Remarks		S.W.L. can be measured 12" casing to rock	Cased to rock		S.W.L. can be measured	* (66)	77' to rock

TOWNSHIP 39 NORTH; RANGE 13 EAST—Continued

Section	15	24	24	24	24	24	24
Owner	Dryden Rubber Co.	American Decal-comanta	Standard Brands	Monarch Brewery	American Malt Co.	Air Motor Co.	Garden City Brewery
Location	1914 S. Kildare	4326 Fifth Ave.	19th & Rockwell	2421 W. 21st	1249 S. Talman Ave.	Fillmore at Campbell	2111 S. Albany
Driller	S. B. Geiger		S. B. Geiger	S. B. Geiger	J. P. Miller Co.		S. B. Geiger
Date Drilled	1934			1913	1897	1895	*1908
Depth	1848'		1280'	1600'	*1603'	350'	1410'
Diameter	12" top-8" bottom		18"-8"	12"-8"	10"	5"	8"
Status	In use		Abandoned	Not in use	Not in use	Not in use	Abandoned ('30)
S. L. Elevation							
Ground	603'	604'		593'	345 ('34)		
Static Max	336 ('34)						
Static Min	286 ('39)						
Av. G. P. D.	1,000,000						
Yield g. p. m.	1,000			115			200
Drawdown							
Date	1943			1914			1914
Use	All purpose			Cooling-condensing			Cooling-condensers
Analysis No.	95288			28718			26334
Remarks	(67)		Rock at 54'	Repaired in 1928 Cased to rock	* Deepened in 1913 75' to rock		Cleaned out-1933 Cased to rock

TOWNSHIP 39 NORTH; RANGE 13 EAST—Concluded

Section	24	25	25	25	26	35	36	36
Owner	Standard Brands Well "B"	Ideal Roller & Mfg. Company	International Harvester Company	Utah Brewery Co.	Pilsen Products Co.	Liquid Carbonic Co.	International Paper Company	Liquid Carbonic Corp.
Location	2612 W. 19th	2512 W. 24th St.	31st and Rockwell	3320 W. 22nd St.	3249 W. 26th St.	700' W, 500' S. of NE Sec. Cor.	3201 S. Kedzie Ave.	3100 S. Kedzie Ave.
Driller	Layne Bowler						Layne Bowler	S. B. Geiger
Date Drilled	1923		1912	1900	1905		1927	1912
Depth	1902'	1147'	1659'	285'	1700'	1700'	1290'	1650'
Diameter		3" - 5"	6"				2 1/2" - 3"	10" - 5"
Status	In use	Not in use	Not in use ('25)	Not in use ('26)			Not in use ('34)	In use
S. L. Elevation								
Ground	593'	594'						582'
Static Max.	308 ('22)	306 ('36)						520 ('12)
Static Min.	284 ('34)							324 ('32)
Av. G. P. D.	1370,000	40,000						100,000
Yield g. p. m.		90			200			
Drawdown		10						
Date		1936			1913			
Use	Cooling-condensing	Industrial	Drinking					
Analysis No.		78323	30065		26717	76215		28384
Remarks	Well "B" is 100' E. of Well "A"		(68)	Sealed & capped 1927	(69)		S.W.L. can be measured	Rock at 58'

29

TOWNSHIP 39 NORTH; RANGE 14 EAST

Section	4	4	4	4	5	5	5
Owner	Sieben Brewing Co.	Oscar Mayer & Co.	American Malting Co.	Crystal Ice Co.	Earnest Bros. Brewery	Prima Products	Chicago Brewing Co.
Location	1470 Larrabee St.	1241 Sedgwick St.	26 Larrabee St.	1461 Clayborn Ave.	1233 W. Chicago Ave.	1443 N. Halsted St.	1285 W. North Ave.
Driller	J. P. Miller Co.	S. B. Geiger	J. P. Miller	J. P. Miller	J. P. Miller Co.	J. P. Miller Co.	J. P. Miller Co.
Date Drilled	1897	1909	1801	1897	1889		
Depth	1240'	1628'	1290'	1614'	1654'	2164'	1627'
Diameter	8"		10" - 8"		7"	8"	
Status	Closed ('18)	Plugged ('33)	Not in use	Not in use	Abandoned	Retired ('31)	Abandoned ('07)
S. L. Elevation							
Ground	593'	592'	590'			593'	
Static Max.		402 ('18)				493 ('27)	
Static Min.		313 ('34)					
Av. G. P. D.		100,000				29,000	
Yield g. p. m.		100				20	
Drawdown							
Date		1914					
Use	Cooling-condensing						
Analysis No.	26835	23378				26832	26837
Remarks	92' to rock	111' to rock		92' to rock	98' of casing to rock	(60)	(61)

COOK COUNTY
CITY OF CHICAGO
TOWNSHIP 39 NORTH; RANGE 14 EAST—Continued

Section.....	5	5	5	5	5	6	7
Owner.....	Standard Brands No. 2	Standard Brands No. 1	Herman & Co.	Bush & Gertz Co.	Spiegelman Bros.	West Side Brewery	Consolidated Bottling Co.
Location.....	1526 Kingsbury St.	1528 Kingsbury St.	900 Bliss St.	Dayton & Weed Sts.	Clyborne & North Ave.	516 N. Paulina	411 N. Paulina St.
Driller.....	Layne-Bowler	Layne-Bowler	J. P. Miller Co.	J. P. Miller	J. P. Miller		S. B. Geiger
Date Drilled.....	1925	1822	1899	1910	1899		1912
Depth.....	1962'	1302'	412'	412'	1590'	2100'	1625'
Diameter.....	18"	10"-5"	4"	4"			
Status.....	In use	Abandoned ('31)	Not in use ('19)	Abandoned ('21)	Not in use		Not in use ('17)
S. L. Elevation							
Ground.....	594'		538'		592'		
Static Max.....	400 ('32)						
Static Min.....							
Av. G. P. D.							
Yield g. p. m.			180			180	
Drawdown.....							
Date.....			1914			1914	
Use.....	Cooling-condensing	Cooling-condensing					Cooling
Analysis No.....			26827			26538	28623
Remarks.....	S.W.L. can be measured 110' to rock	78' to rock	(65)			80' of casing	(64)

TOWNSHIP 39 NORTH; RANGE 14 EAST—Continued

Section.....	7	7	8	8	8	8	8
Owner.....	Case Moody Pie Co.	West Side Ice Co.	B. A. Eckhart Milling Co.	B. A. Eckhart Milling Co.	B. A. Eckhart Milling Co. No. 2 well	Standard Brands Well "B"	Standard Brands Well "A"
Location.....	1807 Walnut St.	834 N. Hayne St.	1300 W. Carroll Ave.	1300 W. Carroll Ave.	1300 W. Carroll Ave.	311 N. Racine Ave.	311 N. Racine Ave.
Driller.....	S. B. Geiger	J. P. Miller	S. B. Geiger Co.	S. B. Geiger Co.	S. B. Geiger Co.		Wilson
Date Drilled.....	1903	1889	1940	1909	1902	1958	1922
Depth.....	1650'	1968'	295'	150'	185'	312'	430'
Diameter.....	6"		6"	6"	8"	6"	
Status.....	Filled in	Filled in	In use	In use	Plugged ('40)	Not in use ('34)	Not in use ('34)
S. L. Elevation							
Ground.....	599'						
Static Max.....	310 ('24)						
Static Min.....							
Av. G. P. D.				50,000	144,000		15,000
Yield g. p. m.			35		90-100		
Drawdown.....							
Date.....			1940				
Use.....				Boilers-drinking	All purpose		Cooling-boilers
Analysis No.....			88983	28617		28614	
Remarks.....			18" west of plugged well	(65)			(66)

TOWNSHIP 39 NORTH; RANGE 14 EAST—Continued

Section.....	8	8	8	8	8	8	8
Owner.....	Chicago Butchers	Fulton St. Wholesale Market Fulton & Peoria Sts.	Bishop & Babcock	National Biscuit	Morse Candy Co.	Cooke Brewery	Wolff, Sayre & Neller
Location.....	218 N. Peoria		904 W. Superior	113 N. Carpenter	210 N. Halsted St.	30 N. Green St.	900 W. Fulton St.
Driller.....			J. P. Miller Co.				
Date Drilled.....	1915	1910					
Depth.....	1600'	1350'	1307'	300'	350'	1300'	400'
Diameter.....	12"	8"					
Status.....	Filled in	Filled in	Sealed		Filled in	Not in use	Not in use
S. L. Elevation.....							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....							
Yield g. p. m.....				10	25	70	1045
Drawdown.....							
Date.....				1914	1914	1914	1914
Use.....		Cooling-condensing					
Analysis No.....		28587		28619	28537	28695	28533
Remarks.....	(67)	Concrete floor over well	Bldg. torn down & remodeled		Bldg. torn down & remodeled		

TOWNSHIP 39 NORTH; RANGE 14 EAST—Continued

Section.....	8	9	9	9	9	9	9
Owner.....	Broman Bldg.	Crane Co.	Durand & Casper	Hotel Brevoort	Booth Cold Storage	L. Wolff	Farley Candy Co.
Location.....	915 W. Fulton St.	Randolph & DesPlaines	N. Union Ave. & Eagle Ave.	120 W. Madison	Kinzie & Clark	601 W. Lake	712 N. Franklin St.
Driller.....							Needham Waterworks
Date Drilled.....			1900				1900
Depth.....	280'	235'	235'	1280'	926'	400'	338'
Diameter.....							8"
Status.....			Retired ('30)	Filled in	Filled in		Abandoned ('30)
S. L. Elevation.....							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....							62,000
Yield g. p. m.....	15	100	15	50	150	15	50
Drawdown.....							
Date.....	1914	1914	1914	1914	1914	1914	1914
Use.....			Drinking				
Analysis No.....	28536	28588	28531	27980	28374	28538	28615
Remarks.....			(68)	40' of casing	78' of casing	100' of casing	

COOK COUNTY
CITY OF CHICAGO
TOWNSHIP 39 NORTH; RANGE 14 EAST—Continued

Section.....	9	9	9	10	10	16	16
Owner.....	National Candy Co.	Arnold Bros.	Schultz Paper Box	Club Alabam	Western Refrigerating Co.	American Express Co.	Great Northern Hotel
Location.....	311 W. Superior	660 Randolph St.	519 W. Superior	747 N. Rush St.	20 E. Austin Ave.	538 Sebor St.	30 W. Jackson
Driller.....			S. B. Geiger	R. B. Hartman			
Date Drilled.....	1900	1900	1903	1935		1902	1900
Depth.....	300'	1650'	263'	335'	2003'	783'	960'
Diameter.....	5"	6"	6"	6"			6"
Status.....	Abandoned ('25)	Sealed ('18)	Sealed ('17)	In use	Not in use ('25)	Sealed ('13)	Not in use ('09)
S. L. Elevation							
Ground.....				563'		500'	590'
Static Max.....				403 ('35)			
Static Min.....							
Av. G. P. D.....				1,000			
Yield g. p. m.....		80				15	
Drawdown.....							
Date.....		1914				1914	
Use.....				Cooling			Drinking
Analysis No.....		28330		76214	23207	28377	
Remarks.....				140' of 6" casing			

TOWNSHIP 39 NORTH; RANGE 14 EAST—Continued

Section.....	16	16	16	16	16	16	16
Owner.....	Allen B. Wrisley	Allen B. Wrisley	Allen B. Wrisley	Edelweiss Restaurant	Burk-James	J. V. Farwell Co.	Federal Building
Location.....	915 S. Wells	915 S. Wells	915 S. Wells	63 W. Madison St.	E. Ontario St.	Adams & Market	Jackson at Dearborn
Driller.....	S. B. Geiger Co.	J. P. Miller Co.		J. P. Miller Co.	F. M. Gray		S. B. Geiger
Date Drilled.....	1923	1910'		1899	1919		1902
Depth.....	400'	1230'*	650'	1280'	1805'	200'	1350'
Diameter.....	10"	8"					
Status.....	In use	Not in use ('18)	Not in use	Not in use	Abandoned	Not in use	Sealed, capped ('19)
S. L. Elevation							
Ground.....	591'			593'			589'
Static Max.....	535 ('33)						
Static Min.....							
Av. G. P. D.....	360,000						
Yield g. p. m.....		200				6	
Drawdown.....							
Date.....		1914				1914	
Use.....		Washing-cooling					
Analysis No.....		26889*	26592			28667	
Remarks.....	117' of 10" casing	(69)			140' to rock		

TOWNSHIP 39 NORTH; RANGE 14 EAST—Continued

Section	16	16	16	16	17	17	17
Owner	C. R. I. & P. R. R.	McVickers Theatre	Fortune-Bros. Brewery	Tuthill Spring Co.	The Cracker Jack Co. Well "A"	United States Ice Co.	Auto Electric Co.
Location	LaSalle St. Station	Madison between State & Dearborn	412 S. DesPlaines	746 W. Polk St.	512 S. Peoria St.	918 W. 12th St.	1001 W. VanBuren St.
Driller	S. B. Geiger Co.		S. B. Geiger Co.			J. P. Miller Co.	
Date Drilled			1912	1910		1910	
Depth	1516'		1679'	240'	380'	1609'	280'
Diameter			10"				4"
Status	Sealed, capped ('05)	Sealed, capped ('18)	Not in use ('15)	Not in use ('30)		Abandoned ('17)	Abandoned ('08)
S. L. Elevation							
Ground			593'				
Static Max.							
Static Min.							
Av. G. P. D.				1,500	70,000		
Yield g. p. m.			300				
Drawdown							
Date			1914				
Use			Washing-condensing		Condensing-drinking		Boilers-drinking
Analysis No.			28885			26891	
Remarks		(70)			(71)	85' to rock	Contaminated 1908

TOWNSHIP 39 NORTH; RANGE 14 EAST—Continued

Section	19	19	19	19	20	20	20
Owner	Schoenhofen-Edelweiss Co. Well "A"	Schoenhofen-Edelweiss Co. Well "C"	Schoenhofen-Edelweiss Co. Well "B"	Hoerber Brewing Co.	Stege Brewing Co.	Goldenrod Ice Cream	H. L. Schroeder
Location	1903 W. 18th St.	1905 W. 18th St.	1903 W. 18th St.	1617 W. 21st Place	15th & Ashland Ave.	937 W. 21st St.	
Driller	J. P. Miller Co.			S. B. Geiger Co.		S. B. Geiger Co.	
Date Drilled	1923	1901	1895			1923	1890
Depth	1949'	1590'	1800'	350'	1750'	700'	150'
Diameter	8"			8"		10'-0"	
Status	Not in use ('30)	Abandoned (1900)	Abandoned ('17)	Not in use ('10)	Sealed, capped	Plugged ('25)	Not in use
S. L. Elevation							
Ground	593'	593'				597'	
Static Max.	375 ('34)					557 ('34)	
Static Min.							
Av. G. P. D.							10,000
Yield g. p. m.				36	45		
Drawdown							
Date				1914	1914		
Use	Cooling-condensing					Cooling-condensing	Boiler
Analysis No.		26715		28584	28213		
Remarks	S.W.L. can be measured with difficulty		Casing crumbled 1917	S.W.L. can be measured 27' to rock		S.W.L. can be measured if top is removed	

COOK COUNTY
CITY OF CHICAGO
TOWNSHIP 39 NORTH; RANGE 14 EAST—Continued

Section.....	20	21	21	21	21	21	21
Owner.....	Dernier Cut Stone Co.	Western Shade Cloth Co.	Pure Carbonic Co.	Kellogg Terminal Wks., Well "A"	Kellogg Terminal Wks., Well "B"	Kellogg Terminal Wks., Well "C"	Crook's Terminal Wks.
Location.....	1157 W. 21st St.	DesPlaines & Canalport St.	2008 S. Canal St.	18th & Canalport Ave.	18th & Canalport Ave.	18th & Canalport St.	1445 S. Canal St.
Driller.....		S. B. Geiger		J. P. Miller Co.	J. P. Miller Co.		
Date Drilled.....		1939	1900	1910	1900	1882	
Depth.....	250'	1620'	1700'	1600'	2187'	2180'	415'
Diameter.....				16"-8"	8"	8"-4"	
Status.....	Not in use ('34)	In use	Not in use ('10)	Closed ('20)	Closed ('20)	Closed ('18)	Not in use ('27)
S. L. Elevation							
Ground.....			596'	598'	596'	596'	596'
Static Max.....							
Static Min.....							
Av. G. P. D.....			540,000				
Yield g. p. m.....	10			550	250	60 (flowed)	18
Drawdown.....							
Date.....	1914			1920	1919	1918	1914
Use.....				Cooling-condensing		Cooling-condensing	
Analysis No.....	28590	86321		26719	26714		28596
Remarks.....		80' of casing	Sealed, capped	(72)	(73)	(74)	(76)

TOWNSHIP 39 NORTH; RANGE 14 EAST—Continued

Section.....	21	21	21	21	22	22	27
Owner.....	Crane Co. Well No. 2	Union Cold Storage Co.	Bishop & Babcock	Crane Co. Well No. 1	R. R. Donnelly Corp.	Chicago Cold Storage Co.	Johnson Hotel
Location.....	435 W. 12th St.	16th & Dearborn	1616 Burlington	435 W. 12th	350 E. Cermac Rd.	1632 Indiana Ave.	2358 Indiana Ave.
Driller.....			J. P. Miller		C. W. Varner		S. B. Geiger
Date Drilled.....					1935	1914	1892
Depth.....	250'	1135'	1307'	290'	2090'	1900'	238'
Diameter.....					20"-6"		6"
Status.....	Not in use	Not in use	Not in use	Not in use	In use	Sealed, capped ('21)	Not in use ('34)
S. L. Elevation							
Ground.....	596'	596'	596'	596'	596'	596'	593'
Static Max.....					411 ('35)		581 ('92)
Static Min.....							
Av. G. P. D.....					100,000		
Yield g. p. m.....	18	20		18	780		
Drawdown.....					230		
Date.....	1914	1914		1914	1935		
Use.....							Drinking
Analysis No.....	28587	28208	28718	28585	77220	27785	
Remarks.....	107' of casing	90' of casing	74' to rock	107' of casing	Recorder	Yield very small	

TOWNSHIP 39 NORTH; RANGE 14 EAST—Continued

Section	27	28	28	28	28	28	29
Owner	Seipps' Brewery	Gottfried Brewing Co.	Gottfried Brewing Co.	A. P. Callahan Co.	LaSalle Auto Storage	Inland Rubber Co.	Bismarek Brewing Co.
Location	27th at Cottage Grove	337 Alexander St.	337 Alexander St.	2407 S. LaSalle St.	25th & LaSalle St.	27th & Wentworth Ave.	2760 Archer Ave.
Driller		J. P. Miller Co.	J. P. Miller	S. B. Geiger Co.		J. P. Miller Co.	J. P. Miller Co.
Date Drilled		1912	1912	1906		1933	
Depth	1650'	1655'	2156'	336'	300'	1936'	2183'
Diameter				7"		12'-6"	
Status		Not in use ('12)	Not in use	In use	Covered over	In use	Not in use ('21)
S. L. Elevation							
Ground				592'		593'	
Static Max				512 ('06)		403 ('33)	
Static Min				543 ('35)		371 ('34)	
Av. G. P. D.				6,000		428,000	
Yield g. p. m.	200	685		11	12	470	
Drawdown				36		103	
Date	1914	1914		1906	1914	1934	
Use				Cooling		Cooling	
Analysis No.	28588	28723		76487	28616	93752	28727
Remarks	50' of casing	Cased 71' to rock		S. W. L. can be measured. Cased 61' to rock	60' to rock	Airline in operation 35' casing to rock	(76)

TOWNSHIP 39 NORTH; RANGE 14 EAST—Continued

Section	29	30	30	30	30	32	32
Owner	Omaha Packing Co.	International Harvester	International Harvester	Chicago Curled Hair Co.	Diamond Glue Co.	White Eagle Brewing Co.	South Side Brewery
Location	2320 S. Halsted St.	26th & Blue Island	26th & Blue Island	2301 S. Paulina	2930 Robinson St. at I. & M. Canal	3755 S. Racine St.	37th & Halsted
Driller		S. B. Geiger	S. B. Geiger			J. P. Miller Co. (p. 6)	J. P. Miller Co.
Date Drilled		1905	1905	1895		1905	1896
Depth	1300'	1659'	1745'	350'	1950'	1816'	1631'
Diameter						8"	
Status	Not used	Not in use ('20)	Not in use ('20)	Not in use ('22)	Not in use ('13)	Sealed, capped ('24)	Sealed ('14)
S. L. Elevation							
Ground				590'		593'	
Static Max						543 ('13)	
Static Min						340 ('34)	
Av. G. P. D.							
Yield g. p. m.	200		100		50	200	100
Drawdown							
Date			1914		1914	1914	1914
Use		Drinking					
Analysis No.	28618		28720		28583	26722	26716
Remarks	(77)	Pump removed	Cased to 34' to rock	Yield only 1000 gpd.	Sealed & capped, floor over well	(78)	(79)

COOK COUNTY
CITY OF CHICAGO
TOWNSHIP 39 NORTH; RANGE 14 EAST—Concluded

	32	32	33	33	33	33	33
Section.....							
Owner.....	Wm. Wrigley, Jr.	Armour & Co. Glue Works	Consumers Co.	Consumers Co.	Consumers Co.	Consumers Co.	David Berg Co.
Location.....	35th & Ashland Ave.	31st & Benson St.	35th & Normal	35th & Normal	35th & Normal	35th & Normal	449 W. 37th St.
Driller.....	S. B. Geiger Co.	J. P. Miller Co.	J. P. Miller Co.				
Date Drilled.....	1916	1891	1892				1905
Depth.....	1825'	1595'*					300'
Diameter.....	18"	7"-6"					
Status.....	Not in use ('23)	Not in use ('27)					In use (?)
S. L. Elevation							
Ground.....		593'					
Static Max.....		358 (27)					
Static Min.....							
Av. G. P. D.....		80					12,000
Yield g. p. m.....		650					
Drawdown.....		45					
Date.....		1927					
Use.....	Condensing	All-purpose					Cooling-condensing
Analysis No.....		28674					
Remarks.....	S.W.L. can be measured	* (80)					

ZONE II

COOK COUNTY
TOWNSHIP 35 NORTH; RANGE 13 EAST

Section	1	1	1	1	1	2	2
Owner	Illinois Central R. R. No. 1	Flossmoor Village Well No. 1	Flossmoor Village Well No. 2	H. C. Branstedt	Wm. Nietfeldt	Flossmoor Lodge	Fred Hibbing
Location	1550'N-700'W of SE Sec. Cor.	1500'N-600'W of SE. Sec. Cor.	1550'N-750'W of SE Sec. Cor.	397'S-92'E of NW Sec. Cor.	2523'S-206'E of NW Sec. Cor.	2500'W-2340'N of SE Sec. Cor.	950'E-2950'S of NW Sec. Cor.
Driller		J. P. Miller Well Co.	Thorpe Bros. Co. original S. B. Geiger Co. deepened	Medora	Medora	F. M. Gray, Jr. Inc.	Chas. H. Bahlman
Date Drilled	1892	1923	1926-1941	1906	1906	1929	1909
Depth	150'	152'	160' ('26)-467' ('41)	301'	321'	462'	102'
Diameter	10"	10"	16" top-13" bottom	4"		16" top-15" bottom	
Status	Abandoned ('26)	Retired ('40)	In use ('41)	In use	In use	In use	In use
S. L. Elevation							
Ground	580'	630'	630'	680'	695'	698'	696'
Static Max	630 ('92)	630 ('26)	634 ('26)	668 ('06)	660 ('06)		
Static Min		633 ('40)	618 ('41)				
Av. G. P. D.		200,000	200,000	200	200	1,000	200
Yield g. p. m.		150	325				
Drawdown		43'	50'				
Date		8-1926	8-1941				
Use	General	City water	City water	Farm	Farm	House	Farm
Analysis No.		87616	91223	90959			90957
Remarks		(81)	(82)	(83)	Rock at 32'	83' of casing (16")	Rock at 93'

TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section	2	2	2	2	3	3	3
Owner	Cherry Hills Golf Club	J. H. Debnang	H. Hughes	Earl Loughry	Fred Niemeyer	Emil H. Stelter	I. Niefeldt
Location	2386'E-2614'N of SW Sec. Cor.	2060'W-676'S of NE Sec. Cor.	136'W-2051'S of NE Sec. Cor.	2360'W-472'S of NE Sec. Cor.	225'E-1130'N of SW Sec. Cor.	576'E-1680'N of SW Sec. Cor.	2383'E-160'S of NW Sec. Cor.
Driller	F. M. Gray, Jr. Inc.	Wheeling	Wm. Wannemacher	Kramer	Wm. Wannemacher	E. C. Sass	Wm. Wannemacher
Date Drilled		1911	1940	1940		1910	1937
Depth	462'	100'	347'	151'	157'	125'	117'
Diameter		4"		6"			4"
Status	In use	In use	In use		In use	In use	In use
S. L. Elevation							
Ground		635'	695'	670'	724'	720'	695'
Static Max		680' ('11)	635 ('40)	610 ('40)		672 ('41)	663 ('37)
Static Min							
Av. G. P. D.	50,000	200	200	200	200	200	200
Yield g. p. m.	350						5
Drawdown							0
Date							1-1937
Use	House	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.	90956		90953	90955			90946
Remarks	(84)	Rock at 80'	Rock at 36'	Rock at 73'	100' of casing Rock at 100'	Rock at 110'	(85)

TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section.....	3	3	4	4	4	4	4
Owner.....	Gustav Stoechman	Geo. Meyer	Francis M. Harding	Richers	Hase	Harding	P. Blaker
Location.....	312'W-192'S of NE Sec. Cor.	152'E-57 $\frac{1}{2}$ 'N of SW Sec. Cor.	425'E-2440'S of NW Sec. Cor.	2090'W-1760'S of NE Sec. Cor.	3430'W-192'N of SE Sec. Cor.	412'E-2332'S of NW Sec. Cor.	203'W-1911'S of NE Sec. Cor.
Driller.....	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Chas. H. Bahlman	Henry House	Wm. Wannemacher	Wm. Wannemacher
Date Drilled.....	1930	1910	1917	1910	1890	1929	1933
Depth.....	147'	160'	197'	124'	75'	198'	148'
Diameter.....	4"	4 $\frac{1}{2}$ "		4"	*98" (dug)	4"	4"
Status.....	In use		In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	695'		701	711			
Static Max.....	653 ('30)						
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm		House	House	House	House	House
Analysis No.....					9094S		90949
Remarks.....	(36)	(37)	81' of casing	Rock at 119'	*Brick lined	(38)	102' of casing Rock at 102'

TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section.....	5	5	6	6	6	7	7
Owner.....	A. Henke	H. Kampe	H. Albers	M. Hempe	Siebrand	Schmadeke	Henry Tiegel
Location.....	92'E-3643'N of SW Sec. Cor.	32'E-112'S of NW Sec. Cor.	606'E-162'S of NW Sec. Cor.	890'E-291'S of NW Sec. Cor.	851'E-2121'N of SW Sec. Cor.	380'W-75'N of SE Sec. Cor.	1660'W-100'S of NE Sec. Cor.
Driller.....	Wm. Wannemacher (?)	Wm. Wannemacher (?)	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher
Date Drilled.....	1917	1920	1939	1941			1924
Depth.....	160'	139'	135'	139'	108'	51'	124'
Diameter.....		4"		4 $\frac{1}{2}$ "			6"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....						717'	696'
Static Max.....							
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....		90944		90945	90947		90950
Remarks.....	Rock at 90'	Cased to rock		86' of casing Rock at 86'	Rock at 96'	28' of casing Rock at 28'	(89)

COOK COUNTY
TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section	7	8	8	8	9	9	9
Owner	Hotchkins	Henry Blume	Henry Blume	Fred Siekman	Mrs. Meyer	Henry Stege	Wm. Schumacher
Location	600'E-1200'N of SW. Sec. Cor.	201'E-2032'S of NW. Sec. Cor.	275' W-550'N of SE. Sec. Cor.	1400'W-125'S of NE. Sec. Cor.	3676'W-2101'S of NE. Sec. Cor.	2200'W-830'N of SE. Sec. Cor.	880'E-1560'N. of SW. Sec. Cor.
Driller	Wm. Wannemacher		Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher
Date Drilled				1934	1914		
Depth	102'	30'	125'	142'	130'	123'	128'
Diameter		38" (dug)		44"			
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	713'	695'	702'	700'		700'	701'
Static Max		684 ('40)		686			
Static Min							
Av. G. P. D.	200	200	200	200	200	200	200
Yield g. p. m.		10		10			
Drawdown		2'		1'			
Date		6-1940		1934			
Use	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.		90951			90952		
Remarks	50' of casing Rock at 50'		82' of casing Rock at 82'	(90)	Rock at 90'	78' of casing Rock at 78'	89' of casing Rock at 89'

TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section	9	10	10	10	11	11	12
Owner	Schnadle	H. Elbers	Otto Meinheit	Flossmoor Nursery	Fred Chorse	Ralph Chevaur	Andrew Fritsch
Location	2416'W-160'S of NE. Sec. Cor.	500'E-791'S of NW Sec. Cor.	100'W-2400'N of SE. Sec. Cor.	550'W-550'S of NE. Sec. Cor.	780'W-2300'S of NE. Sec. Cor.	1505'W-2121'S of NE Sec. Cor.	2140'W-2500'N. of SE. Sec. Cor.
Driller	Wm. Wannemacher	Wm. Wannemacher	Wm. F. Johns	H. McCaskey	Chas. H. Bahlman	L. J. McCauley	W. L. Thorne (?)
Date Drilled	1935		1923	1924	1910	1941	1923
Depth	129'	165'	110'	185'	75'	130'	470'
Diameter		44"	44"			44"	
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	710'	715'	716'	722'	715'		667'
Static Max		687 ('40)	677 ('23)				673 ('23)
Static Min							
Av. G. P. D.	200	200	200	2,000	200	200	200
Yield g. p. m.							75
Drawdown							195'
Date							1923
Use	Farm	Farm	Farm	General	Farm	Farm	Farm
Analysis No.		90953				90954	
Remarks		Rock at 96'	84' of casing Rock at 84'		Rock at 68'	(91)	

TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section	12	13	13	13	13	13	13
Owner	McCoy and Mulford	August Brinkman	August Brinkman	Olympia Fields Country Club Well 1	Olympia Fields Country Club Well 2	Olympia Fields Country Club Wells 3-12 inclusive (all hand pump, average depths 150' each, all in use, for drinking purposes)	Olympia Fields Subd.
Location	2350'W-2600'S of NE. Sec. Cor.	1480'W-350'N of SE. Sec. Cor.	1420'W-331'N of SE Sec. Cor.	850'E-1850'N of SW. Sec. Cor.	850'E-1360'N of SW Sec. Cor.		5200'N. 2180'E. SW Sec. Cor.
Driller		Chas. H. Bahlman	Wm. Wannemacher	J. O. Heflin			
Date Drilled		1908	1926	1925	1927		
Depth		72'	106'	370'	157'		177'
Diameter			4 1/2"	10"	16" top-15" bottom		
Status	In use	Abandoned-sealed	In use ('41)	In use	In use		
S. L. Elevation		690'	690'	692'			
Ground				690 ('25)			
Static Max							
Static Min							
Av. G. P. D.	1,000		200	*100,000	*100,000	2,000	5,000
Yield g. p. m.				650			
Drawdown				71'			
Date				1925			
Use	Farm	Farm	Farm	Club Grounds	Club Grounds	Club Grounds	
Analysis No.				32518			91189
Remarks		Rock at 56'	Rock at 57'	*(89)	*(89)		

TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section	14	14	14	14	15	15	15
Owner	Olympia Fields Subdivision	Joe Sakalis	Olympia Fields Riding Academy	M. Watson	W. Meinheit	Maloney	Adolf Detmning
Location	237'W-1440'N of SE. Sec. Cor.	1340'W-2540'N of SE. Sec. Cor.	2000'W-50'N of SE. Sec. Cor.	1619'W-96'S of NE. Sec. Cor.	1709'W-1620'S of NE. Sec. Cor.	1860'W-1560'S of NE. Sec. Cor.	950'E-2300'S of NW. Sec. Cor.
Driller	H. McCaskey	Wm. F. Johns & Medora	R. Hemingway	Wm. Wannemacher (?)	Wm. Wannemacher	Claude Kramer	E. C. Sass
Date Drilled	1923	1920	1920	1935	1941	1929	1919
Depth	112'	120'	116'	108'	122'	163'	85'
Diameter	6"	4 1/2"	3"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status	Abandoned ('29)	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	687'	699'		700'	707'	706'	701'
Static Max	677 ('23)	670*		650 ('35)	690 ('41)		681 ('19)
Static Min							
Av. G. P. D.		200	1,000	200	200	200	200
Yield g. p. m.					20		
Drawdown					2		
Date					7-1941		
Use	General	Farm	General	Farm	Farm	Farm	Farm
Analysis No.							91176
Remarks	Originally a flowing well	*When drilled Rock at 83'	(94)	Rock at 81'	Rock at 83'	Rock at 93'	(86)

COOK COUNTY
TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section	16	16	16	16	17	17	
Owner	F. Crumweitel	Hulda Crumweitel	T. Kampe	A. F. Kampe	Harms	Henry Schumaker	Henry Kluender
Location	125°W-200°S of NE. Sec. Cor.	460°W-250°N of SE. Sec. Cor.	2361°W-2052°S of NE. Sec. Cor.	1622°E-376°S of NW. Sec. Cor.	273°W-175°S of NE. Sec. Cor.	1280°W-125°S of NE. Sec. Cor.	2120°W-125°S of NE. Sec. Cor.
Driller	Wm. F. Johns	Wm. F. Johns	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	E. C. Sass
Date Drilled	1926	1929	1921	1920	1921	1934	1934
Depth	59'	51'	120'	100'	115'	99'	77'
Diameter	44"		44"	44"	44"	44"	
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	701'	705'	700'		705'	711'	707'
Static Max.	636 ('26)	696 ('29)	692 ('41)		687 ('21)	686 ('36)	682 ('34)
Static Min.							
Av. G. P. D.	200	200	200	200	200	200	200
Yield g. p. m.			475				
Drawdown			12'				
Date			7-1941				
Use	Farm	Farm	Farm		Farm	Farm	Farm
Analysis No.			91177		91158	91182	
Remarks	(98)	72' of casing Rock at 72'			(97)	(93)	Less than 77' of casing

TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section	17	17	18	18	18	18	18
Owner	Treskow	C. Siebrandt	Wm. Twietmeyer	Ehler Kampe	Henry Steinborn	Carston Vogt	J. Fiegel
Location	1321°E-200°S of NW. Sec. Cor.		450°E-1630°N of SW. Sec. Cor.	2060°W-525°S of NE. Sec. Cor.	1630°E-1660°S of NW. Sec. Cor.	175°E-380°S of NW. Sec. Cor.	238°W-809°S of NE. Sec. Cor.
Driller	E. C. Sass	Wm. Wannemacher	Wm. F. Johns	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	E. C. Sass
Date Drilled	1921	1927	1926	1921	1923	1934	1902
Depth	103'	96'	82'	90'	82'	96'	198'
Diameter		44"	44"	44"	44"		6"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground			730'	723'	726'	719'	724'
Static Max.			696 ('26)			697 ('34)	694
Static Min.							
Av. G. P. D.	200	200	200	200	200	200	200
Yield g. p. m.						10	
Drawdown							
Date						1934	
Use	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.			91186	91181	91187		
Remarks			(99)	(100)	(101)	(102)	

TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section	19	19	19	19	20	20	20
Owner	Henry Bissping	Albert Krusemarck	Albert Hager	H. Bahlman	Earnest Kampe	John Faso Filling Sta.	Norman Graham
Location	1330'E-2840'S of NW Sec. Cor.	730'E-1100'S of NW Sec. Cor.	1609'W-1680'S of NE Sec. Cor.	320'W-750'N of SE Sec. Cor.	1250'W-2300'S of NE Sec. Cor.	1360'E-2510'S of NW Sec. Cor.	1260'E-1410'N of SW Sec. Cor.
Driller	E. C. Sass	Wm. Wannemacher	E. C. Sass	Wheeling	Wm. Waanemacher	H. McCaskey	Sylvester Tyler
Date Drilled	1914	1915	1911		1927	1933	
Depth	86'	113'	58'	114'	129'	86'	90'
Diameter	43"	43"	43"	43"	43"	43"	43"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	732'	735'	713'		713'	716'	
Static Max.	712 ('14)	708 ('15)	693 ('40)		698		
Static Min.							
Av. G. P. D.	300	300	200	200	200	1,500	
Yield g. p. m.	6						
Drawdown	0						
Date			7-1940				
Use	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.	91180		91173		91183	91190	91170
Remarks	(105)	(104)	(105)	Casing extends 4' in rock	(106)	76' of casing (44')	

TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section	21	31	21	21	21	21	22
Owner	G. Utamak	Raisin Brook Packing Co.	Herman Dittmining	Mattas and Nelson Green House	E. Blume	G. Blume	Riegel
Location	420'W-290'N of SE Sec. Cor.	300'W-2860'S of NE Sec. Cor.	93'W-2592'S of NE Sec. Cor.	100'W-1400'S of NE Sec. Cor.	4050'W-250'S of NE Sec. Cor.	2270'W-350'S of NE Sec. Cor.	950'E-3600'S of NW Sec. Cor.
Driller	Wm. F. Johns	Layne-Northwestern	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. F. Jahns
Date Drilled	1916	1930	1930	1931	1929	1929	
Depth	89'	204'8"	112'	134'	121'	119'	68'
Diameter	43"	8"	43"	6"	43"	43"	8"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	709'	714'	714'	712'	711'	720'	715'
Static Max.	689 ('16)	699'	698 ('41)	697'			*699
Static Min.							
Av. G. P. D.	200	1,000	200	1,500	200	200	200
Yield g. p. m.							
Drawdown			0				
Date			7-1941				
Use	Farm	General	General	General	Farm	Farm	Farm
Analysis No.		91169	91168			91185	91171
Remarks	(107)	(108)	(109)	78' of casing (6') Rock at 77'	(110)	(111)	*(112)

COOK COUNTY
TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section	22	23	23	23	23	23	23
Owner	August Gerloff	Olympia Fields Village Well	Otto Wollenberg	Fred Determing	Chas. H. Connelly	Maurice Adams	Farwell
Location	250'W-2900'S of NE. Sec. Cor.	100'W-200'S of NE. Sec. Cor.	2820'W-3200'S of NE. Sec. Cor.	2800'W-3760'S NE. Sec. Cor.	2120'E-1760'S of NW. Sec. Cor.	2240'E-175'S of NW. Sec. Cor.	548'E-2112'S of NW. Sec. Cor.
Driller	Wm. Wannemacher	Millis & Co.	Wm. Wannemacher	Wm. Wannemacher	Wm. F. Jahns	Wm. F. Jahns	
Date Drilled	1937	1924	1919	1919	1924	1930	
Depth	135'	200'	130'	133'	94'	106'	102'
Diameter	4 1/2"	10"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	695'	673'	707'	704'	703'	710'	700'
Static Max	690 ('41)		687	684	687 ('41)	672 ('30)	
Static Min							
Av. G. P. D.	200	20,000	200	200	200	200	200
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	City water	Farm	Farm	Farm	Farm	Farm
Analysis No.		91172			91184		91175
Remarks	(113)		81' of casing Rock at 80'	(114)	(115)	(116)	Rock at 88'

TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section	24	24	24	24	26	26	26
Owner	Hastad	Harms	John Monnix	Fred Rodewaldt	H. J. Blume	Village of Matteson	Michigan Central R. R.
Location	107'W-252'S of NE. Sec. Cor.	378'W-2909'S of NE. Sec. Cor.	450'W-3800'S of NE. Sec. Cor.	125'W-530'S of NE. Sec. Cor.		2220'E-300'S of NW. Sec. Cor.	1950'E-50'S of NW. Sec. Cor.
Driller	Chas. H. Bahlman	Bahlman	Wm. F. Jahns	Chas. H. Bahlman		Needham Water Works Co.	
Date Drilled	1890	1890	1926	1909	1912	1914	1900
Depth	90'	82'	109'	57'	106'	282'	106'
Diameter	4 1/2"	4 1/2"	6"	4 1/2"	4 1/2"	10"	6"
Status	In use	In use	In use	In use	In use	In use	Not in use ('41)
S. L. Elevation							
Ground			704'	696'		707'	705'
Static Max			649 ('26)			693 ('14)	697 ('41)
Static Min						639 ('41)	
Av. G. P. D.	200	200	200	200		100,000	
Yield g. p. m.						200	
Drawdown						8	
Date						1914	1941
Use	Farm	Farm	Farm	Farm		City water	General
Analysis No.						91369	
Remarks	Rock at 70'	(117)	(118)	(119)	Rock at 80'	(120)	(121)

TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section	26	26	26	26	26	26	26
Owner	Illinois Central R. R.	Wm. Mahler	Gus Groschie	Schnuweise Tobeck Marquet	Richard Park Standard School No. 136	W. Norman Graham	Wm. A. Richton
Location	2330'E-1620'S of NW Sec. Cor.	1100'E-400'S of NW Sec. Cor.	1370'E-1710'S of NW Sec. Cor.	1060'E-900'S of NW Sec. Cor.	1640'E-80'N of SW Sec. Cor.	1400'E-90'N of SW Sec. Cor.	370'E-530'N of SW Sec. Cor.
Driller	J. P. Miller Well Co.	Wm. Wannemacher	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	S. Tyler	Wm. F. Jahns
Date Drilled	1922	1923	1920	1924	1923	1934	
Depth	127'	100'	78'	106'	30'	87'	108'
Diameter	10"	4 1/2"	4"	4 1/2"	4 1/2"	4 1/2"	10 1/2"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	706'	706'	702'	703'	721'	719'	718'
Static Max	695 ('41)	693 ('23)	637 ('20)	690 ('24)	705 ('28)	710 ('34)	698*
Static Min							
Av. G. P. D.	20,000	200	200	200	2,000	200	200
Yield g. p. m.							
Drawdown							
Date							
Use	General	Farm	Farm	Farm	General	Farm	Farm
Analysis No.	91372				91363		
Remarks	(122)	(123)	72' of casing (4") Rock at 71'	(124)	(125)	(126)	*(127)

TOWNSHIP 35 NORTH; RANGE 13 EAST— Continued

Section	26	26	26	26	27	28	28
Owner	Ed. Crabby	August H. Fiebig	Adam Hahn	Dane	Herman Stuenkel	Immanuel Evang. Lutheran School	Elmer Dahlman
Location	1000'E-580'S of NW Sec. Cor.	890'W-120'S of NE Sec. Cor.	550'E-2220'S of NW Sec. Cor.		1420'E-650'N of SW Sec. Cor.	370'W-135'N of SE Sec. Cor.	3920'W-2290'S of NE Sec. Cor.
Driller	Wm. F. Jahns		Wm. F. Jahns	Wisting	Wm. F. Jahns	Wm. F. Jahns	Wm. Wannemacher
Date Drilled	1924	1911	1922	1920	1928	1923	1937
Depth	97'	132'	92'	130'	82.5'	124'	137'
Diameter	4 1/2"	4 1/2"	4 1/2"			4 1/2"	4 1/2"
Status	In use	In use	In use	Not in use	In use	In use	In use
S. L. Elevation							
Ground	705'		706'		723'	737'	722'
Static Max	692		695 ('22)		696 ('28)	707 ('23)	699 ('37)
Static Min						711 ('29)	
Av. G. P. D.	200	200	200		200	2,000	200
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Farm		Farm	General	Farm
Analysis No.	91368	91362			91367		
Remarks	(128)		(129)	Pump unfastened house torn down	80' of casing Rock at 79.5'	(130)	Rock at 80'

COOK COUNTY
TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section.....	28	28	28	28	29	29	30	30
Owner.....	Lawrence Stuenkel	H. Stade	Rev. E. Hieber (Parish House)	L. Langreder	H. F. Stuenkel	Fred Bartling	Wm. Stuenkel	Louis Marquardt
Location.....	790'W-2080'S of NE. Sec. Cor.	4120'W-260'N of SE. Sec. Cor.	130'W-830'N of SE. Sec. Cor.	750'W-2220'S of NE. Sec. Cor.	0.72 mile W. of SE. Sec. Cor.	400'W-880'N of SE. Sec. Cor.	NE. Cor. of Sec.	1000'W-900'S of NE. Sec. Cor.
Driller.....	Wm. F. Jahns		Wm. F. Jahns	Wm. F. Jahns	Henry Hick	Wm. F. Jahns	Wm. Wannemacher	Wm. F. Jahns
Date Drilled.....	1925		1923	1921	1920	1919	1941	1921
Depth.....	100'	130'	122'	101'	66'	114'	90'	80'
Diameter.....		44"	44"			44"	44"	6"
Status.....	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....								
Ground.....	720'	735'	731'	725'	745'	737'	715'	736'
Static Max.....	700 ('41)		700 ('23)	701 ('21)	712 ('41)	711 ('19)	697 ('41)	709 ('21)
Static Min.....								720' ('43)
Av. G. P. D.....	200	200	200	200	200	200	200	200
Yield g. p. m.....	6				5			
Drawdown.....	0				0			
Date.....	8-1941				8-1941			
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....		91364	91365		91373			95274
Remarks.....	82' of casing Rock at 82'		(131)	(132)		(133)	Rock at 60'	(134)

TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section.....	31	32	32	32	33	33	33	33
Owner.....	Henry Eiskamp	J. B. Borden	Henry Bahlman	John Griglanz	C. Campbell	Otto Bartels	Edward Cohrs	Wm. Vollmer
Location.....	2300'E-130'S of NW. Sec. Cor.	0.30 mile E. of NW. Sec. Cor.	0.37 mile W. of NE. Sec. Cor.	0.70 mile W. of NE. Sec. Cor.	1820'W-1810'N of SE. Sec. Cor.			3540'W-1260'S of NE. Sec. Cor.
Driller.....	Wm. F. Jahns			Henry Hick				Wm. F. Jahns
Date Drilled.....				1920	1920	1916	1926	
Depth.....	81'		114'	64'	140'	125'	200'±	126.5'
Diameter.....	44"		44"		44"		44"	6"
Status.....	In use	In use	In use	In use	In use	In use	Not in use	In use
S. L. Elevation.....								
Ground.....	751'			715'	736'			741'
Static Max.....	718			683 ('20)	718 ('38)			713
Static Min.....								
Av. G. P. D.....	200	200	200	200	200	200		200
Yield g. p. m.....					5			
Drawdown.....					1			
Date.....					1938			
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....					91359			91371
Remarks.....	(135)							118' of casing (6") Rock at 117'

TOWNSHIP 35 NORTH; RANGE 13 EAST—Continued

Section Owner	34 Geo. Walters	34 A. C. Pauling	34 Wm. Walter	34 Harry Reichert	34 W. H. Walters	35 Mrs. J. Kiesling	35 B. F. Ziebel	35 Richton Park, Village well
Location	2400'E-1790'S of NW Sec. Cor.	590'E-770'N of SW Sec. Cor.	1800'W-420'S of NE Sec. Cor.				900'W, 800'S. of NE Sec. Cor.	1430'E, 2230'S. of NW Sec. Cor.
Driller	E. C. Sass	Wm. F. Jahns	Wm. F. Jahns	John Wieting	John Wieting		W. L. Thorne	Wm. F. Jahns
Date Drilled	1916	1921	1920	1937	1937	1860	1920	1926
Depth	107'	160'	91'	133'	128'	100'	147'	610'
Diameter	44"	44"	44"	44"	6"		44"	
Status	In use	In use	In use	In use	In use	In use	In use	Retired, '24
S. L. Elevation								
Ground		745'	724'				721'	735'
Static Max.			704' ('20)					707' ('26)
Static Min.								
Av. G. P. D.	200	200	100	200	200	200	200	200
Yield g. p. m.								200
Drawdown								92'
Date								1026
Use	Farm	Farm	Farm	Farm		Farm	Farm	City water
Analysis No.								
Remarks	90' of casing Rock at 90'	91370	85' of casing Rock at 84'	Static water level 26'	Static water level 26'	40' dug well	(136)	

TOWNSHIP 35 NORTH; RANGE 13 EAST—Concluded

Section Owner	35 John Schlegel	35 Mrs. Theresa Marthaler	36 Victor Carlson	36 Scheidt	36 Weishaar	36 Fred Lustfeldt	36 Sauk Trail Country Club	36 Indian Wood Golf Club
Location	1180'E, 1800'S. of NW Sec. Cor.	1610'W, 110'S. of NE Sec. Cor.	1060'W, 1260'N. of SE Sec. Cor.	700'W, 1630'N. of SE Sec. Cor.	300'E, 1380'S. of NW Sec. Cor.	1905'E, 2310'N. of SW Sec. Cor.	SE corner of Section	1720'W, 2310'N. of SE Sec. Cor.
Driller	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Gustav Heinz		W. L. Thorne (?)	
Date Drilled	1923	1921	1924	1924	1913	1911	1929	1928
Depth	119'	102'	127'	114'	121'	130'	300'	160'
Diameter	43"	43"	43"	43"	43"		12"	
Status	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation								
Ground	737'	724'	717'	715'	715'	717'	721'	
Static Max.	706' ('23)	697' ('21)	677' ('24)	673' ('24)	699' ('13)	693' ('11)	711' ('29)	
Static Min.			677' ('41)					
Av. G. P. D.	200	200	200	200	200	200	1,000	1,000
Yield g. p. m.							250	
Drawdown							20	
Date								
Use	Farm	Farm	Household	Household	Household	Household	Club grounds	Club grounds
Analysis No.						91374		91366
Remarks	(137)	(138)	(139)	(140)	Rock at 90'		(141)	

COOK COUNTY
TOWNSHIP 35 NORTH; RANGE 14 EAST

Section.....	1	1	3	3	3	3	3
Owner.....	Lansing Airport Golf Club	John Eriks	C. C. C. Camp Thornton	Henry Bilton	J. Paris	Widow Dolon	Rowe
Location.....	950'N, 400'W. of SE Sec. Cor.	75'S, 2590'E. of SW Sec. Cor.	1300'S, 300'W. of NE Sec. Cor.	NW 1/4 SW 1/4 Glenwood	NW 1/4 SW 1/4 Glenwood	NW 1/4 SW 1/4 Glenwood	SW 1/4 SW 1/4 Glenwood
Driller.....		Richard Heming- way		R. Hemingway	R. Hemingway	R. Hemingway	R. Hemingway
Date Drilled.....	1927	1940					
Depth.....	162'	80'	153'	75.8'	68'	81'	80'
Diameter.....	4"		6"	4 1/2"	4 1/2"		4 1/2"
Status.....	In use	In use	In use ('39)	In use	In use	In use	In use
S. L. Elevation							
Ground.....		614'	616'	622'	622'	623'	624'
Static Max.....		600' ('40)	602' ('39)	608' ('32)	610' ('32)	607' ('32)	604' ('32)
Static Min.....							
Av. G. P. D.....	5,000	200	10,000	200	200	200	200
Yield g. p. m.....		8	25				
Drawdown.....		8'	11'				
Date.....		8-'40	6-13-'39				
Use.....	Clubhouse	House	Drinking	House	House	House	House
Analysis No.....			85834				
Remarks.....			Rock at 52'	32' of casing Plenty of water	(148)	(149)	(144)

TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section.....	3	3	3	3	3	4	4
Owner.....	Charles Jung	Dart Harvey	Geo. Brooks	Richard Heming- way	Ed Kelley	United Church, Glenwood	Glenwood Man. Tr. School well No. 1
Location.....	Lot 1, Bl. 10 Young & Campbell's Subdiv.	SW 1/4 SW 1/4 Glenwood	SW 1/4 SW 1/4 Glenwood	SE 1/4 SW 1/4 Glenwood	SE 1/4 SW 1/4 Glenwood	Lot 1, Bl. 6, Sweet's 1st Addn.	2220'N, 2060'E. of SW Sec. Cor.
Driller.....	Richard Heming- way	R. Hemingway	R. Hemingway	R. Hemingway	R. Hemingway	Richard Heming- way	McDory
Date Drilled.....	1946					1939	1907
Depth.....	66'	71.7'	121.25'	118'	92'	64'	130'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"		
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	625'	625'	625'	622'	622'	624'	615'
Static Max.....	604' ('32)	614' ('32)	598' ('32)	605' ('32)	608' ('32)		594' ('42)
Static Min.....							40,000 ('42)
Av. G. P. D.....	200	200	200	200	200	100	6
Yield g. p. m.....				10			
Drawdown.....							
Date.....							
Use.....	House	House	House	House	House	Drinking	Boilers, sanitation, etc.
Analysis No.....							
Remarks.....	68' of casing (4 1/2")	(146)	(146)	88' of drift 32' of rock	(147)	15' to rock	(148)

TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section.....	4	5	5	5	5	5	5
Owner.....	Glenwood Man. Tr. School well No. 2	F. Murray	Homewood Nursery	F. Murray	J. H. Akhurst	John ManZanten	H. Berry
Location.....	2400' N, 2000' E. of SW Sec. Cor.	1080' W, 1250' S. of NE Sec. Cor.	2300' E, 500' S. of NW Sec. Cor.	1130' E, 1360' S. of NW Sec. Cor.	630' E, 380' S. NW Sec. Cor.	430' E, 75' S. of NW Sec. Cor.	350' E, 530' S. of NW Sec. Cor.
Driller.....	John C. Krach	Wm. Wannemacher	H. MacCaskey	Wm. Wannemacher	H. MacCaskey	H. MacCaskey	H. MacCaskey
Date Drilled.....	1927				1923	1923	1923
Depth.....	130'	88'	67'		116'	110'	110'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	615'	637'	628'	647'	657'	656'	652'
Static Max.....			Flowing				
Static Min.....	601' ('42)						
Av. G. P. D.....	40,000 ('42)	200	500	200	200	200	200
Yield g. p. m.....	145						
Drawdown.....	16						
Date.....	4-2-'42						
Use.....	Boilers, sanitation	House	General	House	House	House	House
Analysis No.....	92701						
Remarks.....	(149)	Rock at 61'			67' of casing Rock at 67'	68' of casing Rock at 68'	72' of casing Rock at 72'

TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section.....	5	6	6	6	6	6	6
Owner.....	James Jento	Flossmoor village well	Idlewild Country Club	Idlewild Country Club well No. 2	Idlewild Country Club	Idlewild Country Club well No. 3	Schultz & Fieburg Mat. Yd.
Location.....	300' E, 280' S. of NW Sec. Cor.	1250' E, 2550' N. of SW Sec. Cor.	1480' W, 680' N. of SE Sec. Cor.	NE $\frac{1}{2}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$	100' S. of abandoned No. 2 well		380' E, 2100' S. of NW Sec. Cor.
Driller.....	H. MacCaskey	J. O. Heffin	H. MacCaskey	R. Hemingway	R. Hemingway		H. MacCaskey
Date Drilled.....	1923	1923	1925			1934	1923
Depth.....	110'	345'	117'	111'	88'	240'	125'
Diameter.....		12"		43"	44"	10"	
Status.....	In use	In use ('41)	In use	Abandoned	In use	In use	In use
S. L. Elevation.....							
Ground.....	656'	667'			640'	640'	670'
Static Max.....		607'			618'		
Static Min.....							
Av. G. P. D.....	200	300,000	3,000		5,000	5,000	2,000
Yield g. p. m.....		550					
Drawdown.....		46'					
Date.....		9-8-'41					
Use.....	House	City water	General	Club grounds	Club grounds	Club grounds	General
Analysis No.....							
Remarks.....	73' of casing Rock at 73'	(160)	At machinery shed	(151)	45' of casing Rock at 45'		68' of casing Rock at 68'

COOK COUNTY
TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section.....	6	7	7	7	7	7	8
Owner.....	Flossmoor Park	School Dist. No. 166	Idlewild Country Club well No. 1	Idlewild Country Club	Idlewild Country Club well No. 2	Flossmoor Country Club	Raymond Geimer
Location.....	2600'N, 1300'E. of SW Sec. Cor.	1720'N, 2270'S. of NE Sec. Cor.	2120'W, 225'S. of NE Sec. Cor.		2160'W, 100'S. of NE Sec. Cor.	100'E, 2440'N. of SW Sec. Cor.	Lot 5, Bl. 3, Holbrook Sub. H. MacCaskey
Driller.....	Merrick Construction Co.	H. MacCaskey		R. Hemingway			
Date Drilled.....	1928 (?)	1923				1917	1940
Depth.....	351'	135'	200'	90'	350'	402'	62'
Diameter.....	12" at top 10" at bottom		8"	8"	10"		
Status.....	Retired ('41)	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	665'	662'		628'	645'	658'	632'
Static Max.....	605' ('26)						
Static Min.....							
Av. G. P. D.....		2,000	2,000	1,000	2,000	2,000	200
Yield g. p. m.....	200						
Drawdown.....	0						
Date.....	8-'26						
Use.....	City water	Drinking	Club grounds	Club grounds	Club grounds	Club grounds	
Analysis No.....	87617						
Remarks.....	(152)		(153)	(154)	Rock at 65' 65' of casing		Rock at 30'

TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section.....	8	8	8	8	8	8	8
Owner.....	Webarg	Arthur F. Dietmering	Holbrook School	Thomson	Walter Flager	W. D. Lanning	Wm. F. Jahns
Location.....	200'W, 1040'N. of SE Sec. Cor.	580'W, 1940'S. of NE Sec. Cor.	400'W, 2600'S. of NE Sec. Cor.	375'W, 2080'S. of NE Sec. Cor.	475'W, 1760'S. of NE Sec. Cor.	180'W, 1840'S. of NE Sec. Cor.	600'W, 1640'S. of NE Sec. Cor.
Driller.....	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns
Date Drilled.....			1924				1924
Depth.....	87'	54'	51'	47'	55'	50'	63'
Diameter.....	8"	4 1/2"	4 3/4"	4 1/2"	4 1/2"	4 1/2"	6"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	632'	631'	631'	630'	631'	623'	631'
Static Max.....	628'	617'	626' ('24)	628'	622'	620'	622' ('24)
Static Min.....							
Av. G. P. D.....	200	200	400	200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	26' of casing (6") Rock at 26'	(155)	(156)	(157)	(158)	(159)	22' of casing (6") Rock at 22'

TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section.....	8	8	8	8	8	8	8
Owner.....	Wm. Flager	Mrs. Holbrook	Harms	Gust George	Gust Garberg	Gust Lindman	Main
Location.....	580' W, 1460' S. of NE Sec. Cor.	330' W, 1460' S. of NE Sec. Cor.	850' W, 2280' S. of NE Sec. Cor.	1230' W, 2120' S. of NE Sec. Cor.	930' W, 1400' S. of NE Sec. Cor.	980' W, 1560' S. of NE Sec. Cor.	960' W, 1740' S. of NE Sec. Cor.
Driller.....	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns
Date Drilled.....			1923			1925	1925
Depth.....	55'	63'	52'	59'	63'	63'	56'
Diameter.....			44"		44"	6"	
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	628'	626'	628'	631'	629'	631'	631'
Static Max.....	615'	615'	628' ('23)	622'	622'	625' ('25)	623' ('25)
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	20' of casing Rock at 20'	21' of casing Rock at 21'	(160)	23' of casing Rock at 23'	(161)	20' of casing (8") Rock at 20'	28' of casing Rock at 26'

0

TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section.....	8	8	8	8	8	8	8
Owner.....	Mrs. Holbrook	Geo. Whitfield	J. Fowlers	Sewage Treatment Plant	Graham	John L. Prebstle	Meyer
Location.....	700' W, 1580' S. of NE Sec. Cor.	700' W, 1460' S. of NE Sec. Cor.	930' W, 1940' S. of NE Sec. Cor.	1400' W, 375' S. of NE Sec. Cor.	3250' E, 1260' S. of NW Sec. Cor.	2560' E, 1230' S. of NW Sec. Cor.	1580' E, 590' S. of NW Sec. Cor.
Driller.....	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns
Date Drilled.....							
Depth.....	60'	70'	53'	43'	65'	61'	53'
Diameter.....			44"	41"	41"	41"	
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	631'	629'	632'	628'	625'	625'	632'
Static Max.....	614'	612'	624'	615'	614'	614'	622'
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	22' of casing Rock at 22'	24' of casing Rock at 24'	(162)	23' of casing Rock at 23'	(163)	(164)	42' of casing Rock at 42'

COOK COUNTY
TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section.....	8	8	8	9	9	9	9
Owner.....	Mandewalker	Arthur W. Preikschat	C. W. McNight	John Kirsbrunner	Erickson	Sam Hazelwood	John Scott
Location.....	630'E, 700'S. of NW Sec. Cor.	680'E, 650'S. of NW Sec. Cor.	750'E, 750'S. of NW Sec. Cor.	250'E, 280'S. of NW Sec. Cor.	750'E, 530'N. of SW Sec. Cor.	800'E, 1460'N. of SW Sec. Cor.	1060'E, 1600'N. of SW Sec. Cor.
Driller.....	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns
Date Drilled.....							
Depth.....	66'	61'	57'	61'	69'	62'	60'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	635'	632'	630'	631'	632'	631'	630'
Static Max.....	625'	623'	623'	627'	624'	618'	621'
Static Min.....							
Av. G. P. D.....	200	200		200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	47' of casing Rock at 47'	44' of casing Rock at 44'	(165)	(166)	(167)	31' of casing Rock at 31'	33' of casing Rock at 33'

TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section.....	9	9	9	9	9	10	10
Owner.....	Barber	Web	Hog Farm		Davis	Glenwood Country Club, No. 1	Glenwood Country Club, No. 2
Location.....	900'E, 1730'N. of SW Sec. Cor.	700'E, 1880'N. of SW Sec. Cor.	1230'E, 2200'N. of SW Sec. Cor.	1240'E, 2040'N. of SW Sec. Cor.	50'E, 2000'N. of SW Sec. Cor.	1550'E, 2500'S. of NW Sec. Cor.	2700'W, 100'N. of SE Sec. Cor.
Driller.....	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Gray Well Drilling Company	E. H. Smith
Date Drilled.....							
Depth.....	66'	65'	61'	69'	1926 60'	269'	225'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	631'	631'	631'	631'	631'	630'	630'
Static Max.....	621'	627'	627'	625'	626' ('26)		
Static Min.....							
Av. G. P. D.....	200	200	2,000	200	200	2,000	3,000
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	General	General
Analysis No.....							
Remarks.....	29' of casing Rock at 29'	(168)	31' of casing Rock at 31'	34' of casing Rock at 34'	26' of casing Rock at 26'	Rock at 25'	Rock at 25'

TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section	13	12	15	16	16	17	17
Owner	John Lich	John Eriks	Gold Seal Asphalt Company	Angus	Victor Chemical Works	Chicago Heights Sch. Ground	Albert Stetter
Location	1365'N, 106'W. of SE Sec. Cor.		100'N, 200'E. of SW Sec. Cor.	480'E, 1810'N. of SW Sec. Cor.	18'N, 700'W. of SE Sec. Cor.	1630'W, 100'N. of SE Sec. Cor.	1030'E, 380'S. of NW Sec. Cor.
Driller	C. E. Kramer			Wm. F. Jahns	J. P. Miller Artesian Well Co.	Wm. F. Jahns	Chas. H. Bahlman
Date Drilled	1939				1941		July 1903
Depth	100'		300'	87'	275'	65'	54'
Diameter	4 1/2"				36" of 16"	4 1/2"	
Status	In use	In use	In use	In use	230' of 15"	In use	In use
S. L. Elevation					In use		
Ground	617'			652'	630'	651'	661'
Static Max.	605' ('39)			634'	593' ('41)	636'	
Static Min.							
Av. G. P. D.	200	200	5,000	200	75,000	2,600	200
Yield g. p. m.	5				100		
Drawdown					275'		
Date					8-'41		
Use	House	House	General	House	Boilers	Drinking	House
Analysis No.			91332		91262 and 91334		
Remarks	80' of casing (4 1/2")			57" of casing Rock at 57'	37' of casing	(169)	Rock at 48'

TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section	17	17	17	17	18	18	18
Owner	John Cordes	Chas. Heusman	John Milkick Filling Station	Chicago Heights city well No. 19	John Schilling	McClure & Lennertz	McClure & Lennertz
Location	2570'E, 2720'N. of SW Sec. Cor.	750'E, 2540'S. of NW Sec. Cor.	1250'E, 2220'S. of NW Sec. Cor.	1600'E, 100'N. of 1 SW Sec. Cor.	250'W, 1400'S. of NE Sec. Cor.	Lot 14, Re-sub of Dixie Gardens Subdiv.	W 1/2 Lot 39, Dixie Gardens Subdiv.
Driller	Wm. F. Jahns	Wm. F. Jahns	H. McCaskey	S. B. Geiger & Co.	H. McCaskey	H. McCaskey	G. H. Wefling
Date Drilled		1927	1934	1941		1940	1940
Depth	70'	83'	99'	251'		83'	71'
Diameter	4 1/2"						
Status	In use	In use	In use	See remarks	In use	In use	In use
S. L. Elevation				In use			
Ground	657'	662'	663'	645'	666'		
Static Max.	647'	651' ('27)	651' ('27)	Flows			
Static Min.							
Av. G. P. D.	200	200	2,000	290,000	200	200	200
Yield g. p. m.				1650			
Drawdown				39'			
Date				6-'41			
Use	House	House	House	City water	House		
Analysis No.				81056			
Remarks	(170)	46' of casing Rock at 46'	Rock less than 67'	(171)	52' of casing Rock at 52'	Rock at 58'	Rock at 59'

COOK COUNTY
TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section.....	19	19	19	19	19	19	19
Owner.....	Albert Stelter	M. Angelotti	Bramanti	Toni Camilli	Sodergreen	Sam Frey	Rudolph Wallace
Location.....	250'W, 200'S. of NE Sec. Cor.	1250'W, 950'N. of SE Sec. Cor.	1230'W, 1430'S. of NE Sec. Cor.	1230'W, 1940'S. of NE Sec. Cor.	1880'W, 3100'S. of NE Sec. Cor.	1940'E, 3060'S. of NW Sec. Cor.	
Driller.....	Chas. H. Bahlman	H. McCaskey	H. MacCaskey	H. MacCaskey	C. E. Cramer	H. MacCaskey	John Wieting
Date Drilled.....	Dec. 1912	1929	1928		193	192	1927
Depth.....	66'	103'	103'	99'	140'	110'	82'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	670'	674'	630'	672'	694'	695'	690'
Static Max.....					666' ('3.)		
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Domestic	Domestic	Domestic	Domestic	House	House	House
Analysis No.....							
Remarks.....	Rock at 53'	75' of casing Rock at 75'	(172)	13th and Wilson corner	Rock at 93'	Rock at 90'	40' of casing Rock at 40'

TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section.....	19	19	19	19	19	19	19
Owner.....	Belle	Borman	Aleck Anderson	M. J. Turner	Loschani	Sam Keene	Nelo P. Mygren
Location.....	750'E, 3770'S. of NW Sec. Cor.	1400'W, 3580'S. of NE Sec. Cor.	2130'W, 3720'S. of NE Sec. Cor.	2900'E, 3300'S. of NW Sec. Cor.	3120'E, 2970'S. of NW Sec. Cor.	1400'E, 3000'S. of NW Sec. Cor.	1330'E, 3400'S. of NW Sec. Cor.
Driller.....	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	H. MacCaskey	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns
Date Drilled.....							
Depth.....	118'	63'	73'	88'	104'	93'	98'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	708'	670'	676'	671'	672'	695'	694'
Static Max.....	668'	656'	657'		649'	656'	661'
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	House	Domestic	Domestic	Domestic	Domestic	Domestic	Domestic
Analysis No.....							
Remarks.....	90' of casing Rock at 90'	67' of casing Rock at 57'	69' of casing Rock at 69'	68' of casing Rock at 68'	77' of casing Rock at 77'	89' of casing Rock at 89'	89' of casing Rock at 89'

TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section	19	19	19	19	19	19	19
Owner.....	Geo. Seely	Walter Patterson	Joe Healy	Kamp	Loomis	Wm. Kknow Oil Station	Lee Kaminski
Location.....	1910'E, 3770'S. of NW Sec. Cor. Wm. F. Jahns	1760'E, 3560'S. of NW Sec. Cor. Wm. F. Jahns	1080'E, 3400'S. of NW Sec. Cor. Wm. F. Jahns	1160'E, 3060'S. of NW Sec. Cor. Wm. F. Jahns	250'E, 4320'S. of NW Sec. Cor. Wm. F. Jahns	150'E, 2800'S. of NW Sec. Cor. MaeCaskey	600'E, 3200'S. of NW Sec. Cor. Wm. F. Jahns
Driller.....	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	Wm. F. Jahns	MaeCaskey	Wm. F. Jahns
Date Drilled.....		1932		1928		1932	
Depth.....	93'	103'	86'	112'	104'	89'	83'
Diameter.....					44"		
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	687'	696'	706'	693'	710'	690'	705'
Static Max.....	660'	669' ('32)	658'	655' ('28)	662'		661'
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	2,000	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	House	House	House	House	House	House	House
Analysis No.....							
Remarks.....	86' of casing Rock at 86'	83' of casing Rock at 88'	84' of casing Rock at 84'	86' of casing Rock at 86'	(173)	81' of casing Rock at 81'	80' of casing Rock at 80'

TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section	19	20	20	21	21	21	21
Owner.....	Louis Jarne	United Milk & Ice Cream Co.	McCaskey		Victor Chemical Works	Victor Chemical Works	Diamond Braiding Mills
Location.....	400'E, 2720'S. of NW Sec. Cor.	730'W, 150'N. of SE Sec. Cor. Claude & Thos. Kramer	175'N, 2380'E. of SW Sec. Cor. H. MacCaskey	50'W, 130'N. of SE Sec. Cor.	700'W, 700'S. of NE Sec. Cor. W. H. Gray & Bros.	825'W, 450'S. of NE Sec. Cor. Wm. Cater	1400'N, 700'E. of SW Sec. Cor. Wm. Cater
Driller.....	H. MacCaskey						
Date Drilled.....	1924	1934	1934		1918	1909	1936
Depth.....	110'	205'	115'		1797'	400'	200'
Diameter.....		8"				400'-12"-800'-8"	12"
Status.....		In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	702'	673'	674'	670'	638'	638'	675"
Static Max.....		618' ('34)			541' ('30)	603' ('21)	564' ('36)
Static Min.....					475' ('46)		
Av. G. P. D.....	200	3,000	200	200	100,000	559' ('30)	40,000
Yield g. p. m.....					133	185	440
Drawdown.....					127'	260'	13'
Date.....					Dec. 1940	Oct. 1930	Dec. 1936
Use.....	House	General	House		General	General	Condensers Air conditioning
Analysis No.....							
Remarks.....		16' of casing (8") Rock at 16'	Rock at 50'	(174)	88718-92401-94537 (175)	88720	

COOK COUNTY
TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section.....	21	21	21	21	21	21	21
Owner.....	Morden Frog & Crossing Works	City wells 1, 2, 3, 4, 5, 6, 7, 8, 9, 10	City well No. 11	City well No. 12	City well No. 13	City well No. 14	City well No. 15
Location.....	2650' E, 450' S. of NW Sec. Cor. S. B. Geiger Co.	Chicago Heights	In pumping station	In pumping station	In pumping station	In pumping station	West of pumping station
Driller.....	S. B. Geiger Co.		Fisher Bros.	Fisher Bros.	Fisher Bros.	Fisher Bros.	
Date Drilled.....	1923	1894	1910	1910	1910	1910	1917
Depth.....	1774'	300'	200'	300'	300'	200'	200'
Diameter.....	12" at top 8" at 1050'	12"	13" at top 12" at bottom	13" at top 12" at bottom	13" at top 12" at bottom	13" at top 12" at bottom	24"
Status.....	In use	Abandoned	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	643'	656'	657'	657'	657'	657'	657'
Static Max.....	501' ('33)	624' ('94)					
Static Min.....	479' ('23)	608' ('10)	605' ('33)				
Av. G. P. D.....	50,000	2,500,000 ('15)	435,000	435,000	435,000	435,000	435,000
Yield g. p. m.....		1700					
Drawdown.....							
Date.....		4-'15					
Use.....	General	City water	City water	City water	City water	City water	City water
Analysis No.....			72283 & 88722				79001 & 79121
Remarks.....		(178)					

TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

53

Section.....	21	21	24	24	25	26	26	27
Owner.....	City well No. 16	City well No. 20, 14th St. Pumping station			Howard Miller	A. Klein	State Division of Highways	Bello
Location.....	North of pumping station	2450' S, 1000' E. of NW Sec. Cor.	2950' E, 190' N. of SW Sec. Cor.	2950' E, 190' N. of SW Sec. Cor.	NE cor. Stony Island Ave. and Sand Trail	2570' W, 950' S. of NE Sec. Cor.	1740' N, 50' E. of SW Sec. Cor.	1320' W, 520' S. of NE Sec. Cor.
Driller.....		S. B. Geiger	C. W. Brant	Ben Houk	Claude E. Kramer	Heintz & Weichman		Wm. MacCaskay
Date Drilled.....	1921	1942	1905	1911	1940			1928
Depth.....	200'	1792'	1700'	100'	100'	59'	35'	162'
Diameter.....	24"	28" at top 14" at bottom	10 1/2" O. D.	8 1/2" O. D.	4 1/2"			
Status.....	In use	In use	In use	Filled in	In use	In use	Filled in	In use
S. L. Elevation.....								
Ground.....	657'	657'	634'	634'	635'	654'	647'	670'
Static Max.....		437' (3-'42)	624' ('35)	624' ('35)	609' ('40)			
Static Min.....		441' (4-'42)	614' ('43)					
Av. G. P. D.....	435,000	435,000	200		200	200		200
Yield g. p. m.....		650			*4			
Drawdown.....		91			14			
Date.....		4-'42			7-'40			
Use.....	City water	City water	Road construction	Road construction	House	House		House
Analysis No.....		92821						
Remarks.....			(177)		(178)	Rock at 18'		

TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section	27	28	28	28	28	28	28	29
Owner	Bill Tattersall	Chicago Heights	Drainage Ditch	Barnes	Whiteacre Firing Co.	Inland Steel (west well)	Inland Steel (east well)	Chicago Heights city well No. 18
Location	3000'W, 50'N. of SE Sec. Cor.	Main St. & East End Ave. S. B. Geiger.	2450'W, 2740'N. of SE Sec. Cor.	2200'E, 2600'N. of SW Sec. Cor.		2100'E, 300'S. of NW Sec. Cor.	2230'E, 270'S. of NW Sec. Cor.	1320'S, 1000'E. of NW Sec. Cor.
Driller	Wm. F. Jahns				Needham Water Works			
Date Drilled		1923-26			1912			
Depth	92'	1832'		101'	179'	332'	332'	330'
Diameter		12" at top 8" at bottom		4 1/2"				10"
Status	In use	In use	In use	In use	In use	In use	Not in use	In use
S. L. Elevation								
Ground	678'	690'		656'		687'		670'
Static Max	654'			631'*		587' ('25)		
Static Min						544' ('40)		
Av. G. P. D.	200		5,000	200	5,000	50,000		45,000
Yield g. p. m.						450		300
Drawdown						48'		
Date						1925		
Use	House	City water	General	House	General	Industrial		City water
Analysis No.		49182-67874-68719				88721		
Remarks	60' of casing Rock at 80'	40' to rock		*(179)	Rock at 38'			(180)

TOWNSHIP 35 NORTH; RANGE 14 EAST—Continued

Section	29	29	29	31	32	32	32	32
Owner	South Chicago Heights city well	American Locomotive Co. (west well)	American Locomotive Co. (east well)	Ellsworth	J. W. Kofer	Nichols	Bessie Parlowski	Mrs. Beeler
Location	1650'N, 150'W. of SE Sec. Cor.	2125'S, 1975'E. of NW Sec. Cor.	2200'S, 2300'E. of NW Sec. Cor.	150'W, 1800'N. of SE Sec. Cor.	500'W, 1340'S. of NE Sec. Cor.	474'W, 1760'S. of NE Sec. Cor.	600'S, 450'W. of NE Sec. Cor.	2240'E, 1560'S. of NW Sec. Cor.
Driller	Gray Bros.	Needham	Wm. H. Cater Co.	Wm. F. Jahn	Wm. F. Jahn	Wm. F. Jahn	McCaskey	Wm. F. Jahns
Date Drilled	1893	1910	1910				1834	
Depth	2756'	300'	222'	112'	82'	93'	150'	116'
Diameter	8"	10"	10"	4 1/2"	4 1/2"	4 1/2"	3"	4 1/2"
Status	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation								
Ground	710'	700'	700'	713'	717'	717'		714'
Static Max				676'*	674'*	674'*		668'*
Static Min		642' ('42)	642' ('42)					
Av. G. P. D.	250,000 ('41)	50,000	50,000	200	200	200	200	200
Yield g. p. m.	292							
Drawdown	54							
Date	8-'41							
Use	City water	Industrial	Industrial	Farm	House	House	House	House
Analysis No.	91261	94565	94755					
Remarks	Rock at 60'	Cased to rock at 54'	52' of (10") casing to rock	*(181)	*(182)	*(183)		*(184)

COOK COUNTY
TOWNSHIP 35 NORTH; RANGE 14 EAST—Concluded

Section	32	33	33	33	34	34	34	34
Owner	Walter & Harvey Manson		Concordia Real Estate Co.	A. McIntosh	A. McIntosh	A. McIntosh	A. McIntosh	A. McIntosh
Location	50'S, 1130'E. of NW Sec. Cor.	900'S, 50'W. of NE Sec. Cor.	2190'E, 2340'N. of SW Sec. Cor.	Lot 31, 1st Addn. to State Street Farms	Lot 8-State Street Farms	Lot 9-State Street Farms	Lot 24-Miller Woods	Lot 32-Miller Woods
Driller	Wm. F. Jahns	Gustof Heing	Wehling	Herbert Foyle	Herbert Foyle	Herbert Foyle	Herbert Foyle	Herbert Foyle
Date Drilled				1942	1942	1942	1942	1942
Depth	109'	1164'	85'	130'	117'	120'	116'	114'
Diameter			4 1/2"	4"	4"	4"	4"	4"
Status	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation								
Ground	718'	690'	710'					
Static Max.	653'*							
Static Min.								
Av. G. P. D.	200	200	200	200	200	200	200	200
Yield g. p. m.				10 (test)	6 (test)	10 (test)	10 (test)	10 (test)
Drawdown								
Date				1942	1942	1942	1942	1942
Use	House	House	House	House	House	House	House	House
Analysis No.								
Remarks	*(186)	Rock at 51'	(188)	95' of casing Rock at 95'	33' of casing (4") Rock at 33'	91' of casing (4") Rock at 91'	77' of casing (4") Rock at 77'	84' of casing (4") Rock at 84'

TOWNSHIP 35 NORTH; RANGE 15 EAST

Section	5	29	29	29	29	29
Owner	Sandstrov	Tony Pilackas	Concrete Block Factory	E. J. & E. R. R.	E. J. & E. R. R.	E. J. & E. R. R.
Location	205'N, 2560'W. of SE Sec. Cor.	2560'E, 840'S. of NW Sec. Cor.	2500'E, 375'S. of NW Sec. Cor.	1680'E, 400'S. of NW Sec. Cor.	1630'E, 400'S. of NW Sec. Cor.	1630'E, 400'S. of NW Sec. Cor.
Driller	C. E. Kramer	Wm. F. Jahns				
Date Drilled	1939			1911	1931	1929
Depth	138'	161'	50'	579'	1711'	1783'
Diameter	6"	4 1/2"		8"	16" top-10" bottom	
Status	In use	In use	In use	In use	In use	In use
S. L. Elevation						
Ground	616'	630'	629'		633'	
Static Max.	598' ('39)	626'*				
Static Min.						
Av. G. P. D.	200		700	10,000	10,000	10,000
Yield g. p. m.	5					
Drawdown						
Date						
Use	Farm	Farm	General	General	General	General
Analysis No.					95091	
Remarks	74' of casing (6")	*(187)	(188)	96' of casing	(189)	

TOWNSHIP 36 NORTH; RANGE 12 EAST

Section	1	4	5	5	5	6	7
Owner	George Tomek	Tribune Camp	Martin Smith		Wolf Road at 139th St.	Jack Bartz	John Yonker
Location	135th St. at 80th Ave.	330'E, 980'N. of SW Sec. Cor.	775'E, 2500'S. of NW Sec. Cor.	3000'E, 200'N. of SW Sec. Cor.	150'E, 2500'N. of SW Sec. Cor.	200'E, 100'S. of NW Sec. Cor.	100'W, 150'S. of NE Sec. Cor.
Driller	W. R. Macauley	Bert Foyle	M. Smith	W. R. Macauley	W. R. Macauley	M. Tadyshak	Wm. Wannemacher
Date Drilled	1942					1914	
Depth	193'					123'	178'
Diameter	4 1/2"						
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	700'		730'	755'	725'	715'	708'
Static Max.	642' (42)						
Static Min.							
Av. G. P. D.	200	300	200	200	200	200	200
Yield g. p. m.	10						
Drawdown							
Date	'42						
Use	Farm	Camp	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks	(190)	Rock at 165'	167' of casing Rock at 167'	Rock at 200'	Rock at 155' or 160'	(191)	142' of casing Rock at 142'

TOWNSHIP 36 NORTH; RANGE 12 EAST—Continued

Section	7	7	8	8	9	9	11
Owner	Hostert	Peter Konn	SE Cor. Wolf Road at 143rd	Mullenyx		Orland Park Village well	Taylor
Location	2500'W, 400'S. of NE Sec. Cor.	375'W, 1280'N. of SE Sec. Cor.	450'E, 750'S. of NW Sec. Cor.	1900'E, 3000'N. of SW Sec. Cor.	1380'E, 100'S. of NW Sec. Cor.	1210'E, 75'S. of NW Sec. Cor.	820'W, 1760'N. of SE Sec. Cor.
Driller	W. R. Macauley	Wm. Wannemacher	W. R. Macauley	W. R. Macauley	W. R. Macauley	Matthews	Wm. Wannemacher
Date Drilled		1934				1897	
Depth	247'	281'		190'		329'	140'
Diameter						6"	
Status	In use	In use	In use	In use		In use	In use
S. L. Elevation							
Ground	713'	727'	740'	703'	695'	688'	688'
Static Max.				679'*		680' (21)	
Static Min.						648' (32)	
Av. G. P. D.	200	200	200	200	300	36,000	200
Yield g. p. m.						55	
Drawdown							
Date						1938	
Use	Farm	Farm	Farm	Farm		Village water	Farm
Analysis No.						45512 & 70809	
Remarks	142' of casing Rock at 142'	Rock at 179'	Rock at 178'	*(192)	Rock at 155'	(193)	93' of casing Rock at 93'

COOK COUNTY
TOWNSHIP 36 NORTH; RANGE 12 EAST—Continued

Section	11	12	12	12	13	14	16
Owner	Silver Lake Golf Club	L. E. Russell	Ray Holton	Alfred Klein	Rhinhold Schulz	Harvey Bolie	NW Cor. 96th Ave. & 159th St.
Location	1700'E, 980'N. of SW Sec. Cor.	950'E, 250'S. of NW Sec. Cor.	1050'E, 650'S. of NW Sec. Cor.	1760'W, 1100'N. of SE Sec. Cor.	2760'W, 150'N. of SE Sec. Cor.	720'W, 250'S. of NE Sec. Cor.	125'W, 200'N. of SE Sec. Cor.
Driller	W. L. Thorne	Wm. Wannemacher	Wm. Wannemacher	W. J. Fulton	Wm. Wannemacher	Wm. Wannemacher	Thos. Kramer
Date Drilled	1929			1933	1934		
Depth	330'	170'	205'	193'	132'	154'	130'
Diameter	12"			5"			
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	667'	701'	690'	722'	706'	701'	705'
Static Max	Flowing 100 g. p. m. (1929)						
Static Min							
Av. G. P. D.	3,000	200	200	200	200	200	200
Yield g. p. m.	350			15			
Drawdown	12'						
Date	1929			1933			
Use	House & grounds	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.				77510			
Remarks	106' of casing (12") Rock at 100'	97' of casing Rock at 97'		110' of casing (5") Rock at 110'	71' of casing	99' of casing Rock at 89'	111.5' of casing

TOWNSHIP 36 NORTH; RANGE 12 EAST—Continued

Section	17	19	19	20	20	21	22
Owner	N. A. T. Radio Station	Jos. F. Schrage (Fill. Sta.)	Sayers	Ben Sayers	A. L. Thomas	SW Cor. 96th Ave. & 159th St.	Cooper
Location	1400'E, 1600'S. of NW Sec. Cor.	225'W, 150'S. of NE Sec. Cor.	100'W, 1560'N. of SE Sec. Cor.	125'E, 3100'N. of SW Sec. Cor.	NW Cor. 167th & 104th Ave.	150'W, 125'S. of NE Sec. Cor.	680'W, 125'S. of NE Sec. Cor.
Driller	W. R. McCauley	John Wisting	John Matthews	John Matthews	W. R. Macauley	Thos. Kramer	Wm. Wannemacher
Date Drilled		1934	1909	1915	1942		
Depth	377'	166'	161'	254'	183'	140'	130'
Diameter					4"		
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	736'	713'	715'	718'	740'	705'	710'
Static Max		678' ('34)	649' ('09)	668' ('15)	682' ('42)		
Static Min							
Av. G. P. D.	300	300	200	200	200	200	200
Yield g. p. m.					5		
Drawdown							
Date					1942		
Use	General	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks	Rock at 193'	Rock at 145'	Rock at 131'	Rock at 148'	162' of casing (4") Rock at 162'	121' of casing	97' of casing Rock at 97'

TOWNSHIP 36 NORTH; RANGE 12 EAST—Continued

Section.....	22	22	22	23	23	24	25
Owner.....	John Rouch	Wm. Howson	Mathew Newton	Charley Bermedt	Wm. Roemer	August Bernedt	Henry Simpson
Location.....	125° E, 1930' N. of SW Sec. Cor.	1130° E, 250' N. of SW Sec. Cor.	2400' W, 375' N. of SE Sec. Cor.	280' W, 1920' N. of SE Sec. Cor.	2460' E, 1360' N. of SW Sec. Cor.	100' W, 2700' S. of NE Sec. Cor.	100' W, 850' S. of NE Sec. Cor.
Driller.....	Wm. Wannemacher	John Matthews	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher
Date Drilled.....					1934		
Depth.....	170'	119'		144'	120'	150'	144'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	716'	720'	699'	712'	711'	705'	
Static Max.....							
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	144' of casing Rock at 144'	100' of casing	100' of casing Drainage well	84' of casing Rock at 84'	95' of casing Rock at 95'	118' of casing Rock at 118'	104' of casing Rock at 104'

TOWNSHIP 36 NORTH; RANGE 12 EAST—Concluded

Section.....	26	27	27	32	34	34
Owner.....	Mrs. C. H. Betten- hausen	NE Cor. 171st St. & 94th Ave.	Wm. Hawson	Art Mave	School No. 159 175th St. & 94th Ave.	J. Mager
Location.....	500' W, 2320' S. of NE Sec. Cor.	1860' E, 2500' S. of NW Sec. Cor.	1200' E, 1830' N. of SW Sec. Cor.	2810' E, 1760' N. of SW Sec. Cor.	630' E, 100' S. of NW Sec. Cor.	1150' E, 650' N. of SW Sec. Cor.
Driller.....	Wm. Wannemacher			Wm. Wannemacher	Wm. Wannemacher	S. Tyler
Date Drilled.....				1934		1933
Depth.....	176'		180'	192'	185'	137'
Diameter.....						
Status.....	In use	In use	In use	In use	In use	In use
S. L. Elevation.....						
Ground.....	705'	727'	735'	736'	760'	745'
Static Max.....					688'	
Static Min.....						
Av. G. P. D.....	200	200	200	200	500	200
Yield g. p. m.....						
Drawdown.....						
Date.....						
Use.....	Farm	Farm	Farm	Farm	School & grounds	Farm
Analysis No.....						
Remarks.....	102' of casing Rock at 102'	100' of casing	145' of casing	Rock at 130'	*(194)	137' of casing Water from gravel

**COOK COUNTY
TOWNSHIP 36 NORTH; RANGE 13 EAST**

Section.....	1	2	2	2	2	2	2
Owner.....	Josie Tremier	E. S. Gittins		Thomas	Ed Brown	Ray Ebbins	M. L. Matherson
Location.....	850'E-2600'S of NW. Sec. Cor. John Wieting	1110'W-1760'S of NE. Sec. Cor. John Wieting	830'W-1740'S of NE. Sec. Cor. John Wieting	980'W-1230'S of NE. Sec. Cor.	2980'E-2600'N of SW Sec. Cor. John Wieting	2470'E-1250'N of SW. Sec. Cor. John Wieting	2260'E-1660'S of NW. Sec. Cor. John Wieting
Driller.....	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting
Date Drilled.....	1927	1927	1927	1927	1927	1927	1927
Depth.....	72'	72'	72'	72'	72'	186'	82'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	597'	600'	593'	600'	607'	609'	
Static Max.....							
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	House	House	House	House	House	House	House
Analysis No.....							
Remarks.....	25' of casing Rock at 25'	16' of casing Rock at 16'	12' of casing Rock at 12'	24' of casing Rock at 24'	23' of casing Rock at 23'	24' of casing Rock at 24'	(195)

TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section.....	2	2	2	2	2	3	3
Owner.....	Frank Davis	Johnson	C. Johnson	Roscoe Harvey	Miller & Block Realty Co.	District Police Station	Otto Krause
Location.....	1880'E-1500'S of NW. Sec. Cor. John Wieting	750'E-180'N of SW. Sec. Cor. John Wieting	725'E-250'N of SW. Sec. Cor. John Wieting	980'E-1980'S of NW. Sec. Cor. John Wieting	550'E-2500'S of NW. Sec. Cor. John Wieting	139th St. & Cicero Ave. John Wieting	2840'W-2830'S of NE. Sec. Cor. John Wieting
Driller.....	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting
Date Drilled.....						1937	
Depth.....	72'	94'	70'	70'		122'	68'
Diameter.....						6"	
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....		610'	610'	606'	607'		607'
Static Max.....							
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	400	200
Yield g. p. m.....						13	
Drawdown.....							
Date.....						1937	
Use.....	House	House	House	House	House	Drinking, etc.	House
Analysis No.....							
Remarks.....	21' of casing Rock at 21'	14' of casing Rock at 14'	18' of casing Rock at 18'	12' of casing Rock at 12'	9' of casing Rock at 9'	25' of casing (6") Rock at 21'	38' of casing Rock at 38'

TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section.....	3	3	3	3	3	3	3
Owner.....	Bell	J. C. Thebault	McIntosh & Co.	Mark Hotchkins	W. Upton	Baker	H. D. Ramey
Location.....	173°W-1630°N of SE. Sec. Cor.	1200°W-100°N of SE. Sec. Cor.		1250°W-750°N of SE. Sec. Cor.	142 and Kildare	1430°W-550°N of SE. Sec. Cor.	1430°W-1900°N of SE. Sec. Cor.
Driller.....	John Wieting	John Wieting	Wm. Wannemacher	Wm. Wannemacher	John Wieting	John Wieting	John Wieting
Date Drilled.....	1927				1927		
Depth.....		80'		101'	70'	72'	68'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....		612'	609'	611'	613'	612'	613'
Static Max.....							
Static Min.....							
Av. G. P. D.....	200	200	1,400	200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	House	House	House	House	House	House	House
Analysis No.....							
Remarks.....	17' of casing Rock at 17'	28' of casing Rock at 28'	(196)	68' of casing Rock at 68'	30' of casing Rock at 30'	33' of casing Rock at 33'	27' of casing Rock at 27'

TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section.....	3	3	3	3	3	3	4
Owner.....	Mrs. Esther Turner	Victor Toseano	Mannison	H. Niemann	W. Williams	John Seral	Pierce Farm
Location.....	1630°W-2430°S of NE. Sec. Cor.	1880°W-1940°S of NE. Sec. Cor.	1500°W-1800°S of NE. Sec. Cor.	1500°W-750°S of NE. Sec. Cor.	2160°W-256°N of SE. Sec. Cor.	2070°W-700°N of SE. Sec. Cor.	200°E-2200°S of NW. Sec. Cor.
Driller.....	John Wieting	John Wieting	John Wieting	Wm. Wannemacher	John Wieting	John Wieting	
Date Drilled.....					1927		
Depth.....	73'	76'	75'	110'	76'	76'	
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	607'	603'	608'	608'	613'	612'	623'
Static Max.....							
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	House	House	House	House	House	House	Farm
Analysis No.....							
Remarks.....	30' of casing Rock at 30'	38' of casing Rock at 35'	42' of casing Rock at 75'	48' of casing Rock at 48'	25' of casing Rock at 25'	34' of casing Rock at 34'	Rock at 46'

COOK COUNTY
TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section.....	4	4	6	6	6	6	6
Owner.....	Anton Wahl	T. H. Stevens	Peter Engelhardt	Wm. Schumacher	Meyer	Forest Preserve	R. J. Lukey
Location.....	139th & Turnpike Rd.	141st & Long St., Midlothian	150'W-200'S of NE. Sec. Cor.	550'W-1550'S of NE. Sec. Cor.	125'E-150'S of NW. Sec. Cor.	225'E-700'N of SW. Sec. Cor.	
Driller.....	W. R. Macauley	W. R. Macauley	Wm. Wannemacher	John Wieting	Bart Foyle		J. Wieting
Date Drilled.....	1942	1942	1833	1833	1931		193
Depth.....	97'	88'	123'	120'			132'
Diameter.....	4"	4"					
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	622'	644'	645'	635'	665'	672'	
Static Max.....	605 ('42)	626 ('42)					
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	200
Yield g. p. m.....	7	10					
Drawdown.....	23						
Date.....	1942	1942					
Use.....	Household	Household	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	Rock at 85'	85' of casing (4") Rock at 55'	83' of casing Rock at 83'	60' of casing Rock at 60'	Rock at 118'	89' of casing Rock at 89'	Rock at 100'

TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section.....	7	7	7	7	7	7	7
Owner.....	L. M. Smith	Fred Simpson	August Kreiger	T. G. Essington	Sauers	Suess	Rogers Sullivan
Location.....	400'W-650'S of NE. Sec. Cor.	780'W-2850'N of SE. Sec. Cor.	1060'W-2850'N of SE. Sec. Cor.	2320'W-1130'N of SE. Sec. Cor.	2230'W-2760'N of SE. Sec. Cor.	2375'E-1650'S of NW. Sec. Cor.	2200'E-1700'S of NW. Sec. Cor.
Driller.....	John Wieting	Wm. Wannemacher	Wm. Wannemacher	John Wieting	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher
Date Drilled.....				1931			
Depth.....	93'	93'	113'	136'	113'	195'	240'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	655'	672'	675'	690'	679'	668'	677'
Static Max.....							
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	40' of casing Rock at 40'	64' of casing Rock at 84'	78' of casing Rock at 78'	Glacial drift 70' Sandstone 86'	59' of casing Rock at 89'	55' of casing Rock at 55'	66' of casing Rock at 66'

TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section.....	7	7	7	9	9	9	9
Owner.....	Rogers Sullivan	Salerno	Forest Preserve Spring	Carsie Bros. Filling Station	Love	Sporer	Midlothian Dairy
Location.....	1950'E-1850'S of NW. Sec. Cor.	1700'E-550'S of NW. Sec. Cor.	SE. Cor. Bachelor Grove Road & 143rd St.	75'W-2760'S of NE. Sec. Cor.	630'W-1440'N of SE. Sec. Cor.	75'W-1340'N of SE. Sec. Cor.	750'W-1400'N of SE. Sec. Cor.
Driller.....		Wm. Wannemacher		John Wieting	John Wieting	John Wieting	John Wieting
Date Drilled.....				1934	1934		
Depth.....	154'	142'		96'	88'	120'	174'
Diameter.....				4 1/2"	4 1/2"		8"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	674'	637'		637'	651'	652'	652'
Static Max.....					631 ('34)		
Static Min.....							
Av. G. P. D.....	200	200	200	400	200	200	1,000
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Spring	General	Farm	Farm	General
Analysis No.....			77035				
Remarks.....	63' of casing Rock at 63'	(187)		28' of casing Rock at 28'	(198)	46' of casing Rock at 46'	50' of casing (6") Rock at 45' "

TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section.....	9	9	9	9	9	9
Owner.....	Hogenbirk	School No. 142	Mrs. Bert Korach	Sallie Gaiser	Midlothian Country Club	Midlothian Country Club
Location.....	1760'W-1480'N of SE. Sec. Cor.	1000'W-1250'N of SE. Sec. Cor.	2070'W-1260'N of SE. Sec. Cor.	1430'E-100'N of SW. Sec. Cor.	147th & Cicero	Midlothian Country Club
Driller.....	John Wieting	John Wieting	John Wieting	John Wieting	W. L. Thorne	W. L. Thorne
Date Drilled.....		1927				
Depth.....	90'	164'	109'	30'	125'	125'
Diameter.....		6"				
Status.....	In use	In use	In use	In use	In use	In use
S. L. Elevation.....						
Ground.....	653'	662'	657'	657'		
Static Max.....						
Static Min.....						
Av. G. P. D.....	200	500	200	200	1,000	2,000
Yield g. p. m.....						
Drawdown.....						
Date.....						
Use.....	General	General	Farm	Farm	Club grounds	Club grounds
Analysis No.....						
Remarks.....	35' of casing Rock at 35'	80' of casing (6") Rock at 60'	43' of casing Rock at 46'	56' of casing Rock at 56'	(188)	(800)

COOK COUNTY
TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section	9	9	9	10	10	10	10
Owner	Reese Specialty & Mfg. Co.	R. Wobeide Bros.	Frank Saudauskas	Mrs. R. L. Sedgwick	Adair	Carl Carlson	Therlow Sicklow
Location	3rd St. N. of 147th St. W. near Hill	2nd house on East side	SW. Cor. 149th & Cicero Ave. W. R. Macauley	550'W-930'S of NE. Sec. Cor. John Wieting	1250'W-1480'S of NE. Sec. Cor. John Wieting	980'W-450'S of NE. Sec. Cor. Wm. Wannemacher	1880'W-580'N of SE. Sec. Cor. J. Wieting
Driller	John Wieting	John Wieting		John Wieting	John Wieting		J. Wieting
Date Drilled			1942	1927			
Depth	98'	90'	78'	76'	75'		77'
Diameter			4"				
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground			650'	614'	620'	613'	625'
Static Max			647 ('42)				
Static Min							
Av. G. P. D.	1,000	1,000	200	200	200	200	200
Yield g. p. m.							
Drawdown							
Date							
Use	General	General	Household	Household	Household	Household	Household
Analysis No.							
Remarks	44' of casing Rock at 44'	38' of casing Rock at 38'	52' of casing Rock at 52'	30' of casing Rock at 30'	26' of casing Rock at 26'	16' of casing Rock at 16'	23' of casing Rock at 23'

TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section	10	10	10	10	10	10	10
Owner	Fred Gronwall		H. Dreschel	Ed C. Higgins	Midlothian Gardens Water Ass'n.	Clara Moore	Philip Rauch
Location	1880'W-1800'N of SE. Sec. Cor. J. Wieting	1830'W-1480'S of NE. Sec. Cor. J. Wieting	2070'W-580'N of SE. Sec. Cor. J. Wieting	2230'W-2070'N of SE. Sec. Cor. J. Wieting	2030'W-2420'N of SE. Sec. Cor. Wm. Wannemacher	2750'W-2260'N of SE. Sec. Cor. John Wieting	2100'E-1480'S of NW. Sec. Cor. John Wieting
Driller	J. Wieting	J. Wieting	J. Wieting	J. Wieting	Wm. Wannemacher	John Wieting	John Wieting
Date Drilled						1934	
Depth	68'	80'	38'	55'	154'	78'	70'
Diameter			44"				
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	623'	619'	628'	622'	624'	624'	620'
Static Max						608' ('34)	
Static Min							
Av. G. P. D.	200	200	200	200	1,000	200	200
Yield g. p. m.							
Drawdown							
Date							
Use	Household	Household	Household	Household	Household	Household	Household
Analysis No.							
Remarks	22' of casing Rock at 22'	28' of casing Rock at 28'	27' of casing Rock at 27'	18' of casing Rock at 18'	17' of casing Rock at 17'	13' of casing Rock at 13'	28' of casing Rock at 28'

TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section	10	11	11	11	11	11	11
Owner.....	Grushow	R. F. Pavlick	A. Bonecki	Major	Elliott	J. Entrop	A. T. McIntosh & Co.
Location.....	300°E-700°N of SW; Sec. Cor.	125°W-1660°N of SE. Sec. Cor.	200°W-1630°S of NE. Sec. Cor.	3230°E-1860°N of SW Sec. Cor.	2770°E-250°N of SW. Sec. Cor.	2760°E-1530°N of SW. Sec. Cor.	2540°W-1530°S of NE. Sec. Cor.
Driller.....	Wm. Wannemacher	Bert Foyle	John Wieting	John Wieting	Bert Foyle	J. Wieting	P. E. Millis & Co.
Date Drilled.....		1932			1932		1926
Depth.....	73'	86'	86'	70'	72'	66'	810'
Diameter.....						4 1/2"	10" top-8" bottom
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	653'	608'		609'	614'	608'	611'
Static Max.....		601 ('32)					606 ('26)
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	50,000
Yield g. p. m.....							175
Drawdown.....							60
Date.....							1926
Use.....	Household	House	House	House	House	House	House
Analysis No.....							
Remarks.....	48' of casing Rock at 48'	35' of casing Rock at 35'	25' of casing Rock at 25'	34' of casing Rock at 34'	41' of casing Rock at 41'	(802)	Rock at 31'

TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section	11	11	11	11	11	11	11
Owner.....	Wm. Milles	Adolph Johnson	Wm. Kries	Florence Brown	Hass	Joe Hickman	Frederick
Location.....	2270°E-2060°N of SW. Sec. Cor.	2380°E-2760°S of NW. Sec. Cor.	2060°E-2900°S of NW. Sec. Cor.	2270°E-2270°N of SW. Sec. Cor.	2040°E-430°N of SW. Sec. Cor.	1480°E-1940°N of SW. Sec. Cor.	1830°E-1560°N of SW. Sec. Cor.
Driller.....	John Wieting	John Wieting	John Wieting	John Wieting	Bert Foyle	John Wieting	John Wieting
Date Drilled.....		1933	1934		1931		1934
Depth.....	70'	88'	63'	70'	70'	68'	88'
Diameter.....				4 1/2"			
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	626'	611'	612'	612'	612'	613'	612'
Static Max.....			608 ('34)	605*	604 ('31)		594 ('34)
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	House	House	House	House	House	House	House
Analysis No.....							
Remarks.....	31' of casing Rock at 31'	30' of casing Rock at 30'	32' of casing Rock at 32'	(805)	43' of casing Rock at 43'	30' of casing Rock at 30'	30' of casing Rock at 30'

COOK COUNTY
TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section.....	11	11	11	12	12	12	13
Owner.....	Mrs. Stout	Geo. Diedrich	Cruso	McCaughey		Albert Argylan	Elmer Rokroka
Location.....	1500'E-1430'N of SW. Sec. Cor.	1330'E-2070'N of SW. Sec. Cor.	1060'E-1350'N of SW. Sec. Cor.	125'E-2760'S of NW. Sec. Cor.	2900'W-1100'N of SE. Sec. Cor.		350'E-125'S of SE. Sec. Cor.
Driller.....	Bert Foyle	J. Wieting	Bert Foyle		C. Kramer	J. Wieting	J. Wieting
Date Drilled.....	1931		1932				
Depth.....	89'	68'	88'			87'	87'
Diameter.....		4 1/2"					
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	614'	613'	614'	610	607	607	608
Static Max.....	610 ('31)	605*	606 ('32)				
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	House	House	House	House	House	House	House
Analysis No.....							
Remarks.....	31' of casing Rock at 31'	*('04)	27' of casing Rock at 27'	Rock at 37'	Rock at 42'	50' of casing Rock at 50'	45' of casing Rock at 45'

TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section.....	14	14	14	14	14	15	16
Owner.....	Wm. C. Gernerz	Mrs. V. Pobjecky	Wm. H. Tjeder	M. Beach	John Mutsch	Suburban Water Co., Cicero Branch	
Location.....	700'E-4050'S of NW. Sec. Cor.	1250'E-1770'S of NW. Sec. Cor.	950'E-1770'S of NW. Sec. Cor.	830'E-3200'S of NW. Sec. Cor.	500'E-3460'S of NW. Sec. Cor.	Lot 40, Bl. 17, Cicero Ave. Subdiv.	1560'W-100'N of SE. Sec. Cor.
Driller.....	J. Wieting	J. Wieting	J. Wieting	J. Wieting	J. Wieting		John Wieting
Date Drilled.....						1927	1927
Depth.....	85'	80'	80'	80'	78'	320'	100'
Diameter.....						8"	
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	623'	618'	619'	620'	623'	640'	664'
Static Max.....							
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	50,000	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	Household		Farm
Analysis No.....						95269	
Remarks.....	50' of casing Rock at 50'	85' of casing Rock at 80'	37' of casing Rock at 37'	35' of casing Rock at 35'	38' of casing Rock at 38'		70' of casing Rock at 70'

TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section Owner.....	16 Koenig	16 Rollo Davis	16 Earl Stade	16 Mrs. Andrew Wing- strom	16 Stone	16 R. B. Oakley	16 Patrick J. Grace
Location.....	1680'W-1660'N of SE. Sec. Cor.	1660'W-1910'N of SE. Sec. Cor.	1940'W-2120'N of SE. Sec. Cor.	1760'W-2080'N of SE. Sec. Cor.	1680'W-2080'N of SE. Sec. Cor.	1660'W-2600'N of SE. Sec. Cor.	2600'W-1460'N of SE. Sec. Cor.
Driller.....	John Wieting	John Wieting	John Wieting	J. Wieting	John Wieting	Wm. Wannemacher	Wm. Wannemacher
Date Drilled.....	1927				1927		
Depth.....	80'	88'	82'	80'	78'	97'	91'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	644'	650'	650'	647'	646'	654'	662'
Static Max.....							
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	60' of casing Rock at 60'	65' of casing Rock at 65'	64' of casing Rock at 64'	60' of casing Rock at 60'	60' of casing Rock at 60'	66' of casing Rock at 66'	76' of casing Rock at 76'

TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section Owner.....	16 O'Brien	16 Albert Quacken- brush	16 Haan	18 Tinley Park Cemetery	18 Victor Dewfin	19 Ed Breitbordt	19 Radio Station
Location.....	2200'W-2600'N of SE. Sec. Cor.	2670'W-2440'N of SE. Sec. Cor.	2770'W-1460'N of SE. Sec. Cor.	2130'E-350'N of SW. Sec. Cor.	2130'E-350'N of SW. Sec. Cor.	2300'E-125'S of NW. Sec. Cor.	650'W-930'N of SE. Sec. Cor.
Driller.....	Wm. Wannemacher	John Wieting	Wm. Wannemacher	Wm. Wannemacher	John Wieting	Wm. Wannemacher	Wm. Wannemacher
Date Drilled.....							
Depth.....	108'	100'	96'	159'	124'	153'	156'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	654'	654'	660'	735'		727'	721'
Static Max.....							
Static Min.....							
Av. G. P. D.....	200	200	200	500	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	General	Farm	Farm	General
Analysis No.....							
Remarks.....	75' of casing Rock at 75'	70' of casing Rock at 70'	73' of casing Rock at 73'	113' of casing Rock at 113'	Rock at 86'	104' of casing Rock at 104'	104' of casing Rock at 104'

**COOK COUNTY
TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued**

Section.....	21	21	21	21	21	21	21
Owner.....	Mrs. Benjamin	John Moore	John Moore	Tony Bolsand	Ed Tomaskivie	Rodgers	W. L. Sheehan
Location.....	75°W-126°S of NE. Sec. Cor.	225°W-75°S of NE. Sec. Cor.	600°W-100°S of NE. Sec. Cor.	250°W-378°S of NE. Sec. Cor.	780°W-1130°S of NE. Sec. Cor.	950°W-650°S of NE. Sec. Cor.	1800°W-980°S of NE. Sec. Cor.
Driller.....	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	J. Wieting	Wm. Wannemacher
Date Drilled.....							
Depth.....	134'	95'	103'	98'	112'	100'	177'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	674'	645'	640'	646'	656'	647'	664'
Static Max.....							
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	70' of casing Rock at 76'	55' of casing Rock at 56'	67' of casing Rock at 67'	68' of casing Rock at 68'	65' of casing Rock at 65'	60' of casing Rock at 66'	77' of casing Rock at 77'

TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section.....	21	21	21	21	21	22	22
Owner.....	Dr. Ecklund	Nick Bonaguro	J. H. Reid	Hall	Phanton	Cook County Infirmiry Oak Forest	Cook County Infirmiry Oak Forest
Location.....	2240°W-750°S of NE. Sec. Cor.	75°W-2480°S of NE. Sec. Cor.	500°W-1500°S of NE. Sec. Cor.	600°W-1130°S of NE. Sec. Cor.	230°W-3100°N of SE. Sec. Cor.		
Driller.....	Wm. Wannemacher	Wm. Wannemacher	John Wieting	Wm. Wannemacher	J. Wieting		
Date Drilled.....			1934			1910	
Depth.....	99'	140'	110'	106'	116'	1400'	350'
Diameter.....						12" top	
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	660'	676'	655'	654'	675'	650'	650'
Static Max.....			635 ('34)		642*	605 ('38)	605 ('38)
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	166, 666	166, 666
Yield g. p. m.....						600	350
Drawdown.....						120'	
Date.....							
Use.....	Household	Household	Swimming pool	Household	Household	Cooling only	Cooling only
Analysis No.....						95097	85098
Remarks.....	70' of casing Rock at 70'	80' of casing Rock at 80'	60' of casing Rock at 60'	68' of casing Rock at 68'	* (205)	(10)	100' casing

TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section	22	23	23	25	26	29	29	30
Owner	Cook County Infirmary Oak Forest	Dexheimer	Fred Holom	Dr. Rogers Vaughan	Vander Wall	John Boyer	John Boyer	Carl Gobel
Location		2040'E-5400'S of NE. Sec. Cor. 15	100'E-3400'N of SW. Sec. Cor. Palmer	400'W-530'N of SE. Sec. Cor. Wm. Wannemacher	1560'E-1980'N of SW. Sec. Cor. Wm. Wannemacher	2560'W-1030'S of NE. Sec. Cor. Wm. Wannemacher	2700'W-1360'S of NE. Sec. Cor. Wm. Wannemacher	2330'E-2800'S of NW. Sec. Cor. Wm. Wannemacher
Driller		Wm. Wannemacher		Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher
Date Drilled			1926					
Depth	350'	100'	339'	112'	137'	140' 8"	136'	147'
Diameter								
Status	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation								
Ground	550'	621'	645'	655'	670'	673'	695'	688'
Static Max	605 ('38)							
Static Min								
Av. G. P. D.	166, 666	200	200	200	300	200	200	
Yield g. p. m.	350							
Drawdown								
Date								
Use	Cooling only	Farm	Farm	Farm	Farm	Farm	Farm	Household
Analysis No.								
Remarks		57' of casing Rock at 57'	Rock at 75'	63' of casing Rock at 63'	80' of casing Rock at 80'	83' of casing Rock at 83'	104' of casing Rock at 104'	107' of casing Rock at 107'

TOWNSHIP 36 NORTH; RANGE 13 EAST—Continued

Section	30	31	31	31	31	31	32	32
Owner	Tinley Park Village Well	Leonard Rottenberg	Elmore Subdi- vision	Lot 3, Elmore Subdivision	O. F. Baer	Booth	Lot 18; Block 5; Elmora Sub.	3rd house from N. end Highland Ave.
Location	2350'E-950'N of SW. Sec. Cor. Palmer	100'W-2650'S of NE. Sec. Cor. Wm. Wannemacher	1370'E-1460'S of NW. Sec. Cor. Wm. Wannemacher	1460'E-1360'N of SW. Sec. Cor. Wm. Wannemacher	1400'E-2340'N of SW. Sec. Cor. Wm. Wannemacher	930'E-2240'N of SW. Sec. Cor. Wm. Wannemacher	600'E-3340'S of NW. Sec. Cor. Wm. Wannemacher	900'E-650'S of NW. Sec. Cor. Wm. Wannemacher
Driller		Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher	Wm. Wannemacher
Date Drilled	1914		1933	1934	1934	1933	1933	
Depth	915'	143'		111'	124'	135'	122'	
Diameter	12" top-6" bottom							
Status	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation								
Ground	702'	698'	693'	693'	694'	700'	694'	698'
Static Max	692 ('15)							
Static Min	686 ('23)							
Av. G. P. D.	100, 000	200	200	200	200	200	200	200
Yield g. p. m.								
Drawdown								
Date								
Use	City water	Household	Household	Household	Household	Household	House	House
Analysis No.	56664							
Remarks	92' of casing Rock at 92'	86' of casing Rock at 86'	104' of casing	89' of casing	97.5' of casing	94' of casing	89' of casing	104' of casing Rock at 104'

COOK COUNTY
TOWNSHIP 36 NORTH; RANGE 13 EAST—Concluded

Section	33	33	34	34	35	35	36	36
Owner	H. G. Kohler	Henry Daul	Alfred Bromstead		George Schilling	Rathe	Herman Hupe	Col. Nelson Morris
Location	100'W-100'N of SE. Sec. Cor.	3200'W-1610'N of SE. Sec. Cor.	830'W-1730'S of NE. Sec. Cor.	100'W-125'N of SE. Sec. Cor.	250'W-2600'N of SE. Sec. Cor.	2400'E-100'N of SW. Sec. Cor.	1910'W-100'S of NE. Sec. Cor.	800'W-2000'N of SE. Sec. Cor.
Driller	Chas. H. Bahlman	Wm. Wannemacher	Wm. Wannemacher	J. Wieting	Wm. Wannemacher	Chas. H. Bahlman	Wm. Wannemacher	Thos. Kramer & Sons
Date Drilled	1903	1934			1933	1908	1933	1934 (?)
Depth	113'	170'	132'	118'	97'	85'	139'	256'
Diameter								8"
Status	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation								
Ground	717'	711'	875'	693'	660'	682'	650'	660'
Static Max.			669*					625 ('35)
Static Min.								
Av. G. P. D.	200	200	200	200	200	200	200	500
Yield g. p. m.								
Drawdown								
Date								
Use	House	House	House	House	Farm	Farm	Farm	Household
Analysis No.								76482
Remarks	Rock at 191'	Rock at 118'	*(206)	32' of casing Rock at 82'	Rock at 74'	Rock at 80'	Rock at 60'	

TOWNSHIP 36 NORTH; RANGE 14 EAST

Section	6	6	7	7	7	7	7
Owner	Rudolph Spolar	John Wieting	Harvey city well No. 2	Harvey city well No. 3	Harvey city well No. 4	Wyman Gordon Co.	Roberson-Shaffer & Co.
Location	4900'E-4000'S of NW. Sec. Cor.	900'E-2240'S of NW. Sec. Cor.	149th & Page	149th & Page	149th & Page	NE 1/4	3200'E-1920'S of Irregular NW. Cor.
Driller	John Wieting	John Wieting				S. B. Geiger & Co.	Thos. Kramer
Date Drilled			1890	1890	1890	1917	
Depth	140'	117'	1600'	1800'	1800'	1652'	160'
Diameter			10"	16" at top 6" at bottom	16" at top 6" at bottom	12"-8"	
Status	In use	In use	*Abandoned ('27)	Abandoned ('27)	Abandoned ('27)	In use	In use
S. L. Elevation							
Ground	600'	596'	603'	603'	603'	604'	601'
Static Max.			483 (3-'13)				
Static Min.			448 (6-'15)				
Av. G. P. D.	300	300				338,000	1,000
Yield g. p. m.			186	350	100	700	
Drawdown							
Date			1914	1914	1914		
Use	House	House	City water	City water	City water	Industrial	General
Analysis No.			28295		28297	94982	
Remarks	33' of casing Rock at 33'	58' of casing Rock at 58'	*(207)	(208)	(208)	(210)	Rock at 26'

TOWNSHIP 36 NORTH; RANGE 14 EAST—Continued

Section	9	10	14	14	14	14	14
Owner							
Location	1700' W, 1450' N. of SE Sec. Cor. Claude Kramer	200' E., 1300' N. of SW Sec. Cor. Claude Kramer	1150' W, 2500' S. of NE Sec. Cor. Claude Kramer	2150' E, 1450' S. of NW Sec. Cor. Claude Kramer	2000' E, 2600' N. of SW Sec. Cor. Claude Kramer	2000' E, 2600' N. of SW Sec. Cor.	75' E, 75' N. of SW Sec. Cor. Claude Kramer
Driller	Claude Kramer	Claude Kramer	Claude Kramer	Claude Kramer	Claude Kramer		Claude Kramer
Date Drilled							
Depth	176'	289'	126'	200'	205'	400'	128'
Diameter					10"	6"	
Status	In use	In use	In use	In use	In use	Abandoned*	In use
S. L. Elevation							
Ground	599'	597'		598'	598'	598'	603'
Static Max							
Static Min							
Av. G. P. D.	300	300	300	300	300		300
Yield g. p. m.							
Drawdown							
Date							
Use	House	House	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks		Rock at 25'	Rock at 46'	Rock at 65'		*(#11)	Rock at 38'

TOWNSHIP 36 NORTH; RANGE 14 EAST—Continued

Section	15	15	15	15	15	15	16
Owner				Workman	Claude Kramer		
Location	650' E; 1700' S. of NW Sec. Cor. Claude Kramer	400' E; 100' N. of SW Sec. Cor. Claude Kramer	250' W, 1350' N. of SE Sec. Cor. Claude Kramer	2050' E, 500' N. of SW Sec. Cor. Claude Kramer	900' E, 100' N. of SW Sec. Cor.	1150' E, 700' N. of SW Sec. Cor. Claude Kramer	2400' E; 75' N. of SW Sec. Cor. Claude Kramer
Driller	Claude Kramer	Claude Kramer	Claude Kramer	Claude Kramer			
Date Drilled							
Depth	304'	90'	300'	45'	150'	289'	104'
Diameter							
Status	In use	In use	In use	Abandoned	In use	In use	In use
S. L. Elevation							
Ground	598'	600'	595'		602'	600'	604'
Static Max							584'*
Static Min							
Av. G. P. D.	300	300	300		300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks	Rock at 42'	Rock at 58'	Rock at 40'	Abandoned because of clay under rock	Rock at 75'	Rock at 75'	*(#12)

**COOK COUNTY
TOWNSHIP 36 NORTH; RANGE 14 EAST—Continued**

Section	16	16	16	17	17	17	18
Owner			Forest Preserve Dist. 159th & Wentworth	Harvey City Well No. 1	Buda Co.	Austin Mfg. Co.	
Location		900'E; 75'N. of SW Sec. Cor.	2640'W; 100'N. of SE Sec. Cor.	600'W, 2000'S. of NE Sec. Cor.	1280'W, 2080'S. of NE Sec. Cor.	330'W, 2350'N. of SE Sec. Cor.	3200'E, 2700'S. of NW Sec. Cor.
Driller	Claude Kramer	Claude Kramer			S. B. Geiger & Co.		Claude Kramer
Date Drilled				1890	1919	1904	
Depth	109'	103'	30'	1800*	1650'	1328'	80'
Diameter				6"	12" at top 8" at bottom	4"	
Status	In use	In use	In use	Abandoned ('27)	In use	In use	In use
S. L. Elevation							
Ground	604'	604'		603'	602'	602'	606'
Static Max.	590*	595*			512 ('27)	527 (1904)	
Static Min.						452 (1934)	
Av. G. P. D.	300	300	500		5,000	5,000	300
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	General	City water	General	General	House
Analysis No.			68708	28294	94536	28296	
Remarks	*(218)	*(214)		*(216)	Rock at 23'	Rock at 20'	Rock at 45'

TOWNSHIP 36 NORTH; RANGE 14 EAST—Continued

Section	18	21	21	21	21	22	22	28
Owner	SE Cor. 153rd & Western Avenue	C. E. Kramer						4th house S. of 167th St.
Location	1260'E, 1600'S. of NW Sec. Cor.	2450'E, 125'S of NW Sec. Cor.	2140'E, 50'S. of NW Sec. Cor.	1800'E, 250'S. of NW Sec. Cor.	1700'E, 100'S. of NW Sec. Cor.	100'W, 1100'S. of NE Sec. Cor.	200'W, 100'S. of NE Sec. Cor.	2720'E, 750'S. of NW Sec. Cor. C. E. Kramer
Driller	Claude Kramer	Claude Kramer	Claude Kramer	Claude Kramer	Claude Kramer	Claude Kramer	Claude Kramer	C. E. Kramer
Date Drilled			1932					1934
Depth	83'	95'	109'	196'	105'	128'	133'	71'
Diameter								
Status	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation								
Ground	608'	604'	604'	604'	604'			613'
Static Max.		598*	590' ('32)		590*			610' ('34)
Static Min.								
Av. G. P. D.	300	300	300	300	300	300	300	300
Yield g. p. m.								
Drawdown								
Date								
Use	House	Household	Household		House	House	House	House
Analysis No.								
Remarks	Rock at 43'	*(216)	35' of casing Rock at 35'	(217)	*(218)	Rock at 38'	Rock at 38'	5' of casing Rock at 5'

TOWNSHIP 36 NORTH; RANGE 14 EAST—Continued

Section	28	29	29	29	29	29	29	30
Owner		SW Cor. 171st & Halsted		Henry Hilliger			Mrs. B. Eggen	
Location	2400'E, 250'S. of NW Sec. Cor.	125'W, 100'S. of NE Sec. Cor.	450'W, 100'S. of NE Sec. Cor.	2040'W, 1820'N. of SE Sec. Cor.	2040'W, 1630'N. of SE Sec. Cor.	2140'W, 1460'N. of SE Sec. Cor.	2460'E, 100'N. of SW Sec. Cor.	750'W, 150'N. of SE Sec. Cor.
Driller	C. E. Kramer	Claude Kramer	Claude Kramer	Claude Kramer	Claude Kramer	Claude Kramer	Claude Kramer	Thos. & Claude Kramer
Date Drilled		1931		193			1934	
Depth	80'	92'	78'	71'	169'	80'	112'	
Diameter		4 1/2"						
Status	In use	In use	In use	In use	In use	In use	In use	Flowing
S. L. Elevation								
Ground	609'	619'	605'	617'	618'	618'	627'	625'
Static Max.	603'*	612' ('31)	605'*	609' (193.)			617' ('34)	
Static Min.								
Av. G. P. D.	300	300	300	300	300	300	300	500
Yield g. p. m.								
Drawdown								
Date								
Use	House	House	House	House	House	House	House	House
Analysis No.								
Remarks	*('19)	15' of casing Rock at 15'	*('20)	29' of casing Rock at 29'	No water until 169' depth			50' of casing

TOWNSHIP 36 NORTH; RANGE 14 EAST—Continued

Section	30	31	31	31	31	32	32	32
Owner	Calumet City Club	Homewood (formerly Dixmoor Golf Club)	Homewood Village well No. 1	Homewood Village well No. 2	Ravistoe Country Club	Washington Park Race Course	Burns	Margaret McMurray
Location	50'E, 100'N. of SW Sec. Cor.	1900'E, 100'S. of NW Sec. Cor.	2470'E, 2180'N. of SW Sec. Cor.	2550'E, 2300'N. of SW Sec. Cor.	600'E, 1540'N. of SW Sec. Cor.	50'S, 1400'W. of NE Sec. Cor.	1560'N, 3770'E. of SW Sec. Cor.	1580'N, 3370'E. of SW Sec. Cor.
Driller		Mr. Thorne		Deepened in 1933 by S. B. Geiger & Co.		Wm. Cater	Wm. F. Jahns	Wm. F. Jahns
Date Drilled	1919	1922	1911	1924				
Depth	412'	210'	252'	1350'	1000'		65'	62'
Diameter	8"	10"	12" at top 10" at bottom	16" at top 10" at bottom			4 1/2"	4 1/2"
Status	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation								
Ground	642'		653'	653'			637'	636'
Static Max.	628' ('34)		637' ('14)		662'		624'*	622'*
Static Min.			628' ('32)	617' ('32)				
Av. G. P. D.	10,000	5,000	120,000	120,000	5,000	2,000	300	300
Yield g. p. m.	125	250	170	300	270			
Drawdown			22'					
Date	1934		1923	1925				
Use	Club grounds	Club grounds	City water	City water	Club grounds	General	House	House
Analysis No.			70214	73252		85362		
Remarks			75891-4 incl.	Rock at 70'			*('21)	*('22)

**COOK COUNTY
TOWNSHIP 36 NORTH; RANGE 14 EAST—Concluded**

Section	33	33	33	34	34	34	34	35
Owner	Kerr & Kerr	Bob Eicke		Illinois Brewing Company	Illinois Brewing Company	Thornton village well No. 1	Thornton village well No. 2	Drexel Cafe
Location	1660'E. 2500'N. of SW Sec. Cor.	1300'E. 2760'S. of NW Sec. Cor.	200'W. 880'S. of NE Sec. Cor.	1200'E. 2400'E. of NW Sec. Cor.	1100'S. 2350'E. of NW Sec. Cor.	2600'E. 2500'N. of SW Sec. Cor.	Water & Eleanor Sts., Thornton	139th & Cottage Grove
Driller	Claude Kramer	Mac Caskey	Claude Kramer	F. M. Gray, Jr.		W. L. Thorne Co.	Wm. Cater	
Date Drilled	1932	1925	1932	1939		1923	1923	
Depth	128'	90'	78'	469'	168'	477'	408'	
Diameter				10"		12"	12"	
Status	In use	In use	In use	In use	Abandoned	In use	In use	
S. L. Elevation								
Ground	629'	629'	632'	605'	605'	617'	620'	
Static Max.	593' ('32)		607' ('32)		Formerly flowed	587' ('27)	544' ('28)	
Static Min.						586' ('27)		
Av. G. P. D.	300	300	300	15,000		15,000	15,000	5,000
Yield g. p. m.				72		75	400	
Drawdown						225'	244'	
Date				1939		1923	1923	
Use	House	House	House	General	General	City water	City water	General
Analysis No.						67161 & 62516	83517	
Remarks	Rock at 26'		9' of casing Rock at 9'			(225)	Rock at 18'	

TOWNSHIP 36 NORTH; RANGE 15 EAST

Section	6	18	18	18	19	31	31
Owner	Red River Refining Co.	Forest Preserve Dist.	Forest Preserve Dist.	Forest Preserve Dist.	Success Mills Inc.	Lansing Village Well No. 1	Lansing Village Well No. 2
Location	950'W-1050'S of NE. Sec. Cor.	NE. Cor. 159th & Torrence	NE. Cor. 159th & Torrence	NE. Cor. 159th & Torrence	Torrence Ave. & Little Calumet River	1200'W-2340'N of SE. Sec. Cor.	1200'W-2250'N of SE. Sec. Cor.
Driller	Jos. Egerer					J. P. Miller Co.	Layne-Bowler Co.
Date Drilled	1941					1921	
Depth	1625'		360'	200'	256'	1632'	1300'
Diameter	10"-8"					12" top-8" bottom	16" top-10" bottom
Status	In use		In use	In use	In use	In use	In use
S. L. Elevation							
Ground	556'					625'	625'
Static Max.						460 ('21)	
Static Min.	375'					440 ('31)	
Av. G. P. D.	628,000	1,000	1,000	1,000	5,000	50,000	50,000
Yield g. p. m.	365						
Drawdown							
Date							
Use	General		General	General	General	City water	City water
Analysis No.	94983	68712	68713	68714	68715	47769-70211	79457
Remarks	Suter's Records						

TOWNSHIP 37 NORTH; RANGE 11 EAST

Section	12	12	13	13	13	13	13
Owner	Walter Cook (formerly)	Hartwig (now Forest Preserve)	Tom Murphy	Tom Murphy ^b	Sag School	Amy Kirk	George Ranbore
Location	750'S, 600'W. of NW Sec. Cor.	2200'N, 50'W. of SE Sec. Cor.	1500'S, 500'E. of NW Sec. Cor.	Michael Tadyshak	Michael Tadyshak	Michael Tadyshak	Michael Tadyshak
Driller	Michael Tadyshak				Michael Tadyshak	Michael Tadyshak	Michael Tadyshak
Date Drilled					1915		
Depth	66'	115'	79'	92'	69'	68'	40'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	606'	660'			620'		
Static Max.							
Static Min.							
Av. G. P. D.	200	1,000	200	200	300	200	300
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks	Rock at 44'	Rock at 82'	Rock at 31'	Rock at 55'	20' of casing Rock at 8' 10"	Rock at 13'	Rock at 5'

TOWNSHIP 37 NORTH; RANGE 11 EAST—Continued

Section	14	14	14	14	20	20	20
Owner	Mrs. Rupert			Heyworth	Kondziara	Village of Lemont	Village of Lemont
Location	300'N, 100'W. of SE Sec. Cor.	700'S, 100'W. of NE Sec. Cor.	1000'S, 2700'E. of NW Sec. Cor.	1350'S, 2000'W. of NE Sec. Cor.	1550'N, 1250'W. of SE Sec. Cor.	City well No. 1	City well No. 2
Driller	M. Tadyshak	M. Tadyshak	M. Tadyshak	M. Tadyshak	M. Tadyshak		W. L. Thorne & Co.
Date Drilled	1913			1915	1915	1882	1882
Depth	60'			49'	35'	1300'	1700'
Diameter						4"	12" at top 6" at bottom
Status	In use	In use	In use	In use	In use	Abandoned (20')	Inadequate
S. L. Elevation							
Ground	627'	625'	585'	592'	605'		
Static Max.						Flowed ('82)	
Static Min.							
Av. G. P. D.	200	200	200	200	200		150,000
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Farm	Farm	Household	City water	City water
Analysis No.						36030	36031, 50674, 82436
Remarks	22' of casing Rock at 22'	Rock at 25'	Rock at 22.5'	27' of casing Rock at 27'	7.5' of casing Rock at 7.5'		60672 (824)

COOK COUNTY
TOWNSHIP 37 NORTH; RANGE 11 EAST—Continued

Section.....	22	23	22	22	23	23	24	24
Owner.....	John McGraw	Reed	Cog-Hill Golf & Country Club	Cog-Hill Golf & Country Club		John Dominick	John Jolinski	Pete Michak
Location.....	600'S, 1400'W. of NE Sec. Cor. M. Tadyshak	1850'S, 50'E. of NW Sec. Cor. M. Tadyshak	2600'N, 575'W. of SE Sec. Cor. Palmer	2000'N, 350'W. of SE Sec. Cor.	1900'S, 1750'W. of NE Sec. Cor. Michael Tadyshak	1100'N, 900'E. of SW Sec. Cor. Michael Tadyshak	200'S, 800'W. of NE Sec. Cor. M. Tadyshak	2550'N, 1400'E. of SW Sec. Cor. M. Tadyshak
Driller.....	M. Tadyshak	M. Tadyshak	Palmer		Michael Tadyshak	Michael Tadyshak	M. Tadyshak	M. Tadyshak
Date Drilled.....	1916	1913	1927			1915	1915	1913
Depth.....	100'	38'	172.5'			150'	33'	135'
Diameter.....			8"					
Status.....	In use	In use	In use		In use	In use	In use	In use
S. L. Elevation.....								
Ground.....	635'	615'	696'	712'	707'	711'	635'	711'
Static Max.....			633' (4-'41)	634' (10-'40)		661' ('15)		
Static Min.....			623' (8-'41)					
Av. G. P. D.....	200	200	1,000	1,000	200	200	200	200
Yield g. p. m.....			127	377				
Drawdown.....			5	18				
Date.....			8-'41	10-'40				
Use.....	Farm	Farm	Club grounds	Club grounds	Farm	Farm	Farm	Farm
Analysis No.....			91333					
Remarks.....	65' of casing Rock at 65'	18' of casing Rock at 18'	8" casing to rock at 100'		Rock at 60' (?)	115' of casing Rock at 115'	30' of casing Rock at 30'	89' of casing Rock at 89'

TOWNSHIP 37 NORTH; RANGE 11 EAST—Continued

Section.....	25	25	27	27	27	27	27	28
Owner.....	S. C. Kelsey	S. C. Kelsey	Tony Matters	Filling Station	John Sinda (Schatz farm)	Wright	Henry Stein	Gost Lenden
Location.....	1250'S, 1850'W. of NE Sec. Cor.	1250'S, 1850'W. of NE Sec. Cor.	2700'S, 300'W. of NE Sec. Cor.	2550'S, 2775'E. of NW Sec. Cor.	2100'N, 2200'E. of SW Sec. Cor.	1000'N, 1000'E. of SW Sec. Cor.	2100'S, 175'E. of NW Sec. Cor.	1100'S, 2450'W. of NE Sec. Cor.
Driller.....	Fry	Sherman Simpson	M. Tadyshak	Bert Foyle	M. Tadyshak	M. Tadyshak	M. Tadyshak	M. Tadyshak
Date Drilled.....	193	193		1923 (?)	1916			
Depth.....	141'	224'	163'		150'	141'	158'	150'
Diameter.....		8" at top 6" at bottom						
Status.....	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....								
Ground.....	727'	705'	722'	719'	735'	744'	727'	
Static Max.....								
Static Min.....								
Av. G. P. D.....	200	200	200	1,600	500	200	200	200
Yield g. p. m.....								
Drawdown.....								
Date.....								
Use.....		Swim pool	Farm	General	Farm	Farm	Farm	Farm
Analysis No.....								
Remarks.....	140' of casing Rock at 140'	128' of casing Rock at 128'	Rock at 152'	Rock at 129'	135' of casing Rock at 135'	Rock at 124'	Rock at 147'	130' of casing Rock at 130'

TOWNSHIP 37 NORTH; RANGE 11 EAST—Continued

Section	28	28	28	29	29	29	29
Owner	Swedish Cemetery (on McCarthy Rd.)	Kransyk		Frank Czajka	Michael Tadyshak	Anton Wozniak	Frank Hermers
Location	400'S, 1150'E. of NW Sec. Cor. M. Tadyshak	50'S, 150'E. of NW Sec. Cor. M. Tadyshak	3150'N, 2050'E. of SW Sec. Cor. M. Tadyshak	150'S, 600'W. of NE Sec. Cor. M. Tadyshak	600'S, 540'W. of NE Sec. Cor. M. Tadyshak	950'S, 850'W. of NE Sec. Cor. M. Tadyshak	50'N, 300'W. of SE Sec. Cor. M. Tadyshak
Driller							
Date Drilled		1914		1914		1913	
Depth		146'		123'		91'	
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	748'	731'	741'	743'	720'	685'	742'
Static Max							
Static Min							
Av. G. P. D.	400	200	200	200	200	200	200
Yield g. p. m.							
Drawdown							
Date							
Use	Cemetery	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks	Rock at 118'	141' of casing Rock at 141'	Rock at 151'	66' of casing Rock at 66'	Rock at 64'	39' of casing Rock at 39'	97' of casing Rock at 97'
							31' of casing Rock at 31'

TOWNSHIP 37 NORTH; RANGE 11 EAST—Concluded

Section	29	29	33	33	33	33	34	35
Owner	Wagner	Frank Tadyshak		John Freehof			Weir School (131st St.)	
Location	2200'N, 200'E. of SW Sec. Cor.		150'S, 350'W. of NE Sec. Cor.	750'S, 1600'W. of NE Sec. Cor.	1150'S, 2200'W. of NE Sec. Cor.	150'S, 2550'W. of NE Sec. Cor.	2500'N, 2850'E. of SW Sec. Cor.	400'S, 250'W. of NE Sec. Cor.
Driller		Michael Tadyshak	Michael Tadyshak	Michael Tadyshak	Michael Tadyshak	Michael Tadyshak	M. Tadyshak	Michael Tadyshak
Date Drilled	1914	1934		1916			1914	
Depth	300'	126'		155'			202'	
Diameter								
Status	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation								
Ground	741'	725'	736'	740'	737'	736'	700'	740'
Static Max								
Static Min								
Av. G. P. D.	200	200	200	200	200	200	400	200
Yield g. p. m.								
Drawdown								
Date								
Use	Farm	Farm	Farm	Farm	Farm	Farm	School	Farm
Analysis No.								
Remarks	145' of casing Rock at 145'	Rock at 78'		123' of casing Rock at 123'	Rock at 123'	Rock at 137'	Rock at 105'	Rock at 130'

COOK COUNTY
TOWNSHIP 37 NORTH; RANGE 12 EAST

Section.....	1	1	2	3	3	3	3
Owner.....	Rogers	Walter Frack	John Grippus			Wachter	Wachter
Location.....	150'W, 1650'N. of SE Sec. Cor.	74th Ave. at 92nd St.	600'E, 1950'S. of NW Sec. Cor.	2460'W, 2730'S. of NE Sec. Cor.	2500'W, 1000'S. of NE Sec. Cor.	2450'W, 300'N. of SE Sec. Cor.	2150'W, 1600'N. of SE Sec. Cor.
Driller.....	B. Foyle	W. R. Macauley	Wm. Dittmyer	M. Tadyshak	M. Tadyshak	Wm. Macauley	Wm. Macauley
Date Drilled.....		1942					
Depth.....	180'	126'	185'			261'	230'
Diameter.....	4"	4"	5"				
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	612'	615'	683'	725'	706'		710'
Static Max.....	597'	Flows ('42)	603'				
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	200
Yield g. p. m.....		5					
Drawdown.....		30					
Date.....		('42)					
Use.....	House	House	House	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	*(#25)		*(#26)	188' of casing Rock at 188'	162' of casing Rock at 182'	Rock at 160'-170'	180' of casing Rock at 180'

TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section.....	4	5	5	6	6	6	6
Owner.....		C.C.C. Camp		H. Bodecher	Ed. Tiedt	Edward Sass	Fred Tiedt
Location.....	1920'E, 200'S. of NW Sec. Cor.	400'W, 600'S. of NE Sec. Cor.	2000'W, 2700'N. of SE Sec. Cor.	100'W, 150'S. of NE Sec. Cor.	900'W, 150'S. of NE Sec. Cor.	2700'E, 2500'S. of NW Sec. Cor.	2500'W, 2300'N. of SE Sec. Cor.
Driller.....	Tadyshak	B. Foyle	Richard Eggert		Richard Eggert	Richard Eggert	Richard Eggert
Date Drilled.....							
Depth.....		335'	72'	65'	82'	91'	79'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	716'	667'	615'	607'	616'	618'	618'
Static Max.....							
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	200
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	House	Camp	House	House	House	House	House
Analysis No.....							
Remarks.....	140' of casing Rock at 140'	127' of casing Rock at 127'	52' of casing Rock at 52'	38' of casing Rock at 38'	36' of casing Rock at 38'	52' of casing Rock at 52'	52' of casing Rock at 52'

TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section	6	7	7	8	9	10	11
Owner.....	August Bones		Forty & Eight Camp	Forest Preserve	Kiwanis Scout Camp		McCollom
Location.....	100'E, 2100'S. of NW Sec. Cor.	300'W, 1500'S. of NE Sec. Cor.	1000'W, 700'S. of NE Sec. Cor.	Maple Hill Lake	3500'W, 920'N. of SE Sec. Cor.	2500'W, 1750'N. of SE Sec. Cor.	1000'W, 700'S. of NE Sec. Cor.
Driller.....	Richard Eggert	M. Tadyshak	Original by Ed. Gutzler. Deep- ened by B. Foyle		Wm. Macauley	Wm. Macauley	Wm. Macauley
Date Drilled.....							1934
Depth.....	136'		475'*	184'		314'	103'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	660'	690'	700'		700'	692'	638'
Static Max.....							
Static Min.....							
Av. G. P. D.....	200	200	200	200	200	200	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	House	House	Camp	Camp	Camp	House	Farm
Analysis No.....				70204			
Remarks.....	99' of casing Rock at 99'	Rock at 148'	* (227)		Rock at 141'	150' of casing Rock at 150'	78' of casing Rock at 78'

TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section	11	11	13	13	13	14	15
Owner.....	Hickory Farm	Land Development Company	Kueltzo		Tesnow		
Location.....	2120'E, 100'S. of NW Sec. Cor.	2420'E, 1560'N. of SW Sec. Cor.	2300'E, 1050'S. of NW Sec. Cor.	80'W, 1080'N. of SE Sec. Cor.	1100'W, 2050'N. of SE Sec. Cor.	2200'E, 1750'N. of SW Sec. Cor.	200'W, 250'S. of NE Sec. Cor.
Driller.....	W. Macauley	W. L. Thorne	Wm. Macauley	Wm. Macauley	Bert Foyle	Wm. Macauley	Bert Foyle
Date Drilled.....		1929	1934				1930
Depth.....		300'	97'				
Diameter.....		12"					
Status.....		In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	660'	655'	601'	612'	616'	601'	650'
Static Max.....		625' ('29)			588'*		
Static Min.....							
Av. G. P. D.....	300	500	300	300	300	300	300
Yield g. p. m.....		80					
Drawdown.....		90					
Date.....		('28)					
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	102' of casing Rock at 102'	86' of casing Rock at 86'	59' of casing Rock at 59'	Rock at 60'	* (228)	Rock at 50'	43' of casing Rock at 43'

COOK COUNTY
TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section	15	15	15	15	15	16	16
Owner		Pete Sucas	Hargarden	John Bush	Jerry Day	Forest Preserve	Tom Day
Location	1430'W, 100'N. of SE Sec. Cor.	2100'E, 1100'N. of SW Sec. Cor.	2600'E, 1050'S. of NW Sec. Cor.	1500'E, 800'N. of SW Sec. Cor.	1150'E, 600'N. of SW Sec. Cor.	3280'W, 1360'S. of NE Sec. Cor.	250'W, 200'N. of SE Sec. Cor.
Driller	Wm. Macauley	M. Tadyshak	M. Tadyshak	M. Tadyshak	M. Tadyshak	Wm. Macauley	M. Tadyshak
Date Drilled		1913		1913	1915		1913
Depth		156'	114'	71'	83'		87'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	594'	617'	661'	620'	628'	659'	630'
Static Max.							
Static Min.							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks	Rock at 48'	62' of casing Rock at 62'	93' of casing Rock at 93'	67' of casing Rock at 67'	53' of casing	Rock at 96'	85' of casing Rock at 85'

TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section	16	16	18	19	21	21	21
Owner		Daniel McMahon, Jr.	Palos Golf Club	Ed Pralla	Highway Grade Separation Camp	St. Leos Boys Camp	
Location	2700'W, 2520'N. of SE Sec. Cor.		2500'W, 1250'S. of NW Sec. Cor.	1100'E, 300'S. of NW Sec. Cor.	150'W, 2000'S. of NE Sec. Cor.	75'E, 520'N. of SW Sec. Cor.	200'E, 2240'N. of SW Sec. Cor.
Driller	Wm. Macauley		Bert Foyle & Sons	M. Tadyshak		Wm. Macauley	Wm. Macauley
Date Drilled			193-	1915			
Depth		98'	330'	99'			
Diameter			6"				
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	622'	622'	645'	620'	594'	720'	692'
Static Max.							
Static Min.							
Av. G. P. D.	300	300	2,000	300	200	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Club grounds	Farm	Camp	Camp	Farm
Analysis No.							
Remarks	Rock at 90'	90' of casing Rock at 90'	71' of casing (6") Rock at 71'	45' of casing Rock at 45'	Rock at 12'	Rock at 121'	Rock at 123'

TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section	21	21	21	22	22	22	22
Owner		Forest Preserve	Forest Preserve		Cook Co. Highway Dep't.	S. E. Corner Kean Ave. at 111th	Frank Tompier
Location	160'W, 240'N. of SE Sec. Cor.	335 Yards S. E. of Swallow Cliff Bert Foyle	335 yards S. E. of log cabin Bert Foyle	2550'W, 900'N. of SE Sec. Cor.	2700'E, 2250'S. of NW Sec. Cor.	2480'W, 100'S. of NE Sec. Cor. Wm. Macauley	2500'E, 860'S. of NW Sec. Cor. M. Tadyshak
Driller	Wm. Macauley	Bert Foyle	Bert Foyle			Wm. Macauley	M. Tadyshak
Date Drilled		1922					1914
Depth		120'	124'				74'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	712'	704'	705'	623'	595'	594'	593'
Static Max							
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m							
Drawdown							
Date							
Use		Farm	Farm		Camp	House	House
Analysis No.							
Remarks	Rock at 120'	Niagara limestone at 120'	Niagara limestone at 128'	(159)	Rock at 12'	Rock at 53'	Rock at 23'

TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section	22	23	23	23	23	23	24
Owner		Davis	Cook Co. Highway Dep't.	Cavakri	Dr. Avery		Harlem Ave. Bridge
Location	1700'E, 2150'S. of NW Sec. Cor.	3400'E, 550'S. of NW Sec. Cor.	1650'E, 0'S. of NW Sec. Cor.	2100'E, 2500'N. of SW Sec. Cor. Bert Foyle	1850'E, 800'N. of SW Sec. Cor. Wm. Macauley	450'E, 1100'N. of SW Sec. Cor.	0'W, 750'N. of SE Sec. Cor.
Driller		M. Tadyshak		Bert Foyle			
Date Drilled		1914					
Depth		80'		97'	170'		
Diameter					5"		
Status	In use	In use		In use	In use	In use	In use
S. L. Elevation							
Ground	597'	596'			670'	665'	620'
Static Max							
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m							
Drawdown							
Date							
Use	House	House	Camp	House		House	Farm
Analysis No.							
Remarks	Rock at 30'	Rock at 57'	Rock at Elev. 573'	(630)	104' of casing (5") Rock at 98'	Rock at 96'	Rock at elev. 547'

COOK COUNTY
TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section	24	24	24	24	24	25	25
Owner		Worth Dairy			Davis	Jacobs	
Location	400' W, 1160' S. of NE Sec. Cor.	160' W, 600' S. of NE Sec. Cor.	1700' W, 960' S. of NE Sec. Cor.	2260' W, 400' S. of NE Sec. Cor.	1900' E, 250' S. of NW Sec. Cor.	1000' E, 150' N. of SW Sec. Cor.	1200' E, 1950' N. of SW Sec. Cor.
Driller	Wm. Macauley	Wm. Macauley	Wm. Macauley	Wm. Macauley		Wm. Macauley	C. E. Edwards
Date Drilled							
Depth		122'				220'	200'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	626'	615'	627'	637'	612'	677'	663'
Static Max.							639'
Static Min.							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Farm	Farm	Farm	House	House
Analysis No.							
Remarks	Rock at 71'	84' of casing Rock at 84'	Rock at 50'	Rock at 63'	(551)	130' of casing Rock at 130'	(552)

TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section	25	25	25	25	25	25	25
Owner	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development
Location	Lot 6, Block 11	Lot 10, Block 11	Lot 5, Block 14	Lot 4, Block 15	Lot 7, Block 16	Lot 2, Block 28	Lot 1, Block 30
Driller	John Weiting	John Weiting	John Weiting	John Weiting	John Weiting	John Weiting	John Weiting
Date Drilled	1939	1939	1939	1939	1938	1937	1939
Depth	118'	117'	118'	117'	117'	118'	118'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	625'	620'	622'	625'	630'	622'	628'
Static Max.	593' ('39)	595' ('39)	597' ('39)	591' ('39)	588' ('38)	585' ('37)	594' ('39)
Static Min.							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	Rock at 71'	Rock at 69'	Rock at 69'	Rock at 69'	Rock at 63'	Rock at 85'	Rock at 71'

TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section.....	25	49	49	23	23	25	25
Owner.....	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development
Location.....	Lot 3, Block 30	Lot 4, Block 33	Lot 4, Block 35	Lot 3, Block 36	Lot 6, Block 36	Lot 8, Block 36	Lot 1, Block 37
Driller.....	John Weiting	John Weiting	John Weiting	John Weiting	John Weiting	John Weiting	John Weiting
Date Drilled.....	1939	1939	1936	1938	1939	1937	1936
Depth.....	116'	119'	118'	116'	117'	116'	115'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	627'	630'	636'	634'	630'	635'	630'
Static Max.....	591' ('39)	586' ('39)	588' ('36)	588' ('38)	597' ('39)	595' ('37)	602' ('36)
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	House	House	House	House	House	House	House
Analysis No.....							
Remarks.....	Rock at 70'	Rock at 71'	Rock at 75'	Rock at 63'	Rock at 69'	Rock at 65'	Rock at 70'

TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section.....	25	25	25	28	26	26	26
Owner.....	Palos Heights Development	Palos Heights Development	Palos Heights Development	Heidel			Mrs. Otto
Location.....	Lot 2, Block 37	Lot 9, Block 37	Lot 7, Block 37	1200'E. 1200'N. of SW Sec. Cor.	750'E. 2550'S. of NW Sec. Cor.	950'E. 2600'S. of NW Sec. Cor.	850'E. 900'S. of NW Sec. Cor.
Driller.....	John Weiting	John Weiting	John Weiting	Wm. Macauley	Wm. Macauley	Wm. Macauley	John Weiting
Date Drilled.....	1938	1937	1936				
Depth.....	117'	118'	123'	170'			180'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	635'	635'	633'		710'	698'	702'
Static Max.....	591' ('38)	590' ('37)	591' ('36)				
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	House	House	House	House	House	House	House
Analysis No.....							
Remarks.....	Rock at 65'	Rock at 75'	Rock at 82'	Rock at 140'	Rock at 153'	Rock at 148'	143' of casing Rock at 143'

COOK COUNTY
TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section	26	26	26	26	26	26	26
Owner			Wm. Doorman	Johnson (near Heidel)	Dapova	R. H. Valentine	Dr. E. B. Keen
Location	75°E, 2500'S. of NW Sec. Cor. Wm. Macauley	760°W, 1400°N. of SE Sec. Cor. Wm. Macauley	1850°W, 1500°N. of SE Sec. Cor. Wm. Wannemacher	2180°W, 1000°N. of SE Sec. Cor. Wm. Macauley	3080°E, 120°S. of NW Sec. Cor. Wm. Macauley	119th St. at 88th Ave. H. Foyle	124th St. at 80th Ave.
Driller							
Date Drilled						1942	
Depth			180'			147'	500'
Diameter						4"	
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	693'	701'	685'	700'	693'	703'	
Static Max.						657' ('42)	
Static Min.							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.						10	
Drawdown							
Date							
Use	House	House	House	House	House	House	House
Analysis No.							90130
Remarks	138' of casing Rock at 138'	Rock at 150'	102' of casing Rock at 102'	Rock at 140'	Rock at 138'	115' of casing (4") Rock at 115'	

TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section	26	26	27	27	27	27	27
Owner	Crowley		McFarland	Wm. Saltow	Forest Preserve		Kotora
Location	100°W, 1200°N. of SE Sec. Cor. Bert Foyle	600°W, 1540°N. of SE Sec. Cor. Wm. Macauley	90th Ave. at 125th St. W. R. Macauley	88th Ave. at 123rd St. W. R. Macauley	475°E, 240°S. of NW Sec. Cor. Bert Foyle	1000°E, 75°S. of NW Sec. Cor. Wm. Macauley	150°W, 2550°N. of SE Sec. Cor. Wm. Macauley
Driller							
Date Drilled	1932		1942	1942			
Depth	333'		186'	183'			175'
Diameter			6"	4"			
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	690'	700'	705'	695'	670'	714'	660'
Static Max.	648' ('32)		650' ('42)	635' ('42)			
Static Min.							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.			50	10			
Drawdown							
Date							
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	147' of casing Rock at 147'	Rock at 140'		140' of casing (4") Rock at 140'	110' of casing Rock at 110'	Rock at 130'	Rock at 150'

TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section	27	27	27	27	27	27	27
Owner.....	Dr. Papstof (Dentist)		Quinn	Randolph	Prof. Springling, U. of C.		
Location.....	1200' W, 800' N. of SE Sec. Cor. Wm. Macauley	1400' W, 2100' S. of NE Sec. Cor. Wm. Macauley	1800' W, 1700' S. of NE Sec. Cor. Wm. Macauley	2050' W, 2550' S. of NE Sec. Cor. Wm. Macauley	2600' W, 2350' S. of NE Sec. Cor. Wm. Macauley	2300' W, 1850' S. of NE Sec. Cor. Wm. Macauley	2850' E, 100' S. of NW Sec. Cor. Wm. Macauley
Driller.....							
Date Drilled.....							
Depth.....	186'		154'	137'	129'		
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	693'	680'	686'	663'	655'	645'	661'
Static Max.....				659'			
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	House	House	House	House	House	House	House
Analysis No.....							
Remarks.....	113' of casing Rock at 113'	Rock at 110'	112' of casing Rock at 112'	*(233)	75' of casing Rock at 75'	Rock at 75'	Rock at 78'

TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section	27	27	27	27	27	27	27
Owner.....	Ralph Dye		Heidel	Rowles			
Location.....	1900' E, 1350' S. of NW Sec. Cor. Bert Foyle	1420' E, 520' S. of NW Sec. Cor. Wm. Macauley	1950' E, 2500' S. of NW Sec. Cor. Wm. Macauley	1850' E, 2350' S. of NW Sec. Cor. Wm. Macauley	1800' E, 2650' S. of NW Sec. Cor. Wm. Macauley	1930' E, 1730' S. of NW Sec. Cor.	950' E, 750' N. of SW Sec. Cor. Wm. Macauley
Driller.....							
Date Drilled.....							
Depth.....			180'	211'			
Diameter.....							
Status.....	In use	In use	In use	In use	In use		
S. L. Elevation.....							
Ground.....				677'	682'	677'	678'
Static Max.....							
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	House	House	House	House	House	House	House
Analysis No.....							
Remarks.....	94' of casing Rock at 94'	Rock at 91'	Rock at 149'	107' of casing Rock at 107'	Rock at 107'	97' of casing Rock at 97'	Rock at 107'

COOK COUNTY
TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section	28	28	29	29	29	30	32
Owner	Smith	Tom Mains	Link		Weir School	John Kriger	Frank Eckart
Location	920'W, 1400'N. of SE Sec. Cor. Wm. Macauley	2360'W, 1490'N. of SE Sec. Cor. Wm. Macauley	1400'E, 2500'N. of SW Sec. Cor.	200'E, 2500'N. of SW Sec. Cor. Michael Tadyshak	150'E, 2750'N. of SW Sec. Cor. Michael Tadyshak	1000'E, 2500'N. of SW Sec. Cor. M. Tadyshak	300'S, 100'E. of NW Sec. Cor. M. Tadyshak
Driller							
Date Drilled							
Depth	203'	214'	422'		1914 202'	1915 143'	1914 183'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	695'	697'	737'	755'	760'	726'	750'
Static Max.			517'				
Static Min.							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	House		House	House	School	Farm	Farm
Analysis No.							
Remarks	Rock at 120'	98' of casing Rock at 96'	*(284)	Rock at 200'	(255)	(296)	160' of casing Rock at 157'

TOWNSHIP 37 NORTH; RANGE 12 EAST—Concluded

Section	32	34	34	34	35	35	36	38
Owner	Edward Cowan		Southmoor Country Club	Southmoor Country Club	School Dist.	Kruegar Farm	Hyde Park Farm	
Location	1800'E, 2800'N. of SW Sec. Cor. M. Tadyshak	1080'E, 1300'S. of NW Sec. Cor. Wm. Macauley	2200'E, 2200'N. of SW Sec. Cor. Wm. Macauley	700'E, 840'N. of SW Sec. Cor. Wm. Macauley	1450'W, 100'N. of SE Sec. Cor. Wannemacher 1934	1950'W, 2530'N. of SE Sec. Cor. John Weiting	2300'W, 1150'S. of NE Sec. Cor. John Weiting	1280'E, 360'N. of SW Sec. Cor. Wm. Macauley
Driller								
Date Drilled	1914							
Depth	138'				198'	192'	194'	
Diameter								
Status	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation								
Ground	715'	723'	708'	702'	718'	709'	662'	691'
Static Max.								
Static Min.								
Av. G. P. D.	300	300	3,000	3,000	2,000	400	400	400
Yield g. p. m.								
Drawdown								
Date								
Use	Farm	Farm	Club grounds	Club grounds	School	Farm	Farm	Farm
Analysis No.								
Remarks	130' of casing	Rock at 136'	Rock at 139'	Rock at 124'	160' of casing Rock at 160'	154' of casing Rock at 154'	114' of casing Rock at 114'	Rock at 150'

TOWNSHIP 37 NORTH; RANGE 13 EAST

Section	1	2	2	2	2	2	2
Owner					Evergreen Park	Danzinger; 91st & Central Park	Malone, Evergreen Park
Location	500'W-2560'N of SE. Sec. Cor. Wm. Macauley	50'W-125'N of SE. Sec. Cor. Wm. Macauley	710'W-605'N of SE. Sec. Cor. Wm. Macauley	730'W-1510'N of SE. Sec. Cor. Wm. Macauley	855'W-2600'N of SE. Sec. Cor. Wm. Macauley	2850'E-2700'S of NW. Sec. Cor. John Wieting	2500'E-1150'S of NW. Sec. Cor. Wm. Macauley
Driller							
Date Drilled							
Depth						1834	103
Diameter						145'	107'
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	624'	624'	624'	624'	624'	623'	632'
Static Max					593*		
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	Rock at 82'	Rock at 62'	Rock at 67'	Rock at 74'	(287)	(298)	80' of casing Rock at 50'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	4	4	4	4	4	4	4
Owner	Kitterman, 6250 90th Place	Geo. Proff	Oaklawn Village Well No. 1	Ipema	Brothers		Geo. Piper (garage)
Location	2050'E-2350'S of NW. Sec. Cor. John Wieting	2600'E-850'S of NW. Sec. Cor. John Wieting	2280'E-200'N of SW. Sec. Cor. S. B. Geiger & Co.	1450'E-350'N of SW. Sec. Cor.	150'E-2200'S of NW. Sec. Cor. Wm. Macauley	4120'E-740'N of SW. Sec. Cor. Wm. Macauley	550'E-75'N of SW. Sec. Cor. Wm. Macauley
Driller							
Date Drilled			1931				
Depth	130'	133'	1600*	280'	110'		283'
Diameter	4 1/2"	4 1/2"	16" top-12" bottom				
Status	In use	In use	Retired ('37)	In use	In use	In use	In use
S. L. Elevation							
Ground	619'	621'	612'	611'	618'	613'	612'
Static Max	594*	599*	232 ('31)				
Static Min							
Av. G. P. D.	300	300		300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	House	House	City water	House	House	House	House
Analysis No.			69431-75861-32466*				
Remarks	(240)	(241)	(239)	66' of casing Rock at 66'	63' of casing Rock at 63'	Rock at 66'	66' of casing Rock at 66'

COOK COUNTY
TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	4	5	5	5	5	5	6	
Owner	Justice Greenhouse		Paster			Oak Lawn Village Well No. 2	Alfred Gabler	Harry Sternberg
Location	Oaklawn	1210'E-300'S of NW. Sec. Cor.	1480'E-1930'N of SW. Sec. Cor.	140'E-1240'N of SW. Sec. Cor.		83'W-600'N of SE. Sec. Cor.	Lots 24 and 25 90th & Central Ave.	
Driller		Bert Foyle	Bert Foyle	Wm. Macauley		W. L. Thorne	Herbert Foyle	John Wieting
Date Drilled			1932			1937	1942	1934
Depth	8'		140'			1600'	103'	117'
Diameter						15" top-8" bottom	4"	
Status		In use	In use	In use		In use		In use
S. L. Elevation								
Ground		618'	618'	611'		614'		
Static Max								
Static Min								
Av. G. P. D.	300	300	300	300		60,000	300	300
Yield g. p. m.							5 (test)	
Drawdown								
Date							1942	
Use		House	House	House		City water		House
Analysis No.	93785					81614		
Remarks		74' of casing Rock at 74'	74' of casing Rock at 74'	73' of casing Rock at 73'		(44)	78' of casing 4" Rock at 78'	Rock at 80'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	6	7	7	7	8	8	8
Owner	Harlem Airport	J. Rosko			Wortel-Fitzgerald		Ray Coszellas
Location	250'E-1400'S of NW. Sec. Cor.	2600'E-16'S of NW. Sec. Cor.	1600'W-530'N of SE. Sec. Cor.	2240'W-680'N of SE. Sec. Cor.	1100'E-450'S of NW. Sec. Cor.	180'W-2080'N of SE. Sec. Cor.	100th & Merton Ave.
Driller	Wm. Macauley	R. Foyle	Bert Foyle	Wm. Macauley	Wm. Macauley	Wm. Macauley	Wm. Macauley
Date Drilled		1942			1934		1942
Depth	300'	81'					76'
Diameter		4"					4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	617'	600'	593'	590'	605'	598'	610'
Static Max		595 ('42)					605 ('42)
Static Min							
Av. G. P. D.	1,000	300	300	300	300	300	300
Yield g. p. m.		10 (test)					5 (test)
Drawdown		13					
Date		1942					1942
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	90' of casing Rock at 90'	51' of casing Rock at 51'	63' of casing Rock at 63'	Rock at 57'	64' of casing Rock at 64'	Rock at 44'	54' of casing Rock at 54'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	8	8	9	10	10	11	15
Owner	Ed Ipava	Wilbur Beckman			Boersma Bros.		Keough, SW cor. 183rd & Kostnan
Location	100th & Ridgeland Ave.	95th & Ridgeland Ave.	420'E-1360'S of NW Sec. Cor.	1160'W-200'N of SE Sec. Cor.	125'E-1550'N of SW Sec. Cor.	750'W-250'S of NE Sec. Cor.	2590'E-125'S of NW Sec. Cor.
Driller	Wm. Macauley	Wm. Macauley	Wm. Macauley	Wm. Macauley	John Wieting		John Wieting
Date Drilled	1942	1942			1933		
Depth	83'	84'			148'		95'
Diameter	4"	4"			4 1/2"		
Status	In use	In use	In use	In use	In use		In use
S. L. Elevation							
Ground	605'	605'	603'	621'	612'	624'	617'
Static Max	602 ('42)	600 ('42)			599 ('34)		
Static Min					595 ('33)		
Av. G. P. D.	300	300	300	300	300		300
Yield g. p. m.	8 (test)	7 (test)					
Drawdown							
Date	1942	1942					
Use	House	House		House	House		House
Analysis No.					78428		
Remarks	65' of casing Rock at 65'	50' of casing Rock at 50'	Rock at 46'	Rock at 38'	(843)	Rock at 65'	Rock at 34'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	15	15	15	15	15	15	15
Owner	Steve Zeman	Morris Devos	Freda Wincan, 111th & Cicero	T. Dohn		J. Heavey, 10327 S. Keating	Arthur Olson
Location	1800'W-100'S of NE Sec. Cor.	2760'E-2570'N of SW Sec. Cor.	1760'E-173'N of SW Sec. Cor.	780'E-350'S of NW Sec. Cor.	250'E-3600'S of NW Sec. Cor.	400'E-460'S of NW Sec. Cor.	Lot 50; S 1/2 SW 1/4 of Sec.
Driller	John Wieting	Wm. Wannemacher	John Wieting	John Wieting	Bert Foyle	John Wieting	Herbert Foyle
Date Drilled	1934					1942	1942
Depth	105'	117'	97'	100'		100'	100'
Diameter						4 1/2"	4 1/2"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	621'	606'	598'	597'	598'	597'	
Static Max	603 ('34)						
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							10 (test)
Drawdown							
Date							1942
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	48' of casing	36' of casing Rock at 36'	27' of casing Rock at 27'	27' of casing Rock at 27'	30' of casing Rock at 30'		(844)

COOK COUNTY
TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	16	16	16	16	16	17	17
Owner	A. Eichler	Wm. Daba	F. LeJeuneese	Otte, 106th & Cicero	Wm. Seidel, 1041t S. LaVergne		
Location	1250'W-2200'S of NE. Sec. Cor.	1160'W-1460'S of NE. Sec. Cor.	1430'W-1900'S of NE. Sec. Cor.	1400'W-1700'S of NE. Sec. Cor.	2300'E-300'S of NW. Sec. Cor.	860'E-940'S of NW. Sec. Cor.	75'E-2400'S of NW. Sec. Cor.
Driller	John Wieting	John Wieting	John Wieting	Wm. Macauley	John Wieting	Wm. Macauley	Wm. Macauley
Date Drilled				193-			
Depth	88'	100'	100'	100'	100'		
Diameter	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"		
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	597'	597'	596'	597'	598'	598'	611'
Static Max		585"					
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	(246)	*(246)	30' of casing Rock at 30'	30' of casing Rock at 30'	30' of casing (4 1/2") Rock at 30'	Rock at 36'	Rock at 52'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	17	17	17	17	17	17	17
Owner	John Downey				Louis Wojack		
Location	2090'W-160'N of SE. Sec. Cor.	250'E-1500'N of SW. Sec. Cor.	75'E-2160'S of NW. Sec. Cor.	75'E-1900'S of NW. Sec. Cor.	520'E-1700'S of NW. Sec. Cor.	250'E-3700'N of SW. Sec. Cor.	380'E-2060'S of NW. Sec. Cor.
Driller	Wm. Macauley	Wm. Macauley	Wm. Macauley	Wm. Macauley	Wm. Macauley	Bert Foyle	Wm. Macauley
Date Drilled							
Depth	153'				95'		
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	618'	598'	604'	600'	595'	607'	600'
Static Max							
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	65' of casing Rock at 65'	Rock at 45'	Rock at 41'	Rock at 40'	Rock at 37'	47' of casing Rock at 47'	37' at rock

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	17	17	17	17	17	18	18
Owner			Chicago Ridge School	Braash	Mike Garazel	2nd from NW. Cor. 111th & Ridgeland	
Location	560'E-1480'S of NW. Sec. Cor.	80'E-1500'S of NW. Sec. Cor.	400'E-1300'S of NW. Sec. Cor.	400'E-1400'S of NW. Sec. Cor.	480'E-800'S of NW. Sec. Cor.	275'W-75'N of SE. Sec. Cor.	1300'E-600'N of SW. Sec. Cor.
Driller	Wm. Macauley	Wm. Macauley	Wm. Macauley	Wm. Macauley	Wm. Macauley	Bert Foyle	Bert Foyle
Date Drilled							
Depth			138'	123'	83'		
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	597'	552'	597'	594'	586'	615'	606'
Static Max							
Static Min							
Av. G. P. D.	300	300	500	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	Rock at 37'	Rock at 42'	42' of casing Rock at 42'	42' of casing Rock at 42'	44' of casing Rock at 44'	66' of casing Rock at 66'	80' of casing Rock at 80'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	18	18	18	18	18	18	19
Owner		Altman				Daniels	
Location	1400'E-100'N of SW. Sec. Cor.	850'E-300'N of SW. Sec. Cor.	950'E-1900'N of SW. Sec. Cor.	100'E-450'N of SW. Sec. Cor.	200'E-480'N of SW. Sec. Cor.	100'E-1400'N of SW. Sec. Cor.	2300'W-100'S of NE. Sec. Cor.
Driller	Bert Foyle	Wm. Macauley	Wm. Macauley		Bert Foyle	Wm. Macauley	Wm. Macauley
Date Drilled							
Depth		209 (?)				119'	
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	616'	612'	607'	605'	616'	612'	608'
Static Max						611'	
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	85' of casing Rock at 85'	Rock at 73'	Rock at 65'	Rock at 70'	Rock at 77'	*(847)	Rock at 72'

**COOK COUNTY
TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued**

Section	19	19	19	19	19	19	20
Owner			Judge Humphries No. 1	Worth M. E. Church		Schulte	
Location	750'E-75'S of NW. Sec. Cor.	860'E-75'S of NW. Sec. Cor. Wm. Macauley	275'W-550'N of SE. Sec. Cor. E. L. Feel	260'E-75'S of NW. Sec. Cor. Wm. Macauley	350'E-450'S of NW. Sec. Cor. Wm. Macauley	600'E-2300'N of SW. Sec. Cor. Wm. Macauley	840'W-2600'S of NE. Sec. Cor. Wm. Macauley
Driller							
Date Drilled			1925	1918		1927	
Depth			1408'				
Diameter			10" top-6 1/2" bottom				
Status	In use	In use	In use	In use		In use	In use
S. L. Elevation							
Ground	617'	618'	592'	613'	623'	597'	619'
Static Max							
Static Min							
Av. G. P. D.	300	300	300	300		300	300
Yield g. p. m.							
Drawdown							
Date							
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	62' of casing Rock at 62'	Rock at 70'	42' of casing Rock at 43'	75' of casing Rock at 75'	Rock at 80'	60' of casing Rock at 50'	Rock at 54'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	20	20	21	22	22	22	22
Owner	Holy Sepulchre Cemetery					Richard Olson	1st Addition to Garden Homes Subdiv.
Location	2800'E-2350'S of NW. Sec. Cor. J. P. Miller Well	2020'W-2560'N of SE. Sec. Cor. Wm. Macauley	2180'W-2420'S of NE. Sec. Cor. Wm. Macauley	2610'E-1800'S of NW. Sec. Cor. Wm. Macauley	2209'E-2500'N of SW. Sec. Cor. Wm. Macauley	119th & Crawford	Lot 3-Block 24
Driller						Wm. Macauley	Bert Foyle
Date Drilled	1939					1942	1940
Depth	150'					133'	78'
Diameter	10"					4"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	613'	614'	615'	506'	596'	599'	596'
Static Max						593 ('42)	
Static Min							
Av. G. P. D.	500	300	300	300	300	300	300
Yield g. p. m.						5 (test)	
Drawdown						48'	
Date						1942	
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	54' of casing (10") Rock at 50'	Rock at 56'	Rock at 50'	Rock at 17'	Rock at 33'	50' of casing (4") Rock at 50'	48' of casing (4") Rock at 40'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	22	22	22	22	22	22	22
Owner	1st Addition to Garden Homes Subdiv.	1st Addition to Garden Homes Subdiv.	1st Addition to Garden Homes Subdiv.	1st Addition to Garden Homes Subdiv.	1st Addition to Garden Homes Subdiv.	1st Addition to Garden Homes Subdiv.	1st Addition to Garden Homes Subdiv.
Location	Lot 3-Block 26	Lot 4-Block 17	Lot 4-Block 18	Lot 5-Block 24	Lot 6-Block 25	Lot 7-Block 25	Lot 7-Block 27
Driller	Bert Foyle	Bert Foyle	Bert Foyle	Bert Foyle	Bert Foyle	Bert Foyle	Bert Foyle
Date Drilled	1939	1940	1939	1940	1939	1940	1940
Depth	177'	73'	127'	170'	100'	93'	91'
Diameter	4"	4"	4"	4"	4"	4"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	595'	595'	597'	596'	595'		
Static Max.	585 ('39)		587 ('40)				
Static Min.							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.	5 (test)		8 (test)		10 (test)		
Drawdown							
Date	1939		1939		1939		
Use	House	House	House	House	House	House	
Analysis No.							
Remarks	56' of casing (4") Rock at 56'	41' of casing (4") Rock at 41'	60' of casing (4") Rock at 60'	54' of casing (4") Rock at 54'	55' of casing (4") Rock at 55'	54' of casing (4") Rock at 54'	50' of casing (4") Rock at 50'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	22	22	22	22	22	22	22
Owner	1st Addition to Garden Homes Subdiv.	1st Addition to Garden Homes Subdiv.	1st Addition to Garden Homes Subdiv.	1st Addition to Garden Homes Subdiv.	1st Addition to Garden Homes Subdiv.	1st Addition to Garden Homes Subdiv.	1st Addition to Garden Homes Subdiv.
Location	Lot 9-Block 23	Lot 10-Block 19	Lot 10-Block 24	Lot 11-Block 18	Lot 11-Block 25	Lot 12-Block 23	Lot 12-Block 26
Driller	Bert Foyle	Bert Foyle	Bert Foyle	Bert Foyle	Bert Foyle	Bert Foyle	Bert Foyle
Date Drilled	1940	1939	1940	1940	1940	1940	1940
Depth	97'	165'	34'	83'	170'	95'	90'
Diameter	4"	4"	4"	4"	4"	4"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	595'	597'	596'	596'		595'	
Static Max.	587 ('40)		586 ('40)			585 ('40)	
Static Min.							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.	6 (test)	8 (test)	6 (test)			5 (test)	
Drawdown							
Date	1940	1939	1940			1940	
Use	House	House	House	House	House	House	
Analysis No.							
Remarks	50' of casing (4") Rock at 50'	30' of casing (4") Rock at 30'	40' of casing (4") Rock at 40'	31' of casing (4") Rock at 31'	54' of casing (4") Rock at 54'	40' of casing (4") Rock at 40'	54' of casing (4") Rock at 54'

COOK COUNTY
TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	22	23	23	23	23	23	23
Owner	1st Addition to Garden Homes Subdiv.	Garden Homes Subdiv.	Garden Homes Subdiv.	Garden Homes Subdiv.	Garden Homes Subdiv.	Garden Homes Subdiv.	Garden Homes Subdiv.
Location	Lot 13-Block 17	Lot 1-Block 5	Lot 2-Block 6	Lot 2-Block 7	Lot 4-Block 5	Lot 5-Block 3	Lot 5-Block 8
Driller	Bert Foyle	Bert Foyle	Bert Foyle	Bert Foyle	Bert Foyle	Bert Foyle	Bert Foyle
Date Drilled	1940	1940	1940	1940	1940	1940	1940
Depth	37'	93'	75'	94'	38'	106'	168'
Diameter	4"	4"	4"	4"	4"	4"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	595'	600'	596'	596'	595'	615'	596'
Static Max		530 ('40)					589 ('40)
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.		8 (test)					6 (test)
Drawdown							
Date							
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	41' of casing (4") Rock at 41'	58' of casing (4") Rock at 58'	54' of casing (4") Rock at 54'	54' of casing (4") Rock at 54'	58' of casing (4") Rock at 58'	56' of casing (4") Rock at 56'	53' of casing (4") Rock at 53'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	23	23	23	23	23	23	23
Owner	Garden Homes Subdiv.	Garden Homes Subdiv.	Garden Homes Subdiv.	Garden Homes Subdiv.	R. Hansen	Thos. M. Strathmore	Petro
Location	Lot 6-Block 7	Lot 7-Block 8	Lot 10-Block 3	Lot 19-Block 8	1330'W-75'N of SE. Sec. Cor.	1630'W-250'N of SE. Sec. Cor.	930'E-1680'N of SW. Sec. Cor.
Driller	Bert Foyle	Bert Foyle	Bert Foyle	Bert Foyle	John Wieting	John Wieting	John Wieting
Date Drilled	1940	1940	1940	1940	1929	1929	
Depth	200'	180'	103'	166'	73'	103'	145'
Diameter	4"	4"	4"	4"			
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	596'	596'	615'	598'	607'	612'	619'
Static Max		536 ('40)		555 ('40)			
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.		5 (test)	7 (test)	6 (test)			
Drawdown							
Date							
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	50' of casing (4") Rock at 50'	51' of casing (4") Rock at 51'	63' of casing (4") Rock at 54'	52' of casing (4") Rock at 52'	27' of casing Rock at 27'	51' of casing Rock at 51'	61' of casing Rock at 61'

TOWNSHIP 37 NORTH; RANGE 12 EAST—Continued

Section	22	25	25	25	26	26	26
Owner		Mrs. Berte Korach	Elgnata Yassus 127th & Kedzie	Wm. Vink	J. R. Robertson	Anthone Ruseh	John Kapeczy
Location	580'E-1630'N of SW. Sec. Cor.	1230'E-2600'S of NW. Sec. Cor.	250'E-150'N of SW. Sec. Cor.	1400'E-1460'S of NW. Sec. Cor.	2500'E-2580'S of NW. Sec. Cor.	1460'E-1730'S of NW. Sec. Cor.	1080'W-350'N of SE. Sec. Cor.
Driller	Wm. Macauley	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting	Bert Foyle & Sons
Date Drilled			1934	1928			1931
Depth		108'	128'	106'	80'	84'	100'
Diameter							
Status		In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	597'		593'	595'	595'	597'	588'
Static Max			571*				578 (31)
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	Rock at 49'	45' of casing Rock at 45'	"(248)	26' of casing Rock at 28'	25' of casing Rock at 25'	27' of casing Rock at 27'	Rock at 30'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	27	27	27	27	27	27	27
Owner						Ted Poland	Howard Sharp
Location	350'W-830'S of NE. Sec. Cor.	250'W-625'S of NE. Sec. Cor.	1040'E-2130'S of NW. Sec. Cor.	1660'E-1830'S of NW. Sec. Cor.	1130'W-830'S of NE. Sec. Cor.	2110'E-2460'S of NW. Sec. Cor.	2070'W-100'N of SE. Sec. Cor.
Driller	Wm. Macauley	Wm. Macauley	Wm. Macauley	Wm. Macauley	Wm. Macauley	John Wieting	John Wieting
Date Drilled							1927
Depth						75'	90'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	596'	595'	617'	608'	597'	621'	611'
Static Max							
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	Rock at 24'	Rock at 27'	Rock at 64'	Rock at 51'	Rock at 40'	42' of casing Rock at 42'	38' of casing Rock at 38'

COOK COUNTY
TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section.....	28	29	30	30	30	30	30
Owner.....	Menco Beintum	Crappus 127th St. E. of Ridgeland	John Hahn Roodhouse	Peterson 127th E. of Har- lem	Palos Heights Development	Palos Heights Development	Palos Heights Development
Location.....	100°W-2120°N of SE. Sec. Cor.	950°E-900°N of SW. Sec. Cor.	1100°W-1350°N of SE. Sec. Cor.	1750°E-100°N of SW. Sec. Cor.	Lot 1-Block 14	Lot 1-Block 15	Lot 2-Block 10
Driller.....	John Wieting	Bert Foyle	John Wieting	Bert Foyle	John Wieting	John Wieting	John Wieting
Date Drilled.....	1933	1931	126'	164'	1939	1939	1938
Depth.....	108'	44'	In use	In use	119'	118'	111'
Diameter.....	In use	In use	In use	In use	In use	In use	In use
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	623'	617'	618'	622'	622'	624'	620'
Static Max.....			608*	610*	601 ('39)	602 ('39)	602 ('38)
Static Min.....							
Av. G. P. D.....	300	300	500	300	300	300	300
Yield g. p. m. A							
Drawdown.....							
Date.....							
Use.....	House	House	House	House	House	House	House
Analysis No.....							
Remarks.....	78' of casing Rock at 78'	75' of casing Rock at 75'	*(\$49)	*(\$60)	Rock at 80'	Rock at 80'	Rock at 103'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section.....	30	30	30	30	30	30	30
Owner.....	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development
Location.....	Lot 2-Block 14	Lot 3-Block 15	Lot 5-Block 2	Lot 5-Block 5	Lot 5-Block 7	Lot 6-Block 6	Lot 7-Block 4
Driller.....	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting
Date Drilled.....	1936	1935	1937	1937	1937	1938	1936
Depth.....	115'	125'	122'	118'	117'	108'	118'
Diameter.....	In use	In use	In use	In use	In use	In use	In use
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	622'	624'	623'	621'	620'	620'	622'
Static Max.....	602 ('36)	605 ('36)	595 ('37)	603 ('37)	610 ('37)	602 ('38)	600 ('36)
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m. A							
Drawdown.....							
Date.....							
Use.....	House	House	House	House	House	House	House
Analysis No.....							
Remarks.....	Rock at 80'	Rock at 80'	Rock at 80'	Rock at 90'	Rock at 95'	Rock at 98'	Rock at 90'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	30	30	30	30	30	30	30
Owner	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development
Location	Lot 7-Block 14	Lot 8-Block 3	Lot 9-Block 4	Lot 9-Block 5	Lot 9-Block 11	Lot 1-Block 19	Lot 2-Block 17
Driller	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting
Date Drilled	1936	1939	1939	1936	1938	1939	1939
Depth	118'	113'	121'	114'	105'	116'	106'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	622'	622'	622'	621'	620'	608'	620'
Static Max.	612 ('36)	597 ('39)	594 ('39)	601 ('36)	601 ('38)	Flowing ('39)	615 ('39)
Static Min.							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	Rock at 90'	Rock at 83'	Rock at 92'	Rock at 98'	Rock at 98'	Rock at 96'	Rock at 91'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	30	30	30	30	30	30	30
Owner	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development
Location	Lot 2-Block 18	Lot 2-Block 20	Lot 2-Block 57	Lot 3-Block 22	Lot 3-Block 40	Lot 3-Block 51	Lot 4-Block 40
Driller	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting
Date Drilled	1937	1937	1937	1938	1936	1937	1936
Depth	119'	114'	120'	123'	116'	122'	119'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	615'	617'	624'	624'	605'	625'	610'
Static Max.	597 ('37)	610 ('37)	592 ('37)	596 ('38)	585 ('36)	598 ('37)	585 ('36)
Static Min.							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	House	House	House	House	House	House	House
Analysis No.							
Remarks	Rock at 90'	Rock at 82'	Rock at 106'	Rock at 88'	Rock at 68'	Rock at 98'	Rock at 92'

COOK COUNTY
TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section.....	30	30	30	30	30	30	30	30
Owner.....	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development	Palos Heights Development
Location.....	Lot 4-Block 43	Lot 4-Block 45	Lot 4-Block 48	Lot 4-Block 50	Lot 4-Block 65	Lot 5-Block 18	Lot 7-Block 18	Lot 7-Block 38
Driller.....	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting	John Wieting
Date Drilled.....	1937	1936	1937	1938	1935	1937	1938	1937
Depth.....	118'	124'	118'	124'	122'	115'	115'	116'
Diameter.....								
Status.....	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....								
Ground.....	620'	621'	620'	622'	620'	615'	615'	620'
Static Max.....	594 ('37)	596 ('36)	590 ('37)	595 ('38)	594 ('38)	605 ('37)	607 ('38)	589 ('37)
Static Min.....								
Av. G. P. D.....	300	300	300	300	300	300	300	300
Yield g. p. m.....								
Drawdown.....								
Date.....								
Use.....	House	House	House	House	House	House	House	House
Analysis No.....								
Remarks.....	Rock at 95'	Rock at 95'	Rock at 75'	Rock at 107'	Rock at 92'	Rock at 80'	Rock at 88'	Rock at 83'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section.....	30	30	30	31	31	31	32	33
Owner.....	Palos Heights Development	Palos Heights Development	Palos Heights Development	Westgate Country Club			Navajo C. Club	
Location.....	Lot 7-Block 43	Lot 8-Block 43	Lot 9-Block 15	1275'W-700'N of SE. Sec. Cor.	1500'W-1400'S of NE. Sec. Cor.	2840'S-1300'S of NW. Sec. Cor.	930'E-2120'S of NW. Sec. Cor.	1400'W-75'S of NE. Sec. Cor.
Driller.....	John Wieting	John Wieting	John Wieting	Wm. Wanne- macher	Wm. Wanne- macher	Wm. Macauley	Theo. Kramer	John Wieting
Date Drilled.....	1937	1937	1939					
Depth.....	120'	119'	118'	104'	114'			58'
Diameter.....								
Status.....	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....								
Ground.....	620'	615'	624'	641'	645'	641'		596'
Static Max.....	585 ('37)	585 ('37)	602 ('39)					
Static Min.....								
Av. G. P. D.....	300	300	300	1,500	300	300	1,000	300
Yield g. p. m.....								
Drawdown.....								
Date.....								
Use.....	House	House	House	House	House	House	House	House
Analysis No.....								
Remarks.....	Rock at 102'	Rock at 102'	Rock at 80'	64' of casing Rock at 84'	71' of casing Rock at 71'	Rock at 83'	86' of casing Rock at 88'	34' of casing Rock at 34'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Continued

Section	33	33	33	34	35	35	35	35
Owner		Peter Schaff		A. Braum	Stevens	1st house E. of Holman & 135th	John Bogdon	
Location	900'E-100'N of SW. Sec. Cor.	450'E-1100'N of SW. Sec. Cor.	160'E-1540'N of SW. Sec. Cor.	780'E-500'N of SW. Sec. Cor.	125'W-850'N of SE. Sec. Cor.	830'W-75'N of SE. Sec. Cor.	1780'W-1000'N of SE. Sec. Cor.	500'W-2530'N of SE. Sec. Cor.
Driller	C. E. Kramer	Wm. Macauley	Wm. Macauley	John Wieting	John Wieting	John Wieting	John Wieting	Wm. Macauley
Date Drilled					1934	1927		
Depth	100'	92'		87'	112'	80'	84'	
Diameter				44"				
Status	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation								
Ground	619'	621'	619'	605'	596'	599'	595'	598'
Static Max.	613*							
Static Min.								
Av. G. P. D.	300	300	300	300	300	300	300	300
Yield g. p. m.								
Drawdown								
Date								
Use	House	House	House	House	House	House	House	House
Analysis No.								
Remarks	(851)	42' of casing	Rock at 42'	(852)	23' of casing Rock at 23'	29' of casing Rock at 29'	15' of casing Rock at 15'	Rock at 31'

TOWNSHIP 37 NORTH; RANGE 13 EAST—Concluded

Section	35	35	36	36	36	36	36	36
Owner		Gilbert & Bennett Mtg. Co.	Blue Island Well 1	Blue Island Well 2	Blue Island Well 3		Gas Plant	Gas Plant
Location	1180'E-2460'S of NW. Sec. Cor.	128th & S. Kedzie Wireton	500'W-2500'S of NE. Sec. Cor.	500'W-2500'S of NE. Sec. Cor.	500'W-2500'S of NE. Sec. Cor.	1050'E-230'N of SW. Sec. Cor.	Blue Island	Blue Island
Driller	Wm. Macauley					John Wieting		
Date Drilled		1914	1894	1898	1909			
Depth		650'	1100'	1110'	1649'		287'	2100'
Diameter			10"-6" bottom	10" top-6" bottom	20" top-6" bottom			
Status	In use	In use	Abandoned	Abandoned	Abandoned ('15)	In use	Abandoned ('10)	In use
S. L. Elevation								
Ground	597'	590'	641'	641'	641'	598'	590'	
Static Max.								
Static Min.								
Av. G. P. D.	300					500		25,000
Yield g. p. m.					200 (test)			
Drawdown								
Date					1914			
Use	House	Factory	City water	City water	City water	House		
Analysis No.		27786		27931	27783			27781
Remarks	Rock at 20'	20' of casing	(853)	(854)	(855)	20' of casing Rock at 20'		

COOK COUNTY
TOWNSHIP 37 NORTH; RANGE 14 EAST

	29	30	32	33
Section				
Owner	Whitman & Barnes Mfg. Co.	Chicago Copper & Chemical Co.	Calumet Park	Riverdale-City Well
Location	1210'W-510'S of NE. Sec. Cor. 120th St. between Morgan & Racine J. P. Miller Co.	2500'E-250'N of SW. Sec. Cor.	2050'W-1130'S of NE. Sec. Cor.	
Driller			C. E. Kramer	
Date Drilled	1893	1891		1902
Depth	1308'	1448'	89'	430'
Diameter		6"		12" top-8" bottom
Status		In use	In use	Retired ('21)
S. L. Elevation				
Ground		608'	601'	601'
Static Max.			579*	588 ('21)
Static Min.				588 ('10)
Av. G. P. D.				
Yield g. p. m.				120 (test)
Drawdown				
Date				1902
Use				City water
Analysis No.		27954		30853
Remarks		48' of casing (6") Rock at 40'	*(868)	(887)

TOWNSHIP 38 NORTH; RANGE 12 EAST

	1	1	1	1	1	1	
Section							
Owner		McBride Woods	McBride Woods	Cermak Park	Lyons Village Well 1	Lyons Village Well 2	L. H. Warren & Son
Location	450'W-2350'N of SE. Sec. Cor. Ed Gutzler	600'W-2000'S of NE. Sec. Cor. Ed Gutzler	1150'W-2400'N of SE. Sec. Cor. Ed Gutzler	2150'E-700'S of NW. Sec. Cor. Ed Gutzler	50' S. of No. 2 well	NE. Cor. Collins & Joliet Road	7700 Joliet Road, Lyons
Driller						Wm. Cater	
Date Drilled					1908 (?)	1929	
Depth	176'	66'	90'	200'	1595'	2020'	50'
Diameter							
Status	In use	In use	In use	In use	Retired ('29)	In use	In use
S. L. Elevation							
Ground	608'	608'	606'	603'	618'	618'	
Static Max.					513 ('08)		
Static Min.					362 ('28)	313 ('36)	
Av. G. P. D.	400	400	400	400		200,000*	500
Yield g. p. m.							
Drawdown							
Date							
Use	General	General	General	General	City water	City water	Greenhouse
Analysis No.						67100	90021
Remarks	28' of casing	26' of casing	68' of casing	2' of casing	*(258)	*(258)	

TOWNSHIP 38 NORTH; RANGE 12 EAST—Continued

Section Owner.....	1 L. H. Warren & Son	4 LaGrange City Well No. 1	4 LaGrange City Well No. 2	4 LaGrange City Well No. 3	4 LaGrange City Well No. 4	4 North Shore Electric Co.	4 Western United Gas & Electric Co.
Location.....	7700 Joliet Road, Lyons	Elm St., between Brainard & Stone	Elm St., between Brainard & Stone J. P. Miller Co.	Elm St., between Brainard & Stone Repaired by F. M. Gray, Jr. (1924)	1200'W-2600'S of NE. Sec. Cor. Wm. Cate	130 S. Stone St., LaGrange	200'W-450'N of SE. Sec. Cor!
Driller.....							
Date Drilled.....		1839	1890	1883	1928		
Depth.....	100'	2014'	2014'	1962'	2008'	2024'	790'
Diameter.....		16" top-4" bottom	16" top-4" bottom	16" top-7" bottom			
Status.....	In use	Retired	Retired	Retired	In use	In use	In use
S. L. Elevation.....							
Ground.....		640'	640'	640'	629'		628'
Static Max.....				583 ('10)			
Static Min.....				505 ('24)			
Av. G. P. D.....	500	370,000 ('12)	800	700	1,000,000 ('25)	50,000	50,000
Yield g. p. m.....			6	15			
Drawdown.....			1910	1925			
Date.....			1910	1925			
Use.....	Greenhouse	City water	City water	City water	City water		Boilers
Analysis No.....	90022	39919-94269	27953	27955-94270 (260)	63994 *Top of casing 631.50 Rock at 20'	16475	
Remarks.....							

TOWNSHIP 38 NORTH; RANGE 12 EAST—Continued

Section Owner.....	5 Nazareth Academy New H. S. Bldg.	5 Jim Masck	6 Western Springs Well No. 1	6 Western Springs Well No. 2	6 Western Springs Test Well No. 1	6 Bowler Gravel Wall Well	6 Western Springs Well No. 4
Location.....	200 N. Brainard, LaGrange	2500'E-1200'N of SW. Sec. Cor.	Near Springs	Wolf Road Pump Sta. S. B. Geiger	Hilgrove St.	Near Test Well No. 1	Johnson & Hilgrove
Driller.....	J. P. Miller Well Co.				Ayers & France		D. L. Showalter
Date Drilled.....	1926		1914	1924			1930
Depth.....	1902'	125'	2046'	335'	70'		312'
Diameter.....	15" top-8" bottom		16" top-7" bottom	16"	30" top-10" bottom		
Status.....	In use	In use	Retired ('24)	In use	Not in use	Not in use	In use
S. L. Elevation.....							
Ground.....		667'	648'	675'	640'		630'
Static Max.....			633 ('14)	635 ('24)			568 ('31)
Static Min.....			616 ('31)	616 ('31)			
Av. G. P. D.....	3,000	400	110	180,000			100,000
Yield g. p. m.....	450		500	500			500
Drawdown.....			150	11			22.5
Date.....			1914	1925			1930
Use.....	School	Farm	City water	City water	City water	City water	City water
Analysis No.....	65370		25298-27280-27379- 30698*	66434*	62476		62379
Remarks.....		56' of casing Rock at 56'	(261)	*See 82578 Casing (16") Rock at 40'	Drift		Rock at 35'

COOK COUNTY
TOWNSHIP 38 NORTH; RANGE 12 EAST—Continued

Section.....	6	8	8	8	8	10	10
Owner.....	Vaughans Seed Store	R. Hinke	Clark Green	Chas. Deming	Mousselman	Electro Motive Corp., Well No. 3	Electro Motive Corp., Well No. 1
Location.....	Western Springs	2700'E-2300'S of NW. Sec. Cor.	700'E-1900'S of NW. Sec. Cor.	2700'E-700'S of NW. Sec. Cor.	2500'W-500'S of NE. Sec. Cor.	100'E-1850'N of SW. Sec. Cor.	2000'E-2100'N of SW. Sec. Cor.
Driller.....		Richard Eggert	Richard Eggert	Richard Eggert	Richard Eggert	J. P. Miller Well Co.	J. P. Miller Well Co.
Date Drilled.....						1938	1935
Depth.....	299'	142'	143'	138'	142'	1980'	1805'
Diameter.....							
Status.....		In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....		682'	676'	672'	673'	646'	623'
Static Max.....						392 ('38)	455 ('35)
Static Min.....							
Av. G. P. D.....	300	400	400	400	400	100,000	100,080
Yield g. p. m.....						285	285
Drawdown.....						130	227
Date.....						1938	1935
Use.....		Farm	Farm	Farm	Farm	General	General
Analysis No.....	87002					95277	77682-95272
Remarks.....		85' of casing to rock at 65'	42' of casing to rock	43' of casing to rock	40' of casing to rock		504' of casing

TOWNSHIP 38 NORTH; RANGE 12 EAST—Continued

Section.....	10	12	12	12	14	15	16
Owner.....	Electro Motive Corp. Well No. 2.	Summit Well No. 1	Summit Well No. 2	*Summit Well No. 3	Bando, R. R.	Cole Lemie	
Location.....	100'E-1830'N of SW. Sec. Cor.	1950'W-2350'S of NE. Sec. Cor.	2200'W-400'N of SE. Sec. Cor.	1850'W-200'N of SE. Sec. Cor.	2200'E-1600'S of NW. Sec. Cor.	175'E-1300'N of SW. Sec. Cor.	2550'W-500'N of SE. Sec. Cor.
Driller.....	J. P. Miller Well Co.		J. P. Miller Well Co.	J. P. Miller Well Co.	R. Eggert	R. Eggert	D. H. Showalter
Date Drilled.....	1937	1902	1910	1914			
Depth.....	600'	503'	1550'	1864'	112'	221'	
Diameter.....							
Status.....	In use	Abandoned ('23)	15" top-10" bottom Retired	18" top-8" bottom Retired*	In use	In use	In use
S. L. Elevation.....							
Ground.....	646'	600'	612'	603'	593'	652'	657'
Static Max.....	596 ('37)						
Static Min.....							
Av. G. P. D.....	100,000			300,000	25,000	300	
Yield g. p. m.....	206						
Drawdown.....	7						
Date.....	1937						
Use.....		City water	City water	City water	Boilers	Farm	Farm
Analysis No.....	95276	28592	28205	38061			
Remarks.....			*(282)	*Summit obtains water from Chicago	40' of casing	37' of casing	42' of casing

TOWNSHIP 38 NORTH; RANGE 12 EAST—Continued

Section	17	17	17	17	17	18	18
Owner	Bob Henry	Williams	Ingstrom	Acacia Country Club	Bert Vial	Stanley Maxted	Timber Trail Golf Course
Location	2500'E-1900'N of SW. Sec. Cor.	2300'E-1600'N of SW. Sec. Cor.	3400'E-2500'N of SW. Sec. Cor.	1050'E-350'N of SW. Sec. Cor.	100'E-2600'S of NW. Sec. Cor.	100'W-700'S of NE. Sec. Cor.	850'W-3500'S of NE. Sec. Cor.
Driller	R. Eggert	R. Eggert	R. Eggert	R. Eggert	R. Eggert	R. Eggert	R. Eggert
Date Drilled							
Depth	208'	150'	187'	191'	183'	186'	73'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	701'	693'	683'	708'	697'	682'	692'
Static Max.							
Static Min.							
Av. G. P. D.	300	300	300	2,000	300	300	3,000
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Farm	Club grounds	Farm	Farm	Club grounds
Analysis No.							
Remarks	65' of casing to rock	68' of casing to rock	87' of casing to rock	84' of casing to rock	65' of casing to rock	19' of casing	50' of casing to rock at 30'

TOWNSHIP 38 NORTH; RANGE 12 EAST—Continued

Section	18	18	18	19	19	19	19
Owner	Timber Trail Golf Course		Ed Carrington	R. Becker	Bilby	Chas. Gauger	B. D. Butler
Location	3300'W-950'N of SE. Sec. Cor.	1500'W-100'N of SE. Sec. Cor.	1200'E-250'N of SW. Sec. Cor.	50'W-1800'S of NE. Sec. Cor.		3400'E-100'N of SW. Sec. Cor.	1400'E-1700'S of NW. Sec. Cor.
Driller	R. Eggert	R. Eggert	O. K. Hawkyard	R. Eggert	R. Eggert	R. Eggert	R. Eggert
Date Drilled							
Depth	30'	154'	70'	202'	135'	146'	138'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	647'	687'	670'	709'	671'	690'	687'
Static Max.			638*				
Static Min.							
Av. G. P. D.	1,600	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	Club grounds	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks	15' of casing to rock at 50'	(263)	*(264)	70' of casing to rock at 70'	65' of casing to rock at 65'	75' of casing. Rock at 118'	49' of casing to rock at 49'

COOK COUNTY
TOWNSHIP 38 NORTH; RANGE 12 EAST—Continued

Section	20	20	30	21	22	22	23
Owner	Anderson	Mike Breen	Bob Henry Golf Course	Austin Kiwanis Club	Hoop	Albert Hopp	Corn Products Ref. Co., Well No. 1
Location				450' E-1600' N of SW. Sec. Cor. Richard Eggert	1550' E-1400' S of NW. Sec. Cor. R. Eggert	1350' E-1900' S of NW. Sec. Cor. R. Eggert	Argo
Driller	R. Eggert	R. Eggert	R. Eggert				S. B. Geiger & Co.
Date Drilled		1934	1934				1908-10
Depth	161'	175'	71'	166'	60'	61'	1843'
Diameter	8"						
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	695'	706'		666'	607'	608'	590'
Static Max.							483' ('14)
Static Min.							273' ('40)
Av. G. P. D.	300	300	2,000	500	300	300	*
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Club grounds	Club grounds	Farm	Farm	28136
Analysis No.							
Remarks	50' of casing (8") Rock at 50'	87' of casing Rock at 87'	12' of casing Rock at 12'	96' of casing to rock at 96'	35' of casing	38' of casing	*15" top-6" bottom Rock at 29'

TOWNSHIP 38 NORTH; RANGE 12 EAST—Continued

Section	23	23	23	23	23	23	23
Owner	Corn Products Ref. Co., Well No. 2	Corn Products Ref. Co., Well No. 3	Corn Products Ref. Co., Well No. 4	Corn Products Ref. Co., Well No. 5	Corn Products Ref. Co., Well No. 6	Corn Products Ref. Co., Well No. 7	Corn Products Ref. Co., Well No. 8
Location							
Driller	S. B. Geiger & Co.	S. B. Geiger & Co.	S. B. Geiger & Co.	S. B. Geiger & Co.	S. B. Geiger & Co.	S. B. Geiger & Co.	S. B. Geiger & Co.
Date Drilled	1908-10	1908-10	1908-10	1908-10	1908-10	1913-14	1916
Depth	1513'	1590'	1874'	1596'	1653'	1370'	1379'
Diameter	15" top-8" bottom	18" top-8" bottom	12" top-7" bottom	15" top-8" bottom	16" top-8" bottom	12" top-8" bottom	12" top-6" bottom
Status	In use	In use	Abandoned	In use	In use	In use	In use
S. L. Elevation							
Ground							
Static Max.			403 ('42)				
Static Min.							
Av. G. P. D.	*	*	*	*	*	*	*
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.	28137	28144		28138	28139	28140	
Remarks	*(265)	*(265)	*(265) Rock at 40'	*(265)	*(265)	*(265)	*(265) 45' to rock

TOWNSHIP 38 NORTH; RANGE 12 EAST—Continued

Section	23	23	23	26	26	29	29
Owner	Corn Products Ref. Co. Well No. 9	Corn Products Ref. Co. Well No. 10	Corn Products Ref. Co., Well No. 11	Bethania Cemetery	DeMaw	F. Lueck	Ray Mason
Location			400'S-685'W of NE. Sec. Cor.	460'E-600'N of SW. Sec. Cor.	72nd near Archer	550'W-1400'S of NE. Sec. Cor.	1800'W-1500'S of NE. Sec. Cor.
Driller	S. B. Geiger & Co.	S. B. Geiger & Co.	Layne Western Co.	R. Tadyshak	J. Wieting	Richard Eggert	Richard Eggert
Date Drilled	1916	1932	1942		1934		
Depth	1261'	1530'	1543'		279'	119'	924'
Diameter	8" top-6" bottom	12" top-6" bottom	26" top-17" bottom				
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground			607'	615'	595'	652'	691'
Static Max					580 ('34)		
Static Min			268 ('42)				
Av. G. P. D.				500	300	300	300
Yield g. p. m.			1900				
Drawdown			97				
Date			1942				
Use				Cemetery	Farm	Farm	Farm
Analysis No.			93359				
Remarks	*('88) 47' to casing	*('86)	('74)	80' of casing to rock-80'	70' of casing (6') to rock-70'	88' of casing to rock at 88'	92' of casing to rock at 92'

TOWNSHIP 38 NORTH; RANGE 12 EAST—Continued

Section	29	29	29	30	30	30	30
Owner	Getner	Getner	Shalieger	Horace Bilby	Joe Bilby	Estelle Mauland	House of Correction
Location	2600'W-2100'S of NE. Sec. Cor.	2500'W-2200'S of NE. Sec. Cor.	2300'W-2450'S of NE. Sec. Cor.	150'W-2100'S of NE. Sec. Cor.	100'W-700'S of NE. Sec. Cor.	2700'E-1000'S of NW. Sec. Cor.	1800'E-400'S of NW. Sec. Cor.
Driller	Richard Eggert	Richard Eggert	Richard Eggert	Richard Eggert	Richard Eggert	Richard Eggert	Richard Eggert
Date Drilled							
Depth	117'	112'	122'	65'	102'	144'	154'
Diameter							44"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	670'	677'	680'	638'	637'	691'	706'
Static Max							
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Farm	Farm	Farm	Farm	Drinking
Analysis No.							
Remarks	78' of casing to rock at 78'	85' of casing to rock at 85'	85' of casing to rock at 85'	29' of casing to rock at 29'	15' of casing to rock at 15'	63' of casing to rock at 63'	84' of casing to rock at 88'

COOK COUNTY
TOWNSHIP 38 NORTH; RANGE 12 EAST—Continued

Section.....	30	31	31	31	31	31	31
Owner.....	Chicago Municipal Farm	Mrs. F. Miller	Chas. Bohm	C. Bohm (swim pool)	Fred Radatz	Fred Radatz	Chells & Place
Location.....	1100'E-1100'N of SW. Sec. Cor. C. E. Pigg	600'W-100'N of SE. Sec. Cor. Richard Eggert	500'W-2400'S of NE. Sec. Cor.	450'W-2200'S of NE. Sec. Cor. R. Eggert	1200'W-100'N of SE. Sec. Cor. R. Eggert	850'W-50'N of SE. Sec. Cor. Richard Eggert	1140'E-375'N of SW. Sec. Cor. Richard Eggert
Driller.....							
Date Drilled.....							1934
Depth.....	200'	60'	72'	80'	81'	66'	98'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	685'	616'	642'	624'	613'	615'	650'
Static Max.....	625*		623 ('34)				
Static Min.....							
Av. G. P. D.....	300	300	300	2,000	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Swim pool	Farm	Farm	Farm
Analysis No.....							
Remarks.....	* (275)	35' of casing to rock at 38'	45' of casing to rock at 48'	30' of casing	34' of casing to rock at 34'	38' of casing to rock at 38'	74' of casing to rock at 74'

TOWNSHIP 38 NORTH; RANGE 12 EAST—Continued

Section.....	31	32	32	32	32	32	32
Owner.....	Chas. Michal	A. Pap	F. Kahout	J. Dunbar	A. Smith	Ralph Hoover	Williams-Bimini Springs
Location.....	200'E-2900'N of SW. Sec. Cor. Richard Eggert	100'W-500'N of SE. Sec. Cor. Richard Eggert	150'W-350'N of SE. Sec. Cor. Richard Eggert	1800'E-850'N of SE. Sec. Cor. Richard Eggert	300'E-1200'N of SW. Sec. Cor. Richard Eggert	300'E-1400'N of SW. Sec. Cor. Richard Eggert	150'E-1800'S of NW. Sec. Cor. Richard Eggert
Driller.....							
Date Drilled.....							
Depth.....	160'	48'	55'	61'	46'	47'	46'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	668'	598'	600'	600'	607'	607'	608'
Static Max.....							
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	1,000
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Bottle cleaning
Analysis No.....							
Remarks.....	110' of casing to rock at 110'	38' of casing to rock at 38'	Rock at 38'	30' of casing	16' of casing to rock at 16'	15' of casing	15' of casing to rock-15'

TOWNSHIP 38 NORTH; RANGE 12 EAST—Continued

Section.....	32	33	33	33	33	33	33
Owner.....	Bimini Springs	Anna Pukis	Wm. Hartman	Merschants	Chas. Boteck		E. Hahnell
Location.....	150'E-1450'N of SW. Sec. Cor. Richard Eggert	800'W-100'N of SE. Sec. Cor. John Wieting	1800'W-1740'N of SE. Sec. Cor. Richard Eggert	1600'W-1500'N of SE. Sec. Cor. Richard Eggert	2150'W-1550'N of SE. Sec. Cor. Richard Eggert	2480'W-1760'N of SE. Sec. Cor. R. Tadyshak	2150'W-2350'N of SE. Sec. Cor. Richard Eggert
Driller.....							
Date Drilled.....							
Depth.....	43'	200'	123'	178'	123'		88'
Diameter.....							
Status.....	In use	In use,	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	667'	705'	660'	670'	667'	645'	618'
Static Max.....	*						
Static Min.....	605' (30)						
Av. G. P. D.....	2,000	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....		Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....	60337 (?)						
Remarks.....	*(#76)	130' of casing to rock at 130'	100' of casing to rock at 190'	115' of casing to rock at 115'	112' of casing to rock at 112'	100' of casing to rock at 100'	55' of casing to rock at 55'

TOWNSHIP 38 NORTH; RANGE 12 EAST—Concluded

Section.....	33	33	33	33	35	35	35	35
Owner.....	Ed. Koch		Petrlas	Frank Hoch	Jos. Dvorak (Justice Green- house)	Wm. Kalos (Greenhouse)	Ubaum	Jos. Dvorak
Location.....	2100'W-2400'N of SE. Sec. Cor. Richard Eggert	2480'W-2180'S of NE. Sec. Cor. Hartman	3050'W-1200'N of SE. Sec. Cor. Wm. Macauley	4000'W-1300'N of SE. Sec. Cor. Richard Eggert	NE $\frac{1}{4}$ of NW $\frac{1}{4}$	2550'E-200'S of NW. Sec. Cor. Richard Eggert	2750'E-150'S of NW. Sec. Cor. Wm. Wanne- macher	
Driller.....								
Date Drilled.....								
Depth.....	160'	88'	125'	48'	133'	133'	164'	130'
Diameter.....								
Status.....	In use	In use	In use		In use	In use	In use	
S. L. Elevation.....								
Ground.....	620'	595'				619'	618'	
Static Max.....	*flowing							
Static Min.....								
Av. G. P. D.....	300	300	300		2,000	500	300	
Yield g. p. m.....								
Drawdown.....								
Date.....								
Use.....	Farm	Farm	Farm				Farm*	
Analysis No.....					89071			94299
Remarks.....	*(#77)	42' of casing to rock at 42'	Rock at 112'	38' of casing to rock at 38'		80' of casing to rock at 80'	*(#78)	

**COOK COUNTY
TOWNSHIP 38 NORTH; RANGE 13 EAST**

Section	19	19	19	19	19	20	20
Owner.....	Visking Corpora- tion	Visking Corpora- tion	Allen B. Wrisley Co.	Pepsodent Co., Well No. 1	Pepsodent Co., Well No. 2	National Aluminate Corp., Well No. 1	National Aluminate Corp., Well No. 2
Location.....	6733 W. 65th, Chi- cago	2200'W-1600'S of NE. Sec. Cor.	2300'E-1600'S of NW. Sec. Cor.	6901 W. 65th, Chi- cago		6216 W. 66th Place, Chicago	900'W-2700'S of NE. Sec. Cor.
Driller.....		Sewell Well Co.	S. B. Geiger Co.	J. P. Miller Well Co.	S. B. Geiger Co.	W. J. Fulton Eng. Co.	W. J. Fulton Engr. Co.
Date Drilled.....		1938	1939		1937	1936	1937
Depth.....	405'	1518'	1590'		434'	393'	233'
Diameter.....		16" top-8" bottom	12" top-8" bottom		8"		
Status.....		In use	In use		In use	In use	In use
S. L. Elevation							
Ground.....		616'	616'	616'	616'	616'	616'
Static Max.....		302 ('38)			326 ('39)	536 ('36)	531 ('37)
Static Min.....						*503 ('37)	
Av. G. P. D.....	150,000	150,000	150,000	100,000	100,000	30,000	60,000
Yield g. p. m.....		600			155	94	63
Drawdown.....		38			40	150	87
Date.....		1938			1939	Dec. 1936	Jan. 1937
Use.....		Boilers	Boilers	Boilers	Boilers	Boilers and heaters	Boilers and heaters
Analysis No.....		90235	*86322-90231			79209	79396
Remarks.....		Rock at 102'					

TOWNSHIP 38 NORTH; RANGE 13 EAST—Continued

Section	20	21	21	21	21	21
Owner.....	Mitchel Ponchick	Continental Can Co.	Cracker Jack Co., Well No. 1	Cracker Jack Co., Well No. 2	C. & W. I. R. R., Well 1	C. & W. I. R. R., Well 2
Location.....	71st & Roberts Road	5401 W. 65th St.	66th & Cicero, Chicago	200'W-1900'S of NE. Sec. Cor.	Clearing Yards	Clearing Yards
Driller.....	W. R. Macauley	J. P. Miller Well Co.	S. B. Geiger	S. B. Geiger		
Date Drilled.....	1942	1936	1930	1940	1901	1901
Depth.....	129'	1510'	400'	1500'	1554'	1640'
Diameter.....	4"	16"	12" top	6"		
Status.....	In use	In use	In use	In use		
S. L. Elevation						
Ground.....	616'	616'		620'	617'	617'
Static Max.....	587 ('42)	317 ('36)		*280 ('40)	524 ('01)	524 ('01)
Static Min.....					405 ('14)	405 ('14)
Av. G. P. D.....	500	50,000	50,000	50,000	37,500	37,500
Yield g. p. m.....	7 (test)	520 (test)	*90 (test)	*450		
Drawdown.....	0	7		4 1/2		
Date.....	1942	1936		1940		
Use.....						
Analysis No.....		95270		90232-93754	28135	28134
Remarks.....	94' of casing (4") Rock 94'		* (281)	* (282)	84' of casing	80' of casing

TOWNSHIP 38 NORTH; RANGE 13 EAST—Continued

Section	21	21	29	31	31	32
Owner	C. & W. I. R. R., Well 3	C. & W. I. R. R., Well 4	Cook Co. School District No. 220	Walter Schmitz	Dr. Dybolski	Stickney Township School No. 111
Location	Clearing Yards	Clearing Yards	77th & Moody 1750'E-3700'S of NW. Sec. Cor.	W1NE1/4 of Section	1310'E-200'S of NW. Sec. Cor.	1020'N-150'E of SW. Sec. Cor.
Driller			R. B. Hartman	Bert Foyle	Bert Foyle	John Wieting
Date Drilled	1901	1913	Dec. 1941	1942	1933	
Depth	1611'	1605'	298'	100'	197'	
Diameter		16" top-8" bottom	8"	4"		
Status			In use	In use	In use	In use
S. L. Elevation						
Ground	617'	617'	615'		618'	615'
Static Max	524 ('01)	472 ('12)	568 ('41)		601 ('33)	
Static Min	405 ('14)					
Av. G. P. D.	37,500	37,500	500	300	300	500
Yield g. p. m.		120 (test)	49	7 (test)		25
Drawdown			34	13		
Date			1941	1942		
Use			School	Farm	Farm	School
Analysis No.	28135		92222			
Remarks	100' of casing	36' of casing to rock at 36'	36' of casing (8")	Rock at 60'	65' of casing to rock at 65'	(834)

TOWNSHIP 38 NORTH; RANGE 13 EAST—Concluded

Section	32	32	32	32	33	33
Owner	Howard Roak	Adele Rolandelfy			Eli Dumbava	Paul Kirekhoff
Location	Lot 18, Block 5, Highlands Subdiv.	Lot 39, Block 4, Highlands Subdiv.	300'W-1400'S of NE. Sec. Cor.		8850 S. Lawler Ave. 40'N-100'W of SE. Sec. Cor.	5242 W. 87th St.
Driller	Bert Foyle	Bert Foyle	John Wieting	Wm. MacAuley	Herbert Foyle	Chester Foyle
Date Drilled	1942	1942	1933		1942	1942
Depth	142'	120'			103'	134'
Diameter	4"	4"			4"	4"
Status	In use	In use	In use	In use	In use	In use
S. L. Elevation						
Ground			620'	618'		623'
Static Max						
Static Min						
Av. G. P. D.	300	300	300	300	300	300
Yield g. p. m.	5 (test)	8 (test)			5 (test)	5 (test)
Drawdown		47				50
Date	1942	1942				1942
Use	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.						
Remarks		71' of casing (4") to rock at 71'	90' of casing to rock at 90'	73' of casing to rock at 73'	78' of casing (4") to rock at 78'	39' of casing (4") to rock at 39'

COOK COUNTY
TOWNSHIP 39 NORTH; RANGE 12 EAST

Section	1	1	1	1	2	2
Owner.....	River Forest Well 1	River Forest Well 2	River Forest Well 3	River Forest Well 4	Cook County Fair Grounds	
Location.....			40' from Well 1	Jackson & Berkshire St.	600'S-1420'E of NW. Sec. Cor.	3800'S-1100'W of NE. Sec. Cor.
Driller.....	J. P. Miller Wall Co.		S. B. Geiger	J. P. Miller Well Co.	C. E. Pigg	Ed. Gutzler
Date Drilled.....	1893	1893	1921	1926	1938	
Depth.....	1000'	1000'	*2150'	2102'	104'	106'
Diameter.....	12" top-8" bottom	8" top-8" bottom	12" top-10" bottom	20" top-10" bottom	8"	
Status.....	Abandoned	Abandoned	Abandoned	In use	In use	In use
S. L. Elevation						
Ground.....	628'	628'	628'	628'	626'	625'
Static Max.....	578 ('12)			560 ('26)		
Static Min.....						
Av. G. P. D.....	200,000 ('21)	200,000 ('21)			300	200
Yield g. p. m.....						
Drawdown						
Date.....						
Use.....	Public	Public	Public	Public		House
Analysis No.....			52578-50109*	58437		
Remarks.....	Cased to rock at 54'	Cased to rock at 54'	*('28)	Rock at 75' 81' of casing		90' of casing to rock

TOWNSHIP 39 NORTH; RANGE 12 EAST—Continued

Section	2	2	3	4	4	4	4
Owner.....			Melrose Park Well 3	Sacred Heart Seminary	I. H. B. R. R. Well 4	Stone Park Village Well	The Richardson Co.
Location.....	1050'N-3550'E of SW. Sec. Cor.	3500'S-3400'E of NW. Sec. Cor.	2600'S-100'E of NW. Sec. Cor.	1800'N-400'E of SW. Sec. Cor.	160'S-1100'W of NE. Sec. Cor.	2445'S-630'E of NW. Sec. Cor.	1050'N-1200'W of SE. Sec. Cor.
Driller.....	Ed. Gutzler	Ed. Gutzler	W. H. Cater	Ray Feverborn		W. J. Wenz	S. B. Geiger
Date Drilled.....			1927	1940	1925	1942	1940
Depth.....	82'	95'	*1937'	250'	2007'	291'	1900'
Diameter.....				6"	12"		16" top-8" bottom
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	619'	620'	637'	635'	634'	636'	632'
Static Max.....			380 ('30)	463 ('40)		464 ('42)	382 ('40)
Static Min.....			301 ('43)				
Av. G. P. D.....	200	200	150,000	1,000	20,000	20,000	125,000
Yield g. p. m.....			950	60		86	
Drawdown			80	7		13	
Date.....			1930	1940		1942	
Use.....	House	House	Public	Public	Railroad	Public	Industrial
Analysis No.....			63757	89567		92605	90124
Remarks.....	71' of casing to rock	80' of casing to rock	*('26)	50' of casing (6") to rock	Rock at 75'	48' of casing to rock	('37)

TOWNSHIP 39 NORTH; RANGE 12 EAST—Continued

Section	6	5	5	5	5	5	5
Owner.....	C. & N. W. R. R. Well 1	C. & N. W. R. R. Well 2	C. & N. W. R. R. Well 3	C. & N. W. R. R. Well 4	C. & N. W. R. R. Well 5	C. & N. W. R. R. Well 7	C. & N. W. R. R. Well 9
Location.....	Proviso Yards	Proviso Yards	Proviso Yards	Proviso Yards	Proviso Yards	Proviso Yards	Proviso Yards
Driller.....						W. H. Gray & Co.	
Date Drilled.....	1911	1912	1911	1912	1928	1912	1912
Depth.....	1825'	1200'	1330'	1203'	2075'	1202'	1849'
Diameter.....	12" top-6" bottom	15" top-8" bottom	12" top-6" bottom	15" top-8" bottom	20"	15" top-8" bottom	15" top-8" bottom
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	645'	642'	643'	644'	643'	643'	642'
Static Max.....	607 ('12)		607 ('11)		605 ('12)		610 ('12)
Static Min.....							
Av. G. P. D.....	12,500	12,500	12,500	12,500	12,500	12,500	12,500
Yield g. p. m.....	112					190	100
Drawdown.....	55					35	103
Date.....	1912					1912	1912
Use.....	Railroad	Railroad	Railroad	Railroad	Railroad	Railroad	Railroad
Analysis No.....							
Remarks.....	Rock at 62'				Rock at 72'	Rock at 70'	

TOWNSHIP 39 NORTH; RANGE 12 EAST—Continued

Section	5	6	6	6	6	7	7
Owner.....	C. & N. W. R. R. Well 11		C. & N. W. R. R. L. C. L. Freight House		C. & N. W. R. R. Freight House	Berkeley Village Well No. 1	Berkeley Village Well
Location.....	Proviso Yards	2400'S-100'W of NE, Sec. Cor. C. E. Pigg	1850'N-1875'E of SW, Sec. Cor. S. B. Geiger	200'N of C. & N. W. Freight House C. E. Pigg	200' from L. C. L. "South" well C. E. Pigg	2300'N-1160'E of SW, Sec. Cor.	15' south of well No. 1
Driller.....							
Date Drilled.....	1913		1928				
Depth.....	1330'	190'	1350'	162'	228' 10"	205'	
Diameter.....	15" top-9" bottom		16" top-8" bottom				
Status.....	In use	In use	In use	In use	In use	Reserved	*Plugged
S. L. Elevation							
Ground.....	642'	635'	653'	657'	652'	677'	
Static Max.....	579 ('13)	593		617	612		
Static Min.....							
Av. G. P. D.....	12,500	200	2,000	200	2,000		
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....		House	Railroad	House	Railroad	Public	Public
Analysis No.....						32464	
Remarks.....		100' of casing to rock	58' to rock	80' to rock	81' of (10") casing	(238)	*(239)

COOK COUNTY
TOWNSHIP 39 NORTH; RANGE 12 EAST—Continued

Section	9	9	9	9	10	10	11
Owner	Bellwood Village Well No. 1	Bellwood Village Well No. 2	Solar Sturgis Mfg. Co.	Solar Sturgis Mfg. Co.	Melroe Park City Well No. 1	Melroe Park City Well No. 2	
Location	1350'S-1450'W of NE. Sec. Cor.	1750'S-2750'E of NW. Sec. Cor.	800'S-500'W of NE. Sec. Cor.	800'S-500'W of NE. Sec. Cor.	600'S-400'E of NW. Sec. Cor.	30' N. of Well No. 1	900'N-1500'W of SE. Sec. Cor.
Driller		Wm. H. Cater	S. B. Geiger		*C. W. Varner	*W. L. Thorne	Ed. Gutzler
Date Drilled	1914	1928	1927	1926	1898	1913	
Depth	1538'	1960'	1557'	460'	*1965'	1571'	78'
Diameter	12" top-8" bottom	24" top-18" bottom	12" top-8" bottom		15" top-4 1/2" bottom	18" top-8" bottom	
Status	In use	In use	In use	In use	Not in use	In use	In use
S. L. Elevation							
Ground	630'	631'	632'	632'	633'	633'	625'
Static Max	555 ('14)			444 ('26)	523 ('18)	538 ('12)	
Static Min					476 ('36)	450 ('28)	
Av. G. P. D.	400,000 ('39)	400,000 ('39)	100,000		178,000 ('12)		200
Yield g. p. m.					350		
Drawdown					10		
Date					1912		
Use	Public	Public	Industrial	Industrial	Public	Public	House
Analysis No.	28011-47765	63940-75890	61966-53337		84250		
Remarks		66" to rock	Rock at 70'		*Deepened in 1936	*(290)	46' of casing to rock

TOWNSHIP 39 NORTH; RANGE 12 EAST—Continued

Section	11	11	11	11	11	11	12
Owner		Maywood Well No. 1	Maywood Well No. 2	Maywood Well No. 3	Maywood Well No. 4	Park Ridge Camp Well No. 4	Bowman Dairy Co.
Location	50'S-3100'E of NW. Sec. Cor.	St. Charles Road & C. & N. W. R. R.	St. Charles Road & C. & N. W. R. R.	2500'S-1500'E of NW. Sec. Cor.	160' SW. from Well 2	N. of Lake St. W. of DesPlaines River	2500'S-1875'W of NE. Sec. Cor.
Driller				S. B. Geiger repaired in 1932		Snelten Bros.	S. B. Geiger
Date Drilled		1895	1895	1910	1918		1930
Depth	72'	1600'	2206'	1605'	2048'	221'	2072'
Diameter		17" top-5" bottom	17" top-5" bottom	16" top-8" bottom		6"	12" top-10" bottom
Status	In use	Abandoned	Abandoned	In use	Reserve ('33)	In use	In use
S. L. Elevation							
Ground	613'	628'	628'	628'	628'	630'	631'
Static Max		548 ('07)	548 ('07)	518 ('10)	400 ('19)	555	281' (1941)
Static Min		528 ('09)	350 ('29)	328 ('28)	229 ('42)		
Av. G. P. D.	200			370,000 ('42)	400		5,000
Yield g. p. m.				250 (test)	1000 (test)	15	325
Drawdown						30	80'
Date				1927	1927		1941
Use	House	Public	Public	Public	Public	Public	Dairy
Analysis No.		17805		84253*	84254*		71938
Remarks	58' of casing to rock	(#91)		*(#92)	*(#93)	74' of casing (6") to rock	1315' of casing Rock at 80'

TOWNSHIP 39 NORTH; RANGE 12 EAST—Continued

Section	13	13	13	13	13	15	15
Owner	Borden Dairy Co.	Forest Park Village Well No. 1	Forest Park Village Well No. 2	Forest Park Village Well No. 3	Edward Roos Co.	Maywood Well No. 5	Maywood Well No. 6
Location	2800'N-500'W of SE. Sec. Cor.	Jackson Blvd. & S. DesPlaines Ave.	Jackson Blvd. & S. DesPlaines Ave.	150' E of wells 1 & 2	2750'N-1130'W of SE. Sec. Cor.	750'S-750'W of NE. Sec. Cor.	830'S-90'W of NE. Sec. Cor.
Driller	S. B. Geiger			S. B. Geiger	S. B. Geiger	S. B. Geiger	S. B. Geiger
Date Drilled	1923	1892	1892	1924	1926	1922	1924
Depth	1615'	1650'	2012'	2114'	350'	2076'	*1570'
Diameter		14" top-8" bottom	10" top-5" bottom	16" top-10" bottom	8"	18" top-10"	
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	619'	625'	625'	625'		628'	628'
Static Max.		475 ('12)	475 ('12)	419 ('24)		478 ('22)	362 ('29)
Static Min.						362 ('31)	340 ('35)
Av. G. P. D.	16,000	390,000 ('22)	390,000 ('22)			815,000 ('42)	815,000 ('42)
Yield g. p. m.						1250	1500
Drawdown							
Date						1927	1927
Use	Dairy	Public	Public	Public	Industrial	Public	Public
Analysis No.			47066			84255	84044
Remarks	1065' of casing					(294)	*Original depth 2090' plugged in 1933

TOWNSHIP 39 NORTH; RANGE 12 EAST—Continued

Section	17	18	18	18	18	18	20
Owner		Berkeley Village Well No. 2	Mt. Carmel Cemetery	Hillside Village Well No. 1	Hillside Village Well No. 2		Glen Oak Cemetery
Location	900'N-2100'W of SE. Sec. Cor.	370'S-730'E of NW. Sec. Cor.	650'N-2400'S of SW. Sec. Cor.	100'W of Wolf Rd. 100'S of I. C. R. R. Wm. Cater		50'N-50'W of SE. Sec. Cor.	600'S-400'W of NE. Sec. Cor.
Driller	C. E. Pigg	A. D. Cook Co.	F. M. Gray, Jr.			C. E. Pigg	C. E. Pigg
Date Drilled		1930	1923	1927			
Depth	118'	151'	1960'	*1947'	180'	200'	105'
Diameter		10"			8" top-8" bottom		
Status	In use	In use	In use	In use	Not in use	In use	In use
S. L. Elevation							
Ground	648'	665'		665'	665'	653'	635'
Static Max.		641 ('33)			630	646	620
Static Min.							
Av. G. P. D.	200	50,000	400	25,000		200	400
Yield g. p. m.		150		300			
Drawdown		8					
Date		1933		1940			
Use	House	Public	Public	Public	Public	House	Public
Analysis No.		82465	74793	88853	82463		
Remarks	82' of casing to rock	(296)		*Deepened in 1940 by J. F. Miller Co.	(296)	100' of casing to rock	28' of casing to rock

COOK COUNTY
TOWNSHIP 39 NORTH; RANGE 12 EAST—Continued

Section	23	23	25	26	26	29	29
Owner	U. S. Veterans Hospital	Forest Preserve	Riverside Well No. 4	Relief Gardens			
Location	2350'S-50'E of NW. Sec. Cor.	S. of 31st St. & Wolf Road	2440'N-2340'E of SW. Sec. Cor.	22nd & 1st Ave.	1400'N-1850'W of SE. Sec. Cor.	150'N-1800'W of SE. Sec. Cor.	750'N-1700'W of SE. Sec. Cor.
Driller	F. M. Gray, Jr.	Bert Foyle & Sons	W. L. Thorne started R. D. Anderson finished	Bert Foyle & Sons	Ed Gutzler	C. E. Pigg	C. E. Pigg
Date Drilled	1922		1931				
Depth	1800'	87'	1980'	133'	80'	125'	130'
Diameter	20" top-10" bottom						
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground			619'	623'	613'	640'	629'
Static Max			342 ('31)	592'			
Static Min							
Av. G. P. D.	25,000	500		400	200	200	200
Yield g. p. m.			1330				
Drawdown			18				
Date			1931				
Use	Public	Public	Public	Public	House	House	House
Analysis No.			89936				
Remarks		Rock at 23'	(897)	Rock at 59'		(898)	(899)

TOWNSHIP 39 NORTH; RANGE 12 EAST—Continued

Section	29	31	32	32	32	32
Owner		Salt Creek Camp	Oscar Burkland		St. Joseph's Institute	Bethlehem Academy
Location	300'S-50'E of NW. Sec. Cor.	1700'N-1500'W of SE. Sec. Cor.	1250'S-1100'W of NE. Sec. Cor.	1000'N-1400'E of SW. Sec. Cor.	700'N-750'W of SE. Sec. Cor.	900'N-2200'W of SE. Sec. Cor.
Driller	C. E. Pigg	Saetlon Bros.	Richard Eggert			J. P. Miller
Date Drilled		1936	1923			1926
Depth	245'	118'	135'	61'	360'	1902'
Diameter		6"				13" top-8" bottom
Status	In use	In use	In use	In use		
S. L. Elevation						
Ground	657'	635'	635'	648'		
Static Max	639	608 ('36)				
Static Min						
Av. G. P. D.	200	200	200	200	400	
Yield g. p. m.		25				450
Drawdown		2				
Date		1936				1926
Use	House	Public	House	House		
Analysis No.		77759			65362	65370
Remarks	100' of casing to rock	69' of casing (6") to rock at 64'	27' of casing to rock	30' of casing to rock		

TOWNSHIP 39 NORTH; RANGE 12 EAST—Concluded

Section	34	35	35	36	36	36
Owner	Brookfield Village Well	Cook County Zoological Gardens	Cook County Zoological Gardens No. 2	Riverside Well No. 1	Riverside Well No. 2	Riverside Well No. 3
Location	250°N-2550°E of SW. Sec. Cor.	1650°S-1450°E of NW. Sec. Cor.	150°S-1950°W of NE. Sec. Cor.	2550°N-535°E of SW. Sec. Cor.	2550°N-650°E of SW. Sec. Cor.	2250°N-100°E of SW. Sec. Cor.
Driller	S. B. Geiger	J. P. Miller Well Co.	W. L. Thorne			J. P. Miller Well Co.
Date Drilled	1922	1927	1938	1898	1898	1924
Depth	2004'	2062'	2030'	1740'	2037'	2047'
Diameter	18" top-7" bottom	18" top-8" bottom	20" top-10" bottom	13" top-5" bottom	15" top-6" bottom	20" top-10" bottom
Status	*Not in use	In use	In use	Emergency	Emergency	In use
S. L. Elevation						
Ground	620'	619'	615'	615'	615'	615'
Static Max	605 ('22)		391 ('38)			355 ('24)
Static Min	530 ('36)	363 ('37)				
Av. G. P. D.	551,000 ('27)	10,000	10,000	325,000 ('23)	325,000 ('23)	575,000 ('27)
Yield g. p. m.	575		725			1000
Drawdown	99-100		231			40
Date	1936		1933			1924
Use	Public	Public	Public	Public	Public	Public
Analysis No.	60571	77631	83935	50404	50405	86827
Remarks	*(300)	Rock at 53'		(301)	East Well, 750' of casing	(302)

TOWNSHIP 39 NORTH; RANGE 13 EAST

Section	5	7	7	17	17	17	17
Owner	West Suburban Hospital	Oak Park Village Well No. 6	Fair Department Store	Public Service Co. Northern Illinois Well 4	Public Service Co. Northern Illinois Well 1	Public Service Co. Northern Illinois Well 2	Public Service Co. Northern Illinois Well 3
Location	518 N. Austin Blvd. Oak Park	2400°S-4000°E of NW. Sec. Cor.	1900°S-540°E of NW. Sec. Cor.	Lombard Ave. at Chicago-Great Western R. R.	170°S of Garfield 127°W of Taylor Ave.	122°S of Garfield 79°W of Taylor Ave.	112°S of Garfield 119°W of Taylor Ave.
Driller			W. L. Thorne Co.	S. B. Geiger			S. B. Geiger
Date Drilled			1937	1913		1903	1905
Depth		1616'	1623'	1912'		142'	1705'
Diameter			15" top-10" bottom			7"	8" top-5" bottom
Status		*Not in use	In use	Retired	Abandoned ('03)	Dry ('07)	Abandoned ('18)
S. L. Elevation							
Ground	618'	623'	629'	617'	617'	617'	
Static Max			547 ('37)				
Static Min							
Av. G. P. D.			25,000				
Yield g. p. m.			410			75	150
Drawdown			316				
Date			1937				
Use			Air condition condenser				
Analysis No.		*17305 17804	83495				
Remarks		*(303)	Chicago water used mainly	Rock at 78'			Casing removed 1912

COOK COUNTY
TOWNSHIP 39 NORTH; RANGE 13 EAST—Concluded

Section	21	31	27	27	27	30	30
Owner	National Malleable Castings Co.	Chicago Vitreous Enamel Co.	Western Electric Co., Well No. 3	Western Electric Co., Well No. 1	Western Electric Co., Well No. 2	Berwyn city well	Berwyn city well
Location	1400'S. 52nd Ave.	W. 15th St. & S. 55th Ave.	Cicero Ave. & Cermak Road	750'S-1240'E of Cermak Road	85'S-875'E of NW. Sec. Cor.	750'N-1850'W of SE. Sec. Cor.	750'N-1950'W of SE. Sec. Cor.
Driller	S. B. Geiger	Wm. Cater	*Gray Well Co.	L. Wilson	L. Wilson	J. P. Miller Co.	
Date Drilled		1931	1912	1906	1908	1893	1912
Depth	1975'	1618'	*1574'	1580'	1592'	1605'	1600'
Diameter			17 1/2" top-8" bottom	12" top-7" bottom	15" top-5" bottom	18" top-5" bottom	16" top-8" bottom
Status	In use	In use	In use	Abandoned ('13)	Abandoned ('25)	*Not in use	Not in use
S. L. Elevation							
Ground	607'	607'	604'			605'	605'
Static Max		415 ('31)	541 ('12)			492 ('12)	
Static Min	347 ('36)	325 ('31)	260 ('41)			419 ('13)	
Av. G. P. D.	200,000	200,000	4,000,000				
Yield g. p. m.	260 ('36)	225	935				
Drawdown			14				
Date			1941				
Use						Public	Public
Analysis No.	79622		91636				28751
Remarks		70' of 12" casing	*('304)			*('305)	

ZONE III

DU PAGE COUNTY
TOWNSHIP 37 NORTH; RANGE 11 EAST

Section.....	1	1	1	1	1	2	3
Owner.....	Ed Malick		Cradevill		Wm. Washer	Geo. Knapp	Maxwell Howard
Location.....	100'W, 2400'N. of SE Sec. Cor.	2900'E, 700'N. of SW Sec. Cor.	2400'E, 900'N. of SW Sec. Cor.	2250'E, 800'N. of SW Sec. Cor.	2100'W, 2700'S. of NE Sec. Cor.	2000'E, 2200'N. of SW Sec. Cor.	2100'W, 2800'S. of NE Sec. Cor.
Driller.....	Richard Eggert	Michael Tadyshak	Richard Eggert	Michael Tadyshak	Richard Eggert		Richard Eggert
Date Drilled.....							1932
Depth.....	150'		54'		120'	212'	138'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	628'	603'	618'	650'	675'	736'	716'
Static Max.....							
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	58' of casing & rock	Rock at 20'	40' of casing Rock at 40'	Rock at 73'	94' of casing Rock at 94'	150' of casing Rock at 150'	126' of casing Rock at 126'

TOWNSHIP 37 NORTH; RANGE 11 EAST—Continued

Section.....	3	3	3	3	3	4	5
Owner.....	Malikowski	Arnaldt Radish	Smith	Louis Redichs		Mrs. H. Welsh	Fred Heff
Location.....	2100'E, 400'N. of SW Sec. Cor.	1800'E, 800'N. of SW Sec. Cor.	1400'E, 1500'N. of SW Sec. Cor.	1350'E, 1100'N. of SW Sec. Cor.	100'E, 1500'S. of NW Sec. Cor.	2900'E, 450'S. of NW Sec. Cor.	
Driller.....	M. Tadyshak	M. Tadyshak	M. Tadyshak	Richard Eggert	Michael Tadyshak	Richard Eggert	Wm. Macauley
Date Drilled.....	1914	1924	1914			1934	
Depth.....	85'	91'	100'	103'	115'	111'	174'
Diameter.....							8"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	673'	683'	696'	690'	685'	706'	743'
Static Max.....	660' ('14)						
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	63' of casing Rock at 63'	69' of casing Rock at 69'	96' of casing Rock at 96'	88' of casing Rock at 88'	Rock below 115'	89' of casing Rock at 89'	131' of casing Rock at 131'

TOWNSHIP 37 NORTH; RANGE 11 EAST—Continued

	8	9	9	9	10	10
Section.....						
Owner.....	August Hinz		Lower Cass School	John Nelson		Forest Preserve
Location.....	100'W, 2400'N. of SE Sec. Cor. M. Tadyshak	450'W, 1150'N. of SE Sec. Cor. M. Tadyshak	109'W, 1300'N. of SE Sec. Cor. Richard Eggert	2000'W, 2450'S. of NE Sec. Cor. M. Tadyshak	600'W, 1750'S. of NE Sec. Cor. Michael Tadyshak	2300'E, 1900'N. of SW Sec. Cor. Richard Eggert
Driller.....	M. Tadyshak	M. Tadyshak	Richard Eggert	M. Tadyshak	Michael Tadyshak	Richard Eggert
Date Drilled.....	1914		1934	1934		
Depth.....	1854'		128'	123'		117'
Diameter.....						
Status.....	In use	In use	In use	In use	In use	In use
S. L. Elevation.....						
Ground.....	747'	715'	708'	716'	687'	663'
Static Max.....			590' (34)			
Static Min.....						
Av. G. P. D.....	300	300	300	300	300	300
Yield g. p. m.....						
Drawdown.....						
Date.....						
Use.....	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....						
Remarks.....	154' of casing Rock at 154'	Rock at 86'	(328)	Rock at 118'	Rock at 104'	55' of casing Rock at 55'

TOWNSHIP 37 NORTH; RANGE 11 EAST—Continued

	10	11	11
Section.....			
Owner.....	Russell Etwell	E. J. Wietling	F. Field
Location.....	1700'E, 1000'S. of NW Sec. Cor. Richard Eggert	800'W, 2700'S. of NE Sec. Cor. Richard Eggert	1300'W, 1100'S. of NE Sec. Cor. Richard Eggert
Driller.....	Richard Eggert	Richard Eggert	Richard Eggert
Date Drilled.....	1934		
Depth.....	96'	52'	122'
Diameter.....			
Status.....	In use	In use	In use
S. L. Elevation.....			
Ground.....	675'	597'	658'
Static Max.....			
Static Min.....			
Av. G. P. D.....	300	300	300
Yield g. p. m.....			
Drawdown.....			
Date.....			
Use.....	Farm	Farm	Farm
Analysis No.....			
Remarks.....	83' of casing Rock at 63'	13' of casing Rock at 13'	90' of casing Rock at 90'

DU PAGE COUNTY
TOWNSHIP 37 NORTH; RANGE 11 EAST—Concluded

Section	11	11	15	16	16	18 (?)
Owner	Chas. Hahn	Henry Trybal	Frank Burkowski	Lincoln Park Nurseries	Lincoln Park Nurseries	Peabody Stock Farm
Location	2200'W, 2300'S. of NE Sec. Cor.	2500'E, 100'S. of NW Sec. Cor.	3200'E, 2500'S. of NW Sec. Cor.	5000'E, 3600'N. of SW Sec. Cor.	2850'E, 3350'S. of NW Sec. Cor.	Near Will & DuPage County line on new bluff road, Joliet Road J. P. Miller & Co.
Driller	Richard Eggert	Richard Eggert	Michael Tadyshak	Michael Tadyshak	Michael Tadyshak	
Date Drilled						
Depth	151'	175'	95'	49'	65'	200'
Diameter						
Status	In use	In use	In use	In use	In use	In use
S. L. Elevation						
Ground	671'	718'	589'	615'	592'	
Static Max						
Static Min						
Av. G. P. D.	300	300	300	400	400	500
Yield g. p. m.						
Drawdown						
Date						
Use	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.						
Remarks	114' of casing Rock at 114'	144' of casing Rock at 144'	Rock at 18'	Rock at 18'	Rock at 11'	

122

TOWNSHIP 38 NORTH; RANGE 9 EAST

Section	2	4	4	11	13	13	13
Owner	R. W. Glasner	Robert Watt	Robert Watt	Camp McDowell	Naperville City Well	Naperville City Well No. 1	Naperville City Well No. 2
Location	1700'W, 50'N. of SE Sec. Cor.	850'W, 400'S. of NE Sec. Cor.	800'W, 800'S. of NE Sec. Cor.	400'E, 800'S. of NW Sec. Cor.	850'W, 1000'N. of SE Sec. Cor.	800'W, 1000'N. of SE Sec. Cor.	
Driller	S. B. Geiger & Co.	C. C. Diebold			L. Wilson Well Co.		Albert Dieter
Date Drilled	1939	1939			1904	1913	1923
Depth	150'	90'		84'	1425'	1375'	101'
Diameter	8"	4 1/2"		6"	10" top-6 1/2" bottom	12" top-8" bottom	12"
Status	In use	In use	Old well	In use	Covered-1923	Emergency	Emergency
S. L. Elevation							
Ground	700'	720'		692'	685'	685'	685'
Static Max	633' (30)	695 (1939)		884'	640' (1904)	671' (1915)	
Static Min						663 (1922)	
Av. G. P. D.	50,000	300		500			
Yield g. p. m.	100 (test)			32	108 (test)	300 (test)	
Drawdown	4			6	28	66	
Date	1939				1904	1915	
Use		Farm			City water		
Analysis No.	87790	87796				30619	52716
Remarks	87' of casing Rock at 67'	55' of casing (4 1/2") Rock at 55'		52' of casing (6") Rock at 50'		(329)	

TOWNSHIP 38 NORTH; RANGE 9 EAST—Concluded

Section	13	13	13	13	17	17
Owner	*Naperville City Well No. 3	Naperville City Well No. 4	A. B. Jackson Plant	Stone Quarry	Elgin, Joliet & Eastern R. R.	Chicago, Burlington & Quincy R. R.
Location	755'W, 925'N. of SE Sec. Cor.	Eagle St. between 7th & 8th		S. of River, SW. part of Naperville	Eola	Eola
Driller	Albert Dieter	American Water Corporation				
Date Drilled	1923	1923				
Depth	130'	175'	85'		133'	165'
Diameter	12"	30"			4"	12"
Status	Emergency	Emergency		Temporary supply (1923)	In use	In use
S. L. Elevation						
Ground	655'	700'			714'	715'
Static Max.		692' (1923)			664' ('32)	690'
Static Min.		686' (1932)				
Av. G. P. D.					50	100,000
Yield g. p. m.		*570 (test)			50 g. p. d.	175 (test)
Drawdown		8				
Date		1923				
Use				City water		Boilers
Analysis No.		69008 & 70378	47767 & 90382	47754		
Remarks	*(330)	*(337)		(332)	Handpump; 140' of casing (4")	131' of casing (12") Rock at 131'

TOWNSHIP 38 NORTH; RANGE 10 EAST

Section	1	1	1	1	1	1	
Owner	Joy Norton	Henry Thomon	R. E. Lucy	Valentine Wood	Joha Dowling	N. Sebastian	W. F. Eicherman
Location	565'N. of Ogden Ave., 475'W. of E. Sec. line	250'N. of Warrenville Rd., 212'E. of W. Sec. line	220'N. of Warrenville Rd., 1765'E. of W. Sec. line	190'S. of Warrenville Rd., 2030'E. of W. Sec. line	200'N. of Ogden Ave., 840'E. of W. Sec. line	200'N. of Ogden Ave., 840'E. of W. Sec. line	150'N. of Ogden Ave., 40'E. of W. Sec. line
Driller	M. K. Bronson	John Ottopole		A. W. Morey	O. K. Hawkyard	O. K. Hawkyard	
Date Drilled	1900		1905	1929	1930	1929	
Depth	164'	140'	140'	200'	135'	136'	98'
Diameter	4"	4"	4"	4"	4"	4"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	770'	770'	770'	770'	740'	735'	730'
Static Max.					659' ('34)	657' ('34)	670' ('34)
Static Min.							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks	164' of casing (4") to rock	4" casing to rock	4" casing to rock	4" casing to rock	4" casing to rock	4" casing to rock	4" casing to rock

DU PAGE COUNTY
TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	1	1	1	1	1	2	2
Owner.....	M. Reed	M. Reed	M. Reed	Joy Morton	K. A. Offerman	Joy Morton	Mrs. Henry Gramhaus
Location.....	685'S. of Ogden Ave., 195'W. of Belmont Rd.	950'S. of Ogden Ave., 205'W. of Belmont Rd.	1530'S. of Ogden Ave., 235'W. of Belmont Rd.	435'N. of Ogden Ave., 505'W. of E. Sec. line	Lot 18, Belmont	125'N. of Warrenville Rd., 550'W. of E. Sec. line	375'S. of Ogden Ave., 1108'E. of W. Sec. line
Driller.....			O. K. Hawkyard				
Date Drilled.....	1929		1927	1900			
Depth.....	250'		184'	28'	77'		
Diameter.....	3"	4"	4"	48"		4"	
Status.....	In use	In use	In use	In use		In use	In use
S. L. Elevation							
Ground.....	740'	740'	750'	770'		770'	875'
Static Max.....			635'				
Static Min.....							
Av. G. P. D.....	2,000	300	300	300		300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Swim pool					Farm	Farm
Analysis No.....					78319		
Remarks.....	Used only in summer months 3" casing to rock		Casing (4") to rock				

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	3
Owner.....	C. Sorensen	M. Hayden	C. H. Fowler	H. H. Schoch	F. Theman	Marie Haberkun	W. A. Tate
Location.....	200'S. of Ogden Ave., 1584'E. of W. Sec. line	70'N. of Ogden Ave., 2270'W. of E. Sec. line	160'S. of Ogden Ave., 2320'W. of E. Sec. line	150'S. of Ogden Ave., 1108'W. of E. Sec. line	250'N. of Ogden Ave., 790'W. of E. Sec. line	95'W, 845'N. of SE Sec. Cor.	140'S. of Warrenville Rd., 475'W. of Joliet Rd.
Driller.....		Fieldot	O. K. Hawkyard	A. W. Morey	O. K. Hawkyard		O. K. Hawkyard
Date Drilled.....		1927		1925	1919	1923	
Depth.....	88'	118'	139'	135'	116'	130'	50'
Diameter.....	4"	4"	4"	4"	4"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	675'	700'	700'	725'	735'	710'	680'
Static Max.....		640' ('34)			657' ('34)		668' ('34)
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	4" casing to rock	4" casing to rock	4" casing to rock at 114'	4" casing to rock	4" casing to rock at 95'	4" casing to rock	4" casing to rock at 40'

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	3	3	3	3	3	3	3
Owner.....	W. A. Tate	Yender Bros.	Walter Dowierski	Robert E. Burns	Oscar Hunt	Mike Sampilli	K. Jeniski
Location.....	220'S. of Warrenville Rd., 525'W. of Joliet Rd.	265'N. of Warrenville Rd., 580'E. of W. Sec. line	1590'E, 1320'N. of SW Sec. Cor.	1020'E, 810'N. of SW Sec. Cor.	70'E, 743'N. of SW Sec. Cor.	1322'E, 50'N. of SW Sec. Cor.	150'E. of Joliet Rd., 800'N. of Ogden Ave.
Driller.....	Joe Holder	Fieldot	Fieldot	A. W. Morey	A. W. Morey		
Date Drilled.....	1904	1929	1929	1930	1930	1934	
Depth.....	50'	263'	104'	96'	92'	50'	75'
Diameter.....	4"	4"	4"	4"	4"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	680'	665'	720'	710'	710'	680'	670'
Static Max.....	872' ('34)	595' ('34)	670'	660' ('34)	660' ('34)	675' (?)	
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	4" casing to rock at 38'	(539)	4" casing to rock at 90'	4" casing to rock	4" casing to rock at 69'	4" casing to rock at 45'	

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	3	4	4	4	5	5	5
Owner.....	Kelly Oil Station	Mrs. Kate Schwartz	Andrew Schwartz	C. S. Markin	Max Burckel	E. B. Cassel	Louis Barkel
Location.....	250'E. of Joliet Rd., 200'N. of Ogden Ave.	1160'N. of E. & W. Rd., 2220'W. of N. & S. Rd.	1160'S. of E. & W. Rd., 2900'W. of N. & S. Rd.	1535'S. of E. & W. Rd., 80'E. of N. & S. Rd.	105'N. of E. & W. Rd., 1555'E. of Wheaton Rd.	100'S. of E. & W. Rd., 50'E. of Wheaton Rd.	70'N. of E. & W. Rd., 790'W. of Wheaton Rd.
Driller.....	A. W. Morey	John Ottopool	John Ottopool	C. S. Markin			
Date Drilled.....	1934	1896	1896	1933	1896		1914
Depth.....	96'	95'	130'	158'	149'	135'	136'
Diameter.....	4"	4"	4"	4"	4"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	650'	740'	750'	730'	735'	740'	750'
Static Max.....	657'	715' ('34)		674' ('34)	700' ('34)		685' ('34)
Static Min.....							
Av. G. P. D.....	500	300	300	300	300	300	300
Yield g. p. m.....				0			
Drawdown.....				34			
Date.....				'34			
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	4" casing to rock at 42'	4" casing to rock	4" casing to rock	4" casing to rock at 83'	4" casing to rock at 100'	4" casing to rock	4" casing to rock at 100'

DU PAGE COUNTY
TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	5	5	5	5	6	6	6
Owner.....	Mrs. H. A. Prie- nitz	Harry Wiesbrock	B. C. Beckman	Olga Moutband	J. W. Carr	Fred Butts	Harry F. Chaverist
Location.....	35'N. of E. & W. Rd., 475'E. of N. sea line	60'S. of E. & W. Rd., 1270'E. of N. Sea line	2430'S. of E. & W. Rd., 475'E. of Wheaton Rd.	560'W, 145'N. of SE Sec. Cor.	40'N. of E. & W. Rd., 1320'E. of N. & S. Rd.	70'N. of E. & W. Rd., 316'E. of N. & S. Rd.	90'W. of N. & S. Rd., 1700'N. of S. Sec. line
Driller.....		Fieldot				Joe Holder	Joe Holder
Date Drilled.....		1919	1880	1930	1900	1925	
Depth.....		155'	97'	137'	100'	60'	
Diameter.....		4"	2"	4"	4"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	770'	770'	780'	740'	750'	750'	750'
Static Max.....							
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....		4" casing to rock		4" casing to rock	Bottom of well in rock	Bottom of well in gravel	

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	6	7	7	7	7	7	7
Owner.....	John Caugina	Chas. Miller	H. S. Newsom	Earl Highland	Geo. Barkdall	J. C. Bouer	M. C. Van Norman
Location.....	125'E. of N. & S. Rd., 750'N. of S. Sec. line	105'W, 1930'S. of NE Sec. Cor.	950'W, 2170'S. of NE Sec. Cor.	475'W, 2420'S. of NE Sec. Cor.	2630'E, 207'S. of NW Sec. Cor.	2140'E, 1475'S. of NW Sec. Cor.	320'E, 1780'S. of NW Sec. Cor.
Driller.....		Joe Holder	Joe Holder			Joe Holder	
Date Drilled.....		1910				1910	
Depth.....		125'	80'			125'	75'
Diameter.....		4"	4"	4"		6"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	730'	765'	765'	760'	730'	730'	720'
Static Max.....		700' ('10)	720'			670' ('10)	695' (?)
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....		4" casing to rock at 110'	S.W. L. when drilled 4" casing to gravel at 80'		40' dug well- drilled deeper	6" casing to rock at 110'	4" casing to rock

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	7	7	8	8	8	8	8
Owner.....	Arthur S. Fry	J. R. Falkenstein	Clint Rees	E. Johnson	Homer Campbell	Joe Halme	Oswald Kunkel
Location.....	290'E. 2528'S. of NW Sec. Cor.	70'E. 850'N. of SW Sec. Cor.	60'W. of Plank Rd., 1155'N. of Ogden Ave.	110'W. of Plank Rd., 309'N. of Ogden Ave.	90'E. of Plank Rd., 792'N. of Ogden Ave.	80'S.E. of Plank 255'SW of Ogden Ave.	95'SE of Plank Rd., 305'SW of Ogden Ave.
Driller.....	Joe Holder		Fieldot	A. W. Morey		W. J. Neeley	A. W. Morey
Date Drilled.....	1895	1904	1930	1929		1932	1930
Depth.....	45'	100'	115'	130'	109'	120'	121'
Diameter.....	4"	4"	4"	4"		4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	720'	720'	740'	740'	740'	740'	740'
Static Max.....	663' ('34)	700' (1904)	684' ('30)	670' ('29)			685' ('30)
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....			10				
Drawdown.....			0				
Date.....			1934				
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	(53%)	4" casing to rock at 40'	4" casing to rock	4" casing to rock at 60'	Bottom of well in rock	Bottom of well in rock	

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	8	8	8	8	8	8	8
Owner.....	A. C. Quarles	Arthur T. McIntosh & Company	Arthur T. McIntosh & Company	C. Weisbrack	C. Weisbrack	F. H. Adams	Charles Slaby
Location.....	130'SE of Plank Rd., 1112'W. of E. Sec. line	120'N. of Ogden Ave., 2510'E. of W. Sec. line	100'N. of Ogden Ave., 2280'E. of W. Sec. line	180'SE of Ogden Ave., 1287'E. of W. section line	140'SE of Ogden Ave., 1056'E. of W. Sec. line	450'E. 2615'S. of NW Sec. Cor.	95'SE of Plank Rd., 1954'E. of W. Section line
Driller.....	A. W. Morey			Joe Holder		Joe Holder	
Date Drilled.....	1929			1918		1918	1930
Depth.....	116'		140'	156'	40'	130'	
Diameter.....	4"	4"	4"	4"	36"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	780'	785'	770'	765'	765'	765'	740'
Static Max.....	690' ('29)			695' ('16)	740' ('34)	685' ('18)	
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	4" casing to rock at 95'		Bottom of well in rock	4" casing to rock at 110'	S.W.L. can be measured	4" casing to rock at 90'	4" casing to rock

DU PAGE COUNTY
TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	8	8	8	8	8	9	9
Owner.....	Frank Hagerman	Joe Parz	J. Kraft	Tony Rocco	E. Jordan	Geo. Vender	John Lostick
Location.....	150' SE of Plank Rd., 422' E. of W. Sec. line	85' SE of Plank Rd., 190' W. of E. Sec. line	1584' S. of Plank Rd., 100' W. of N. & S. Rd.	1742' S. of Plank Rd., 90' W. of N. & S. Rd.	1742' S. of Plank Rd., 110' E. of N. & S. Rd.	50' S. of Ogden Ave., 1320' W. of E. Sec. line	815' S. of Ogden Ave., 259' W. of E. Sec. line
Driller.....		A. W. Morey	A. W. Morey		A. W. Morey		
Date Drilled.....	1900	1934	1909	1904	1933		1930
Depth.....	150'	118'	4"	4"	73'	150'	109'
Diameter.....	4"	4"	4"	4"	4"	3"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	730'	750'	735'	735'	735'	740'	720'
Static Max.....		695' ('34)			694' ('33)	670'	673' ('30)
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	Bottom of well in rock	4" casing to rock at 95'	Bottom of well in rock	Bottom of well in rock	Bottom of well in gravel	3" casing to rock at 100'	4" casing to rock at 82'

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	9	9	9	9	9	9	9
Owner.....	Roy W. Nau	Frank Keller	C. Zaack	A. Binder	C. E. Harper	John Solvinski	T. W. Heinrichs
Location.....	115' S. of Ogden Ave., 2375' E. of W. Sec. line	80' N. of Ogden Ave., 1370' E. of W. Sec. line	580' S. of Ogden Ave., 315' E. of N. & S. Rd.	800' S. of Ogden Ave., 390' E. of N. & S. Rd.	1120' S. of Ogden Ave., 530' W. of N. & S. Rd.	167' W. of N. & S. Rd., 2375' N. of S. Sec. line	95' W. of N. & S. Rd., 1840' N. of S. Sec. line
Driller.....	A. W. Morey	Joe Holder	Fieldot		C. E. Harper		
Date Drilled.....	1929	1920	1932	1936	1933		1930
Depth.....	126'	101'	120'	99'	32'	60'	107'
Diameter.....	4"	4"	4"	4"	24"	3"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	725'	740'	720'	720'	700'	720'	720'
Static Max.....	695' ('29)	710' ('20)	702' ('32)	684' ('30)	690' ('34)	695'	680' ('30)
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	Bottom of well in rock	4" casing to rock at 30'	4" casing to rock at 90'		Sand & gravel at 18'-32'	30' dug-30' drilled	Bottom of well in rock

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	9	9	9	10	10	10	10
Owner.....	F. G. Clark	A. R. Lincoln	St. Joseph's Orphanage	Pure Milk Assoc.	Suburban Water Co., Lisle	J. L. Reedy	Fred Baumgarten
Location.....	800'W, 2350'N. of SE Sec. Cor.	1050'W, 1950'N. of SE Sec. Cor.	1000'W, 300'N. of SE Sec. Cor.	1000'W, 1100'S. of NE Sec. Cor.	600'E, 400'S. of NW Sec. Cor.	*524'E. of Joliet Rd., 844'S. of C. B. & Q. R. R.	530'W. of Joliet Rd., 70'N. of E. & W. Rd.
Driller.....	A. W. Morey	O. K. Hawkyard	Joe Holder	Joe Holder
Date Drilled.....	1930	1930	1921	1926	1923	1929
Depth.....	120'	100'	303'	300'	231'	115'	59'
Diameter.....	4"	4"	10" top 8" bottom	12"	6"	4"
Status.....	In use	In use	In use	In use	In use	In use
S. L. Elevation.....
Ground.....	700'	700'	720'	695'	890'	680'
Static Max.....	623' ('21)	683' ('26)	645' ('34)	662' ('34)
Static Min.....
Av. G. P. D.....	360	300	500	25,000	1,700	300
Yield g. p. m.....
Drawdown.....
Date.....
Use.....	Farm	Farm	General	Homes	Farm
Analysis No.....	76386
Remarks.....	Bottom of well in rock	Bottom of well in rock	(335)	*180' of casing	*(336)	(337)

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	10	10	10	10	10	11	11
Owner.....	Martin J. Reedy	C. B. & Q. R. R.	John Yackley	Ed. Reedy	Mrs. Josephine Vachout	F. Milano	A. Niemzaweski
Location.....	580'W. of Joliet Rd., 80'S. of E. & W. Road	690'W. of Joliet Rd., 60'N. of centerline of C. B. & Q. track	500'E. of W. Sec. line, 100'S. of centerline of C. B. & Q. track	235'W. of Joliet Road	150'E. of Joliet Rd., 100'S. of Naperville Rd.	420'E, 120'N. of SW Sec. Corner	1590'E, 160'N. of SW Sec. Corner
Driller.....	Joe Holder	Joe Holder	Joe Holder	Joe Holder
Date Drilled.....	1928	1933	1900	1923	1927
Depth.....	83'	9'	116'	85'	110'	100'	32'
Diameter.....	4"	15"	4"	4"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....
Ground.....	680'	680'	630'	690'	700'	720'	730'
Static Max.....	669' ('34)	672' ('34)	650'	665'	712' ('34)
Static Min.....
Av. G. P. D.....	300	50,000	300	300	300	300	300
Yield g. p. m.....	2	300
Drawdown.....	0	0
Date.....	'34	'34
Use.....	Farm	Locomotive boilers	Farm	Farm
Analysis No.....
Remarks.....	(338)	(339)	4" casing to rock at 36'	4" casing to rock at 60'	4" casing to rock at 100'	Bottom of well is in rock	Bottom of well is in gravel

DU PAGE COUNTY
TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	11	11	11	11	11	11	11
Owner.....	Mike Brait	E. W. Meyer	L. Kraisinger	Anton F. Drapelick, Jr.	Wm. J. Dvorak	J. Palivoda	Catholic Bishop of Chicago
Location.....	115°W, 1760°N. of SE Sec. Corner	3000°W, 210°N. of SE Sec. Corner	460°W, 570°S. of NE Sec. Cor.	100°S. of E. & W. Rd., 683°W. of E. Sec. line	150°S. of E. & W. Rd., 475°W. of E. Sec. line	70°W, 2415°S. of NE Sec. Cor.	100°E, 1570°S. of NW Sec. Cor.
Driller.....		Fieldot	O. K. Hawkyard		O. K. Hawkyard	A. W. Morey	
Date Drilled.....	1928	1900	1921	1925	1928	1925	
Depth.....	133'	160'	130'	100'	104'	95'	80'
Diameter.....	4"	4"	4"		4"	4"	4"
Status.....	In use	In use	In use		In use	In use	In use
S. L. Elevation.....							
Ground.....	700'	750'	710'	690'	690'	680'	710'
Static Max.....	668		645' ('21)		658' ('34)	650' ('34)	680' ('34)
Static Min.....							
Av. G. P. D.....	309	300	300	300	300	300	300
Yield g. p. m.....						10	
Drawdown.....						0	
Date.....						1934	
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	Bottom of well is in rock	Bottom of well is in rock	Bottom of well is in rock	(549)	4' casing to rock at 72'	4' casing to rock at 65'	Bottom of well is in rock

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	11	11	11	12	12	12	12
Owner.....	F. Topel	Joe Stashus	Martin Zwirzin	Syndicate*	Belmont Golf Club	James Slepicka	L. A. Bateman
Location.....	75°E. of N. & S. Rd., 530°S. of E. & W. Rd.	70°N. of E. & W. Rd., 2600°E. of W. Sec. line	50°N. of E. & W. Rd., 2650°E. of W. Sec. line	560°N. of E. & W. Rd., 800°W. of Belmont Rd.	50°N. of E. & W. Rd., 1215°W. of Belmont Rd.	180°S. of E. & W. Rd., 1450°W. of Belmont Rd.	105°N. of E. & W. Rd., 120°E. of Belmont Rd.
Driller.....	Albert Dieter	A. W. Morey		O. K. Hawkyard		Bronson	A. W. Morey
Date Drilled.....	1926	1920	1922	1910	1893	1905	1920
Depth.....	170'	80'	80'	116'	140'	101'	1224'
Diameter.....	4"	4"	4"	4"	4"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	710'	680'	650'	735'	730'	670' ('05)	710'
Static Max.....	588'			655' ('10)			648' ('20)
Static Min.....							
Av. G. P. D.....	309	300	300	2,000	2,000	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Homes	Club grounds	Farm	Farm
Analysis No.....							
Remarks.....	Bottom of well is in rock	4" casing to rock at 70'	4" casing to rock at 65'	*(541)	Bottom of well is in rock	Bottom of well is in rock	4" casing to rock at 80'

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	12	12	12	12	12	12	12
Owner.....	Wellworth Farm Greenhouse	*Arthur T. McIntosh Co.	*Belmont Com- munity Water System	R. Birbilas	Mrs. Kittica	Frank Prucha	John Rose
Location.....	200'S. of centerline of C. B. & Q., 550'W. of Belmont Rd.	530'S. of centerline of C. B. & Q., 230'E. of Belmont Rd.	130'E. of N. & S. Rd., 500'N. of E. & W. Rd.	95'E. 210'S. of NW Sec. Cor.	115'E. 528'S. of NW Sec. Cor.	200'N. of E. & W. Rd., 150'E. of W. Sec. line	150'N. of E. & W. Rd., 600'E. of W. Sec. line
Driller.....	Fieldot	O. K. Hawkyard	A. W. Morey	O. K. Hawkyard	O. K. Hawkyard	O. K. Hawkyard	O. K. Hawkyard
Date Drilled.....	1907	1924	1924	1929	1921	1920	1921
Depth.....	107'	143'	163'	138'	131'	116'	129'
Diameter.....	6"	5"	4"	4"	4"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	700'	690'	730'	720'	720'	700'	785'
Static Max.....	640'	649' (1924)		650' (1929)	656' ('21)	646' ('20)	646' ('21)
Static Min.....							
Av. G. P. D.....	500	4,000 ('34)	2,600	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Public	Public	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	6" casing to rock	*(342)	*(345)	4" casing to rock at 110'	4" casing to rock at 102'	4" casing to rock at 106'	4" casing to rock at 105'

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	12	12	12	12	13	13	13
Owner.....	R. Vokon	J. Johaneck	H. Schumacher	Albert Richardson	Emil Bredkureitz	E. Griede	J. H. Frankenfield
Location.....	90'S. of E. & W. Rd., 2112'W. of Belmont Rd.	1200'S. of C. B. & Q., 115'E. of W. Sec. line	1685'S. of C. B. & Q., 110'E. of W. Sec. line	1915'S. of C. B. & Q., 230'E. of W. Sec. line	420'N. of E. & W. Rd., 180'W. of N. & S. Rd.	420'N. of E. & W. Rd., 180'W. of N. & S. Rd.	170'S. of E. & W. Rd., 230'E. of N. & S. Rd.
Driller.....	A. W. Morey	Fieldot	Fieldot	Fieldot	Bronson	Rink	Rink
Date Drilled.....	1934	1925	1921	1930	1916	1920	1900
Depth.....	118'	92'	92'	168'	168'	180'	245'
Diameter.....	4"	4"	4"	4"	4"	6"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	720'	690'	700'	700'	740'	740'	780'
Static Max.....	640' ('34)	633' (1925)			740'	655' (1934)	645' (1934)
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	1,000
Yield g. p. m.....	10					5	4.5 -
Drawdown.....	0					0	0
Date.....	1934					1934	1934
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Swim pool
Analysis No.....							
Remarks.....	4" casing to rock at 93'	4" casing to rock	4" casing to rock at 80'		S.W.L. can be measured—4" casing to rock	(344)	(346)

DU PAGE COUNTY
TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	13	13	13	13	13	13	13
Owner.....	J. H. Frankenfield	Frank Mika	C. Ruf	Joseph Sikora	Joe Polocek	J. N. Hansen	Adam Dieter
Location.....	330' S. of E. & W. Rd., 120' E. of N. & S. Rd.	220' W. of N. & S. Rd., 1770' S. of N. Sec. line	160' W. of N. & S. Rd., 2090' S. of N. Sec. line	120' W. of N. & S. Rd., 2300' S. of N. Sec. line	220' S. of E. & W. Rd., 1320' E. of W. Sec. line	200' S. of E. & W. Rd., 1370' W. of N. & S. Rd.	680' N. of S. Sec. line, 300' W. of N. & S. Rd.
Driller.....	O. K. Hawkyard	O. K. Hawkyard	A. W. Morey	Neely		O. K. Hawkyard	
Date Drilled.....	1914	1924	1923	1933	1920		1885
Depth.....	230'	185'	179'	145'	200'	165'	90'
Diameter.....	8"	4"	4"	6"	4"	4"	4"
Status.....	Stand-by	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	770'	760'	750'	750'	750'	750'	710'
Static Max.....	645' (1934)	644' (1934)	643' (1934)				670' (1885)
Static Min.....							
Av. G. P. D.....	1,000	300	300	300	300	300	300
Yield g. p. m.....	4.0						
Drawdown.....	0						
Date.....	1934						
Use.....	Swin pool	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	(346)	4" casing to rock at 146'	4" casing to rock at 141'	6" casing to rock at 139'	4" casing to rock	4" casing to rock	4" casing to rock at 87'

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	13	14	14	14	14	14	14
Owner.....	Illinois Suburban Realty Co.	Dr. J. J. Stoll	Jacob Krieg	E. F. Hass	F. B. Parson	Roy Smith	C. A. Samuelson
Location.....	2640' N. of S. Sec. line, 100' W. of N. & S. Rd.	220' N. of E. & W. Rd., 264' W. of E. Sec. line	10' S., 145' E. of NW Sec. Cor.	100' S., 163' E. of NW Sec. Cor.	100' S., 363' E. of NW Sec. Cor.	203' S., 1121' E. of NW Sec. Cor.	517' S., 8' E. of NW Sec. Cor.
Driller.....	Bronson	Fieldot	A. W. Morey		Schoewalter	Roy Smith	
Date Drilled.....		1890	1932	1927	1925	1930	
Depth.....		160'	1144'	90'	98'	18'	97'
Diameter.....		3"	4"	4"	4"	3 1/2"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	730'	750'	715'	715'	720'	720'	709'
Static Max.....	650'	603' ('34)	645' ('34)		663' ('34)	708' ('34)	620' ('34)
Static Min.....							
Av. G. P. D.....	1,000	300	300	300	300	300	300
Yield g. p. m.....			10				
Drawdown.....			0				
Date.....		1934					
Use.....		Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	4" casing to rock	3" casing to rock at 80'	4" casing to rock at 94'	4" casing to rock	4" casing to rock	(347)	4" casing to rock

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	14	14	14	14	14	14	14
Owner	Stanley Wachowski	J. Cinert	E. A. Norton	Frank Prochaska	Archie Porter	Herman Rogge	Barney Vercelletti
Location	877'S, 468'E. of NW Sec. Cor. S. Wachowski	1040'S., 292'E. of NW Sec. Cor. Shoewalter	1114'S, 903'E. of NW Sec. Cor. E. A. Norton	1144'S, 90'E. of NW Sec. Cor.	1353'S, 98'E. of NW Sec. Cor. A. W. Morey	1564'S, 430'E. of NW Sec. Cor. A. W. Morey	1666'S, 641'E. of NW Sec. Cor.
Driller	S. Wachowski	Shoewalter	E. A. Norton		A. W. Morey	A. W. Morey	
Date Drilled	1931	1927	1933		1930	1932	
Depth	25'	78'	18'	75'	88'	86'	91'
Diameter	4 1/2"	4"	4 1/2"	4"	4"	4"	4"
Status	In use	In use	In use		In use	In use	In use
S. L. Elevation							
Ground	690'	685'	715'	690'	680'	685'	690'
Static Max	Dry ('34)		710' ('34)		644' ('34)	635' ('34)	660'
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks	Water in this well after rains only (1934)	Bottom of well in rock—4" casing to rock	(548)	4" casing to rock	4" casing to rock at 47'	4" casing to rock at 52'	4" casing to rock

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	14	14	14	15	15	15	15
Owner	Lawrence Pelling	J. A. Gordon	Chas. Mochel	James Kohler	C. F. Wilder	Walter Mohown	Mike Sikic
Location	565'E, 2323'N. of SW Sec. Cor.	310'E. of N. & S. Rd., 1050'N. of S. Sec.	200'E. of N. & S. Rd., 264'N. of S. Sec.	85'W. of Joliet Rd., 130'S. of N. Sec. line	710'E. of Joliet Rd., 152'S. of N. Sec. line	1225'W. of Joliet Rd., 430'S. of N. Sec. line	530'E. of Joliet Rd., 410'S. of N. Sec. line
Driller	O. K. Hawkyard			Joe Holder		A. W. Morey	
Date Drilled	1914		1914	1928	1928	1931	1926
Depth	110'	72'		85'	190'	47'	75'
Diameter	4 1/2"	4"	4"	4"	5"	4"	4"
Status	In use	In use		In use	In use	In use	In use
S. L. Elevation							
Ground	690'	670'	670'	690'	700'	670'	690'
Static Max	660'	627'		660'	640'	670'	630'
Static Min						663'	
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks	4" casing to rock at 60'	4" casing to rock		4" casing to rock at 40'	Bottom of well in gravel at top of rock	4" casing to rock at 18'	4" casing to rock

DU PAGE COUNTY
TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	15	15	15	15	15	15	15
Owner.....	Herman Hoffman	John Sysel	G. Froehlich	S. Laskowski	J. Heavy	Steve Gall	E. C. Hurst
Location.....	1435'W. of Joliet Rd., 790'S. of N. Sec. line	790'W. of Joliet Rd., 822'S. of N. Sec. line	820'W. of Joliet Rd., 1290'S. of N. Sec. line	150'E. of Joliet Rd., 1250'S. of N. Sec. line	1245'W. of Joliet Rd., 1300'S. of N. Sec. line	760'W. of Joliet Rd., 1395'S. of N. Sec. line	785'W. of Joliet Rd., 1660'S. of N. Sec. line
Driller.....		Showalter	A. W. Morey	Showalter		A. W. Morey	Showalter
Date Drilled.....	1928	1926	1929	1926	1926	1928	1925
Depth.....	43'	45'	45'	68'	44'	44'	35'
Diameter.....			4"	4"	4"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	670'	665'	665'	635'	660'	665'	660'
Static Max.....			655' ('29)			648'	
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	4" casing to rock	4" casing to rock	4" casing to rock at 28'	Bottom of well in rock	4" casing to rock	4" casing to rock at 28'	4" casing to rock

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	15	15	15	15	15	15	15
Owner.....	John C. Parker	Roger Gambel	F. Bieder	C. Schow	Wm. Kail	Roland Christoffer- son	Ernest Roff
Location.....	555'W. of Joliet Rd., 1815'S. of N. Sec. line	1585'W. of Joliet Rd., 2090'S. of N. Sec. line	1135'W. of Joliet Rd., 2250'S. of N. Sec. line	565'W. of Joliet Rd., 1975'S. of N. Sec. line	130'W. of Joliet Rd., 1860'S. of N. Sec. line	140'W. of Joliet Rd., 1910'S. of N. Sec. line	100'S. of Joliet Rd., 1670'E. of W. Sec. line
Driller.....	A. W. Morey		Showalter	A. W. Morey	Showalter	A. W. Morey	Joe Holder
Date Drilled.....	1930	1930	1927	1927	1931	1931	1928
Depth.....	47'	28'	28'	38'	55'	60'	40'
Diameter.....	4"	4"	4"	4"	4"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	670'	660'	660'	670'	680'	680'	650'
Static Max.....			650'	654'	640'	640'	
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	4" casing to rock	4" casing to rock at 31'	(349)	4" casing to rock at 30'	4" casing to rock at 50'	4" casing to rock at 45'	Rock at 40'

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	15	15	15	15	15	15	16
Owner	Sacred Heart Convent Well No. 1	Sacred Heart Convent Well No. 2	Ernest Roff	Ernest Roff	Frank Meyers	John Hatch	St. Joseph Bohemian Orphanage
Location	310'E. 70'S. of NW Sec. Cor.	200'NW of Well No. 1	80'S. of E. & W. Rd., 1170'E. of W. Sec. line	490'S. of E. & W. Rd., 1140'E. of W. Sec. line	60'W. of Joliet Rd., 100'S. of N. Sec. line	1320'N, 635'W. of SE Sec. Cor.	950'W. of NE. Sec. Cor.
Driller	Joe Holder	Layne-Western Co.	Jack Strong	Joe Holder			Joe Holder
Date Drilled	1910	1937	1934	1927			1910
Depth	300'	237'	38'	60'		40'	263'
Diameter	6" top-4" bottom	12"	4"	4"	4"	4"	6" top-5" bottom
Status	Standby	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	680'	710'	660'	670'	670'	670'	720'
Static Max	615' ('35)	653' ('39)	657' ('34)	664'			657'
Static Min							
Av. G. P. D.		2,000	300	300	300	300	1,000
Yield g. p. m.	35	140					
Drawdown	16½	65					
Date	1935	1930					
Use	General	General	Farm	Farm	Farm	Farm	General
Analysis No.	78469	78636	78636				
Remarks	100' of casing (6")	92' of casing (12")	4" casing to rock	4" casing to rock at 40'		4" casing to rock at 20'	(350)

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	16	16	16	16	16	17	17
Owner	St. Joseph Bohemian Orphanage	St. Joseph Bohemian Orphanage	Claude Bannister	St. Procopius College, Well No. 1	St. Procopius College, Well No. 2	Mrs. Frank Riedy	Ed. Rickert
Location	170'N. of E. & W. Rd., 2480'W. of E. Sec. line	200'N. of E. & W. Rd., 1948'W. of E. Sec. line	330'N. of E. & W. Rd., 530'E. of W. Sec. line	500'W. of N. & S. Rd., 2300'N. of S. Sec. line	50'E. of N. & S. Rd., 2600'N. of S. Sec. line	150'N. of E. & W. Rd., 2380'W. of E. Sec. line	220'S. of E. & W. Rd., 150'E. of W. Sec. line
Driller					W. J. Neely	Joe Holder	
Date Drilled		1930	1890	1899	1935	1929	
Depth		140'	150'	1208'	245'	110'	140' (?)
Diameter	4"	4"	4"	10" top-6" bottom	4"	4"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	720'	720'	735'	735'	735'	750'	740'
Static Max		657'	705'	665' ('35)	673' ('35)	720'	
Static Min							
Av. G. P. D.	300	300	300	500	2,000	300	300
Yield g. p. m.					218		
Drawdown					15		
Date					1935		
Use	General	General	Farm	General	General	Farm	Farm
Analysis No.				76388	76504		
Remarks	4" casing to rock	4" casing to rock at 80'	4" casing to rock			4" casing to rock at 90'	4" casing to rock

DU PAGE COUNTY
TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	17	17	17	18	18	18	19
Owner	A. Horbelt	Dr. Geo. Allen	Henry Drendel	*Naperville City Well No. 5	Naperville City Well No. 6	W. A. Schultz	Matilda Ory
Location	1950'S. of E. & W. Rd., 160'E. of N. & S. Rd.	100'S. of E. & W. Rd., 2300'W. of E. Sec. line	230'S. of E. & W. Rd., 600'W. of E. Sec. line	Hoffman & School Street	1160' S.W. of City Well No. 5	786'S. 700'W. of NE Sec. Cor.	1500'E. 300'N. of SW Sec. Cor.
Driller		Joe Holder	Ira Parks		Layne-Western Co.	W. A. Schultz	
Date Drilled		1932	1910	1931	1937	1916	1890
Depth		120'	100'	1894'	202'	113'	100'
Diameter		4"	4"	30" top 24" bottom	27" top 24" bottom	4"	3"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	705'	750'	740'	700'	700'	730'	665'
Static Max		690'		692' ('32)	692' ('42)	670' ('34)	655'
Static Min				690' ('37)	690' ('37)		
Av. G. P. D.	300	300	300	170,000 ('37)	170,000 ('37)	300	300
Yield g. p. m.				460 (test)		5	
Drawdown				98		0	
Date						1934	
Use	Farm	Farm	Farm	Public	Public	Farm	Farm
Analysis No.				69011	62400		
Remarks	(851)	4" casing to rock at 80'	4" casing to rock	* (852)			(853)

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	19	19	19	20	20	21	21
Owner	John D. Metssinger	Harold Lapp	Harry A. Hoyle	Walter Marquard	Peter Olsen	C. E. Hinterlong	Benedictine Order
Location	2440'E. 20'N. of SW Sec. Cor.	2300'W. 1600'N. of SE Sec. Cor.	2000'W. 1900'S. of NE Sec. Cor.	2210'E. 500'S. of NW Sec. Cor.	2000'E. 1820'S. of NW Sec. Cor.	100'S. 1850'W. of NE Sec. Cor.	100'S. 200'W. of NE Sec. Cor.
Driller	Ira Parks	Wm. Breitske	Wm. Breitske	Stegeman		Joe Holder	
Date Drilled	1895	1939	1939	1932	1918	1920	1899
Depth	145'	102'	105'	115'	120'	120'	60'
Diameter		4"	4"	4"	4"	3"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	670'	695'	710'	750'	730'	730'	720'
Static Max		648' ('40)	658' ('40)	710' ('34)			
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.				10			
Drawdown				0			
Date				'34			
Use	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.		87738					
Remarks	Rock at 8'	Rock at 38' 4" casing to 45'	Rock at 44' 4" casing to 49'	4" casing to rock at 104'		3" casing to rock at 80'	

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	21	21	21	21	21	21	22
Owner	James Rychtarik	B. E. Lindstrom	Joseph Schmidt Estate	Ruben Blum	Eggerman	C. J. DeWitt	Woodridge Golf Club
Location	580'S, 1700'W. of NE Sec. Cor.	100'S, 2615'E. of NW Sec. Cor.	1215'S, 1280'E. of NW Sec. Cor.	1100'N, 2280'E. of SW Sec. Cor.	60'N, 2165'E. of SW Sec. Cor.	20'N, 300'W. of SE Sec. Cor.	180'S, 500'W. of NE Sec. Cor.
Driller		Joe Holder	Joe Fieldott				
Date Drilled	1925		1918				
Depth	30'	150'	186'		90'	140'	47'
Diameter	3 3/8"	4"	4" top-3" bottom	4"	4"	4"	6"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	740'	740'	750'	770'	765'	725'	660'
Static Max.	730' ('34)						625'
Static Min.							
Av. G. P. D.	300	300	300	300	300	300	1,500
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Farm	Farm	Farm	Farm	Club grounds
Analysis No.							
Remarks	Bottom of well is in gravel	4" cased to rock	Rock at 100'			Bottom of well in rock	

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	22	22	22	22	22	22	23
Owner	Woodridge Golf Club	Mrs. Charlotte Schmidt	McGill	Art Green	Chas. Miller	Art Green	Elinor Schmidt
Location	1640'S, 2540'E. of NW Sec. Cor.	250'N, 1280'E. of SW Sec. Cor.	100'N, 1550'E. of SW Sec. Cor.	195'N. of E. & W. Rd., 530'W. of N. & S. Rd.	270'N. of E. & W. Rd., 50'W. of N. & S. Rd.	162'S. of E. & W. Rd., 55'E. of N. & S. Rd.	1200'W, 2100'S. of NE Sec. Cor.
Driller		Joe Holder	Joe Holder	Fieldott	Joe Holder	Joe Holder	Fieldott
Date Drilled		1905	1926	1920	1933	1920	1907
Depth	55'	100'	100+'	70'	75'	77'	118'
Diameter	4"	4"	4"	4"	4"	4"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	690'	700'	709'	675'	675'	670'	740'
Static Max.	643'				650' ('34)	645'	690' ('34)
Static Min.							
Av. G. P. D.	1,500	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	Club grounds	Farm	Farm	Farm	Farm	Farm	
Analysis No.							
Remarks		4" casing to rock	4" casing to rock	4" casing to rock at 70'	4" casing to rock at 30'	4" casing to rock at 40'	4" casing to rock

DU PAGE COUNTY
TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	23	23	23	23	23	23	24
Owner	A. W. Abbott	E. E. Bain	School House	F. K. Vail	F. K. Vail	John Nadelhoffer	J. R. Foster
Location	2600' W, 1900' S, of NE Sec. Cor.	800' E, 1000' S, of NW Sec. Cor.	1425' E, 1450' N, of SW Sec. Cor.	1600' W, 2500' N, of SE Sec. Cor.	1400' W, 2350' N, of SE Sec. Cor.	300' W, 150' N, of SE Sec. Cor.	2000' W, 160' S, of NE Sec. Cor. O. K. Hawkyard
Driller	Bronson		O. K. Hawkyard	Albert Dieter			
Date Drilled	1914		1925	1925		1885	1900
Depth	130'	53'	127+	152'	125'	140'	100'
Diameter	4"	5"	4"	4"	4"	4"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	740'	680'	710'	740'	740'	735'	720'
Static Max	685' ('34)	635'	638'			635'	640'
Static Min							
Av. G. P. D.	300	300	400	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks	4" casing to rock at 100'	5" casing to rock	4" casing to rock at 96+	4" casing to rock	4" casing to rock	4" casing to rock	4" casing to rock at 90'

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	24	24	24	25	25	25	25
Owner	Mrs. Witt	E. P. Kampmeyer	J. Ploff	J. Fitzgerald	Carl Nadelhoffer	Fred Staefel	C. Strauley
Location	950' W, 160' S, of NE Sec. Cor.	550' E, 750' S, of NW Sec. Cor.	90' W, 635' N, of SE Sec. Cor.	85' W, 600' S, of NE Sec. Cor.	1840' W, 1300' S, of NE Sec. Cor.	90' W, 2250' S, of NE Sec. Cor.	2500' E, 700' S, of NW Sec. Cor.
Driller		J. Holder	Bronson			Fieldott	
Date Drilled		1925	1900		1895	1893	
Depth		115'	162'	30'	160'	166'	
Diameter	3"	4"	2 1/2"	4 1/2"	3"	4"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	740'	715'	780'	740'	765'	780'	750'
Static Max		665'	660'			660'	
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks		4" casing to rock	2 1/2" casing to rock at 122'	Bottom of well in gravel	Bottom of well in rock	Bottom of well in rock	

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	25	25	25	25	26	26	26
Owner	Henry Faulhaber	Henry Faulhaber	E. G. Pfoff	E. R. Moll	Dan Green	Dan Green	Harry Abrams
Location	2500'E, 1320'S. of NW Sec. Cor.	2150'E, 1850'S. of NW Sec. Cor.	2290'E, 2350'N. of SW Sec. Cor.	1635'W, 145'S. of NE Sec. Cor.	1600'E, 160'S. of NW Sec. Cor.	1400'E, 210'S. of NW Sec. Cor.	1555'E, 1320'N. of SW Sec. Cor.
Driller	Bronson	Fieldott				J. Holder	Holder
Date Drilled	1924	1933					1920
Depth	188'	139'		200'	160'	68'	55'
Diameter	4"	3"		4"	8"	4"	4"
Status	In use	In use		In use	In use	In use	In use
S. L. Elevation							
Ground	750'	750'	765'	730'	670'	870'	675'
Static Max	654'	659'			852'	640'	640'
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks	4" casing to rock	Bottom of well in rock		4" casing to rock	8" casing to rock	4" casing to rock at 30'	4" casing to rock at 40'

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	27	27	28	28	28	28	28
Owner	Art Green	McGill	Fred Tiedt	Carey Weheli	Harold Zett	Wm. Hatch	
Location	1380'W, 2600'N. of SE Sec. Cor.	1230'E, 170'S. of NW Sec. Cor.	100'E, 900'S. of NW Sec. Cor.	1415'E, 2270'S. of NW Sec. Cor.	1200'E, 1400'N. of SW Sec. Cor.	100'W, 1475'N. of SE Sec. Cor.	2376'W, 1050'N. of SE Sec. Cor.
Driller	Joe Holder	A. W. Morey			Joe Holder		
Date Drilled	1920	1929			1910	1915	
Depth	60'	117'	150'	120'	190'	170'	
Diameter	4"	4"	4"	4"	4"	4"	
Status	In use	In use	In use	In use	In use	In use	
S. L. Elevation							
Ground	660'	700'	740'	750'	735'	750'	745'
Static Max	646'	655'			675'		
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks	4" casing to rock at 40'	4" casing to rock at 66'	Bottom of well is in rock		4" casing to rock at 80'	Bottom of well is in rock	

DU PAGE COUNTY
TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	29	29	29	29	29	30	30
Owner.....	Joe Drendel	Irving Goodrich	Emil Drendel	Ben Wellman	Green Bros.	Andrew Wehrli	Andrew Wehrli
Location.....	780' W, 550' S. of NE Sec. Cor.	1320' W, 900' S. of NE Sec. Cor.	2270' E, 1100' S. of NW Sec. Cor.	400' E, 2440' N. of SW Sec. Cor.	300' E, 300' N. of SW Sec. Cor.	300' W, 1500' N. of SE Sec. Cor.	2000' W, 950' S. of NE Sec. Cor.
Driller.....	Joe Holder		Joe Holder		Joe Holder		Ira Parks
Date Drilled.....	1924	1870			1932		
Depth.....	126'	58'	88'		70'		124'
Diameter.....	4"	36"	3"		4"	4"	4"
Status.....	In use	In use	In use		In use	In use	In use
S. L. Elevation.....							
Ground.....	725'	720'	710'	660'	660'	660'	670'
Static Max.....	660'	668' ('34)	670'	645'			656' ('34)
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....						Farm	Farm
Analysis No.....		80321					
Remarks.....	4" casing to rock at 50'	(547)	3" casing to rock at 60'	4" casing to rock	4" casing to rock at 24'		(354)

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section.....	30	30	30	31	31	31	31
Owner.....	Forest Provere	John D. Meisinger	Mrs. Ella Royer	D. M. Royer Estate	A. Meisinger	Walter Kuhn	John Fender
Location.....	1850' W, 700' S. of NE Sec. Cor.	2590' E, 82' S. of NW Sec. Cor.	110' E, 500' N. of SW Sec. Cor.	100' W, 1200' S. of NE Sec. Cor.		115' E, 1990' N. of SW Sec. Cor.	950' W, 800' N. of SE Sec. Cor.
Driller.....	Joe Holder						Joe Holder
Date Drilled.....	1933					1903	
Depth.....	110'	150'		60'		115'	75'
Diameter.....	5"	4"	4"	4"		3"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	660'	670'	700'	690'		685'	650'
Static Max.....	643' ('34)		667' ('34)			650'	
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	5" casing to rock at 20'	4" casing to rock	(355)	4" casing to rock at 60'		3" casing to rock at 100'	4" casing to rock at 50'

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	32	32	32	32	32	32	32
Owner	John Fender	Adolph Miller	G. Eichelberger	G. Eichelberger	Mrs. Frank H. Staefeldt	Mrs. Frank H. Staefeldt	A. Eichelberger
Location	2340'W, 524'S. of NE Sec. Cor.	2140'W, 2165'S. of NE Sec. Cor.	2410'E, 1160'N. of SW Sec. Cor.	2520'E, 1110'N. of SW Sec. Cor.	2150'E, 100'N. of SW Sec. Cor.	2125'E, 50'N. of SW Sec. Cor.	2500'W, 400'N. of SE Sec. Cor.
Driller					Parks		
Date Drilled					1800		
Depth			165'	35'	130'	30'	40'
Diameter		3"	4"	4"	4"	4"	3 1/2"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	710'	700'	685'	685'	680'	680'	685'
Static Max				670' ('34)		655' ('34)	647'
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks			4" casing to rock	Bottom of well is in gravel	4" casing to rock		Bottom of well is in gravel

TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	33	34	34	34	34	35	35
Owner	A. L. Lisson	Dr. Caldwell	Frank Seiler	Frank E. Hinterlong	Emil Schwerer	A. W. Kohley	A. W. Kohley
Location	1480'E, 700'N. of SW Sec. Cor.	1200'W, 1320'S. of NE Sec. Cor.	1350'W, 2425'S. of NE Sec. Cor.	2375'E, 200'S. of NW Sec. Cor.	375'E, 830'N. of SW Sec. Cor.	1000'W, 2390'S. of NE Sec. Cor.	50'W, 2415'S. of NE Sec. Cor.
Driller	Fieldott		Joe Fieldott	Joe Holter	Joe Holter	Joe Holter	
Date Drilled	1915		1920	1904	1895	1918	
Depth	156'		150'-165'	142'	140'	140'	125'
Diameter	4"	4"	4"	4"	4"	4"	4"
Status	In use		In use	In use	In use	In use	In use
S. L. Elevation							
Ground	730'	690'	680'	720'	700'	740'	750'
Static Max				660' ('34)	650' ('34)	660' ('34)	
Static Min							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.				90822			
Remarks	4" casing to rock		4" casing to rock	4" casing to rock at 121'	4" casing to rock	4" casing to rock at 100'	Bottom of well is in rock

DU PAGE COUNTY
TOWNSHIP 38 NORTH; RANGE 10 EAST—Continued

Section	35	35	35	35	35	36	36
Owner	A. W. Kohley	A. W. Kohley	Tom Klinger	Herman Pretowski	R. Mass	Mrs. Herbert	Albert Pfaff
Location	3350' W, 380' S. of NE Sec. Cor.	3240' W, 380' S. of NE Sec. Cor.	1960' E, 420' N. of SW Sec. Cor.	1050' W, 2600' N. of SE Sec. Cor.	1000' W, 2570' N. of SE Sec. Cor.	2600' W, 230' S. of NE Sec. Cor.	1690' W, 2540' S. of NE Sec. Cor.
Driller	Joe Holter	Joe Holter	Joe Fieldott		Joe Holter	Joe Fieldott	Joe Fieldott
Date Drilled	1915	1900	1900	1880	1910	1895	1900
Depth	55'	75'	60'	150'	146'	180'	160'
Diameter	4"	3"	4"	4"	4"	4"	6"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	680'	685'	675'	740'	740'	755'	770'
Static Max.	640' ('34)				660' ('34)		
Static Min.							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks	4" casing to rock at 40'	3" casing to rock at 60'	4" casing to gravel	4" casing to rock	4" casing to rock at 100'	4" casing to rock	Bottom of well is in rock

TOWNSHIP 38 NORTH; RANGE 10 EAST—Concluded

Section	36	36	36	36	36	36	36
Owner	Mrs. A. J. Reeder	Mrs. A. J. Reeder	Albert Pioff	Matt Hermann	Peter Hermann	Fred Trapp	Fred Trapp
Location	210' W, 2200' S. of NE Sec. Cor.	190' W, 2200' S. of NE Sec. Cor.	2340' E, 950' S. of NW Sec. Cor.	2580' E, 1640' N. of SW Sec. Cor.	2470' W, 900' N. of SE Sec. Cor.	125' W, 1800' N. of SE Sec. Cor.	75' W, 1900' N. of SE Sec. Cor.
Driller	O. K. Hawkyard		Joe Fieldott			Mike Tetesic	
Date Drilled	1927	1885		1920		1915	1870
Depth	180+'	43'		120'-140'	150'	149'	27'
Diameter	4"	4 1/2"	4"	4"	4"	4"	40"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	770'	770'	770'	760'	750'	760'	760'
Static Max.	637' ('34)	760'					735' ('34)
Static Min.							
Av. G. P. D.	300	300	300	300	300	300	300
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks	4" casing to rock at 147' 6"	Bottom of well is in gravel		4" casing to rock	4" casing to rock	4" casing to rock	(556)

TOWNSHIP 38 NORTH; RANGE 11 EAST

Section	1	1	1	1	1	2	4
Owner	Hinsdale original well	Hinsdale City Well No. 1	Hinsdale City Well No. 2	Hinsdale City Well No. 3	Hinsdale Sanitarium	Mrs. Douglas	John Waldeck
Location		350' west of Well No. 2	150'N, 1300'W. of SE Sec. Cor.	1 block east of No. 2 well		1800'S, 350'W. of NE Sec. Cor.	150'N, 2500'W. of SE Sec. Cor.
Driller			M. T. Peterson	Gray Drilling Co.		O. K. Hawkyard	O. K. Hawkyard
Date Drilled	1890	1900	1924	1928*			
Depth	500'	200'	271'	210'	243'	155'	193'
Diameter		12"	20"		8"		
Status	Abandoned	Abandoned	In use	In use	In use		In use
S. L. Elevation							
Ground		683'	683'	683'	685'	715'	747'
Static Max		648' (1924)	647' (1924)	638' (1928)	662' (1924)	640'	655' (1934)
Static Min							
Av. G. P. D.		300,000 (1900) 680,000 (1924)	560,000 (1927)	550,000 (1939)	45,000 (1924)	200	200
Yield g. p. m.		487	1167	1120			
Drawdown		2.6	30	5			
Date		1924	1939	1928			
Use	Public	Public	Public	Public		House	House
Analysis No.		31812	82401	82402			
Remarks				*Reconditioned in 1938		Cased to rock at 123'	Cased to rock at 137'

TOWNSHIP-38 NORTH; RANGE 11 EAST—Continued

Section	4	4	4	4	5	5	5
Owner	Ophia Mortia	Greig	Chas. Splinka	Mrs. Campbell	Ophelia Mortia	Lewis Broberg	Alfreda
Location	2700'S, 200'E. of NW Sec. Cor.	Fairview Sub-division			2600'S, 50'W. of NE Sec. Cor.	1300'N, 2000'W. of SE Sec. Cor.	Fairview Sub-division
Driller	O. K. Hawkyard	S. Tyler	S. Tyler	S. Tyler	O. K. Hawkyard	O. K. Hawkyard	S. Tyler
Date Drilled			1934	1934			1934
Depth	169'	161'	137'	137'	177'	144'	157'
Diameter		4 1/2"	4 1/2"	4 1/2"			4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	782'	764'		747'	767'	737'	755'
Static Max	653' (1934)				650' (1934)	660' (1934)	
Static Min							
Av. G. P. D.	200	200	200	200	200	200	200
Yield g. p. m.							
Drawdown							
Date							
Use	House	House	House	House	House		
Analysis No.							
Remarks	Cased to rock at 131'	4 1/2" casing to rock at 140'	(587)	Water from gravel 137' of casing (4 1/2")	Cased to rock at 134'	Cased to rock at 106'	4" casing to rock at 150'

DU PAGE COUNTY
TOWNSHIP 38 NORTH; RANGE 11 EAST—Continued

Section.....	7	7	7	7	8	8	9
Owner.....	Downers Grove, Well No. 1	Downers Grove, Well No. 2	Downers Grove, Well No. 3	Downers Grove, Well No. 4	Downers Grove, Well No. 5	Downers Grove, Well No. 5	Westmont Village Well
Location.....	Warren & Middaugh Ave.	Warren & Middaugh Ave.	Warren & Middaugh Ave.	On Lee Avenue	Lot 6 & 7, Bl. 5, Straube's Addition	Randall & Park Ave.	
Driller.....		J. P. Miller Co.		American Water Corp.	Layne North Central Co.	Kelty Well Co.	Goodfellow & Co.
Date Drilled.....	1894	1908	1913	1923	1930	1924	1921
Depth.....	1800'	2021'	850'	250'	291'	114'	890'
Diameter.....	10"	10"-8"		20"-24"	30"	18"	8" top-6" bottom
Status.....	Abandoned (1924)	Abandoned (1924)	Abandoned (1924)	In use	In use	Abandoned (1927)	Abandoned
S. L. Elevation.....							
Ground.....	715'	715'	715'	700'	720'	720'	
Static Max.....	640' (1924)			660' (1928)	628' (1930)	648' (1925)	
Static Min.....				662' (1942)	634' (1942)		
Av. G. P. D.....		200,000 (1915) 300,000 (1921)		225,000 (1939)	225,000 (1939)	250,000 (1925)	
Yield g. p. m.....				5.70		450	60
Drawdown.....				65+		5	
Date.....				1923		1924	1924
Use.....							Public
Analysis No.....		30918, 44726			68986	53266	53074
Remarks.....				30" casing to rock at 68'	Rock at 100'		8" casing to rock at 152'

TOWNSHIP 38 NORTH; RANGE 11 EAST—Continued

Section.....	9	9	9	9	9	9	10
Owner.....	Westmont Village Well	Talbott	Odell	Gus Draste	Cline's Laundry	Wolf	Westmont Village Well
Location.....	On Cass Ave., 1/2 mi. N. of R. R.	100'N, 2800'W. at SE Sec. Cor.	1600'N, 750'E. of SW Sec. Cor.	1400'S, 1150'E. of NW Sec. Cor.	2300'S, 200'E. of NW Sec. Cor.	1800'S, 100'E. of NW Sec. Cor.	1100'E, 100'N. of SW Sec. Cor.
Driller.....	Layne & Bowler	O. K. Hawkyard	O. K. Hawkyard	O. K. Hawkyard	O. K. Hawkyard	O. K. Hawkyard	Milhaeger Drilling Co.
Date Drilled.....	1926	1919					1935
Depth.....	313'	162'	160'	179'	155'	181'	302'
Diameter.....	16" top 15" bottom						17" top 16" bottom
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	750'	743'	742'	742'	740'	731'	753'
Static Max.....	650' (1927)	654' (1919)	652'	652'	650'	654'	634' (1935)
Static Min.....	649' (1938)						632' (1936)
Av. G. P. D.....	50,000 (1927) 63,000 (1939)	200	200	200	200	200	45,000 (1939)
Yield g. p. m.....	600						320
Drawdown.....	1						27
Date.....	1938						1936
Use.....	Public	House	House	House	House	House	Public
Analysis No.....							78401
Remarks.....	(358)	136' of casing to rock	142' of casing to rock	132' of casing to rock	127' of casing to rock	117' of casing to rock	(359)

TOWNSHIP 38 NORTH; RANGE 11 EAST—Continued

Section.....	10	10	10	11	11	11	11
Owner.....	Carr	Clarendon Hills Well No. 1	Clarendon Hills Well No. 2	F. W. Bahlman	C. M. Masher	Fred Nipper	L. Roth
Location.....	10'W, 2050'N. of SE Sec. Cor.	Lot 16, Block 38, Clarendon Hills Subdivision	75' West of Well No. 1	250'N, 1650'W. of SE Sec. Cor.	1500'N, 2550'W. of SE Sec. Cor.	1000'N, 1800'E. of SW Sec. Cor.	2200'N, 1200'E. of SW Sec. Cor.
Driller.....	O. K. Hawkyard	F. M. Gray, Jr.	Henry Boysen	O. K. Hawkyard	O. K. Hawkyard	O. K. Hawkyard	O. K. Hawkyard
Date Drilled.....		1923			1922		
Depth.....	162'	875'	250'	179'	165'	226'	157'
Diameter.....		8" top-6" bottom	12"				
Status.....	In use	Not in use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	737'	730'	730'	730'	737'	746'	720'
Static Max.....	648'	650' (1923)	625' (1932)	641'	645' (1922)	643'	641'
Static Min.....		635' (1932)					
Av. G. P. D.....	200		50,000 (1937)	300	300	300	300
Yield g. p. m.....		75	150				
Drawdown.....		270	14				
Date.....		1932	1932				
Use.....	Farm	Public	Public	Farm	Farm	Farm	Farm
Analysis No.....			73709				
Remarks.....	125' of casing to rock	(560)	145' of 12" casing to rock	117' of casing to rock	139' of casing to rock	144' of casing to rock	113' of casing to rock

TOWNSHIP 38 NORTH; RANGE 11 EAST—Continued

Section.....	11	11	13	13	13	13	13
Owner.....	School House	Davoraak	Luther Rogers	Luther Rogers	S. W. Curtis	O. P. Kirkpatrick	Dave Lemsky
Location.....	1900'N, 200'E. of SW Sec. Cor.	2200'N, 600'E. of SW Sec. Cor.	800'N, 350'W. of SE Sec. Cor.	400'N, 550'W. of SE Sec. Cor.	1500'S, 150'W. of NE Sec. Cor.	1200'N, 300'W. of SE Sec. Cor.	600'S, 1200'W. of NE Sec. Cor.
Driller.....	O. K. Hawkyard	O. K. Hawkyard	Richard Eggert	Richard Eggert	O. K. Hawkyard	O. K. Hawkyard	Richard Eggert
Date Drilled.....							
Depth.....	127'	153'	237'	303'	133'	119'	101'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	733'	734'	703'	694'	692'	637'	713'
Static Max.....	643'	646'			650'	643'	
Static Min.....							
Av. G. P. D.....	400	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	School	Farm	Farm	Farm	Farm	Farm	
Analysis No.....			86008	86009		86007	
Remarks.....	Rock at 127'	120' of casing to rock	77' of casing to rock	78' of casing to rock	85' of casing to rock	77' of casing to rock	87' of casing to rock

DU PAGE COUNTY
TOWNSHIP 38 NORTH; RANGE 11 EAST—Continued

Section.....	13	13	13	13	13	13	13
Owner.....	Kizewiniaki	Albert Hagle	Frank Zitmsky	J. Komarek	Kubinek	Wm. Kubinek	Mrs. Branson
Location.....	300'S, 1250'W. of NE Sec. Cor. Richard Eggert	2700'S, 2700'E. of NW Sec. Cor. Richard Eggert	1700'S, 2200'W. of NE Sec. Cor. Richard Eggert	2100'N, 2500'E. of SW Sec. Cor. Richard Eggert	1800'S, 2700'W. of NE Sec. Cor. Richard Eggert	1000'S, 2700'W. of NE Sec. Cor. Richard Eggert	800'S, 2500'E. of NW Sec. Cor. Richard Eggert
Driller.....							
Date Drilled.....							
Depth.....	124'	98'	152'	127'	100'	125'	114'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	705'	695'	704'	695'	707'	708'	708'
Static Max.....							
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....							
Analysis No.....							
Remarks.....	70' of casing to rock	63' of casing to rock	68' of casing	53' of casing to rock	80' of casing to rock	80' of casing to rock	70' of casing to rock

TOWNSHIP 38 NORTH; RANGE 11 EAST—Continued

Section.....	13	13	13	13	13	13	13
Owner.....	J. F. Fleischmann	Henry Hensel	Vidick	Frank Tonshatick	Mike Knafel		Geo. Seporitch
Location.....	500'S, 2100'E. of NW Sec. Cor. Richard Eggert	600'S, 2500'E. of NW Sec. Cor. Richard Eggert	2600'N, 1650'E. of SW Sec. Cor. Richard Eggert	2300'S, 1400'E. of NW Sec. Cor. Richard Eggert	1500'S, 1400'E. of NW Sec. Cor. Richard Eggert	500'S, 1900'E. of NW Sec. Cor.	2200'N, 1200'E. of SW Sec. Cor. Richard Eggert
Driller.....							
Date Drilled.....							
Depth.....	112'	106'	104'	102'	112'		109'
Diameter.....							
Status.....	In use	In use	In use	In use	In use		In use
S. L. Elevation.....							
Ground.....	720'	707'	708'	707'	712'	719'	719'
Static Max.....							
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....							
Analysis No.....							
Remarks.....	87' of casing to rock	78' of casing to rock	87' of casing to rock	83' of casing to rock	90' of casing to rock		93' of casing to rock

TOWNSHIP 38 NORTH; RANGE 11 EAST—Continued

Section.....	13	13	13	13	13	13	14
Owner.....	Paul Perack	Ladislaw Ruzicka	A. Bird	Frank Barash	R. Grant	James Slehofer	Lithuanian Institute
Location.....	2400'S, 1200'E. of NW Sec. Cor.	2250'S, 1200'E. of NW Sec. Cor.	800'N, 200'E. of SW Sec. Cor.	900'S, 200'E. of NW Sec. Cor.			700'N, 900'E. of SW Sec. Cor.
Driller.....	Richard Eggert	Richard Eggert	Richard Eggert	Richard Eggert	Richard Eggert	Richard Eggert	Richard Eggert
Date Drilled.....						1934	
Depth.....	111'	116'	121'	143'	112'	101'	175'
Diameter.....							
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	711'	715'	717'	732'		700'	718'
Static Max.....							
Static Min.....							
Av. G. P. D.....	300	300	300	300	300	300	400
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....							
Analysis No.....							
Remarks.....	93' of casing to rock	94' of casing to rock	80' of casing	128' of casing to rock	90' of casing to rock	64' of casing to rock	166' of casing to rock

TOWNSHIP 38 NORTH; RANGE 11 EAST—Continued

Section.....	14	15	15	15	17	17	17
Owner.....	Lithuanian Institute	Thos. Cousins	E. Robr	Maarcher School	Charlie Parks	Andurs	J. Slanek
Location.....	1300'N, 1000'E. of SE Sec. Cor.	300'N, 100'W. of SE Sec. Cor.	150'S, 3100'W. of NE Sec. Cor.	2400'N, 200'E. of SW Sec. Cor.	1600'S, 100'W. of NE Sec. Cor.	1000'S, 200'W. of NE Sec. Cor.	1200'S, 300'W. of NE Sec. Cor.
Driller.....	Richard Eggert	Richard Eggert		O. K. Hawkyard	O. K. Hawkyard	O. K. Hawkyard	O. K. Hawkyard
Date Drilled.....							
Depth.....	288'	164'	193'	205'	178'	205'	183'
Diameter.....							4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....	740'	737'	765'	774'	736'	731'	735'
Static Max.....			644'	841'	651'	644'	644'
Static Min.....							
Av. G. P. D.....	400	300	300	400	300	300	300
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....							
Analysis No.....							
Remarks.....	131' of casing to rock	112' of casing to rock	150' of casing to rock	Rock at 164'	129' of casing to rock	138' of casing to rock	132' of casing (4") to rock

DU PAGE COUNTY
TOWNSHIP 38 NORTH; RANGE 11 EAST—Continued

Section	17	21	21	24	24	24
Owner	Nelson	Adolph Bench	Clarendon Hills Cemetery	International Harvester Co.		Floyd
Location	500'S, 100'W. of NE Sec. Cor.	1000'S, 100'E. of NW Sec. Cor.	2000'N, 300'W. of SE Sec. Cor.	500'W, 1000'N. of SE Sec. Cor.	700'W, 1500'S. of NE Sec. Cor.	2450'W, 1700'S. of NE Sec. Cor.
Driller	O. K. Hawkyard	O. K. Hawkyard	Richard Eggert	C. E. Pigg	C. E. Pigg	Richard Eggert
Date Drilled			1935			
Depth	117'	176'	202'	153'	156'	168'
Diameter				6"		
Status	In use	In use	In use	In use	In use	In use
S. L. Elevation						
Ground	718'	762'	751'	706'	716'	730'
Static Max	649'	651'	640'	651'	656'	
Static Min						
Av. G. P. D.	300	300	5,000	300	300	300
Yield g. p. m.						
Drawdown						
Date						
Use			General			
Analysis No.			76433			
Remarks	114' of casing to rock	153' of casing to rock		80' of casing to rock	101' of casing to rock	98' of casing to rock

TOWNSHIP 38 NORTH; RANGE 11 EAST—Continued

Section	24	24	24	25	25	25
Owner	R. Hill	Wm. Carlson	Luther Rogers	Joha Sullivan		Grover School District No. 62
Location	2700'E, 1900'S. of NW Sec. Cor.	2400'W, 900'S. of NE Sec. Cor.	800'E, 2200'N. of SW Sec. Cor.	875'E, 1550'N. of SW Sec. Cor.	800'E, 1500'N. of SW Sec. Cor.	600'E, 1500'N. of SW Sec. Cor.
Driller	Richard Eggert	Richard Eggert	Richard Eggert	Sherman Simpson	C. E. Pigg	Richard Eggert
Date Drilled				1934		
Depth	145'	102'	310'		200'	142'
Diameter						
Status	In use	In use	In use	In use	In use	In use
S. L. Elevation						
Ground	726'	708'	732'	705'	716'	706'
Static Max					656'	
Static Min						
Av. G. P. D.	300	300	300	300	300	500
Yield g. p. m.						
Drawdown						
Date						
Use						
Analysis No.						
Remarks	102' of casing to rock	89' of casing to rock	114' of casing to rock	Rock at 119'	130' of casing to rock	116' of casing to rock

TOWNSHIP 38 NORTH; RANGE 11 EAST—Continued

Section	26	26	27	28	28	33
Owner	Littleford's Nursery	Wm. Gauger	Wm. Anderman	Wm. Rohmer	Hans Thompson	Upper Cass School No. 63
Location	500'W. 1050'S. of NE Sec. Cor. O. K. Hawkyard	1000'E. 150'N. of SW Sec. Cor. Richard Eggert	150'E. 900'S. of NW Sec. Cor. Richard Eggert	900'W. 1500'N. of SE Sec. Cor. O. K. Hawkyard	150'E. 2450'N. of SW Sec. Cor.	1050'W. 650'N. of SE Sec. Cor. Richard Eggert
Driller						
Date Drilled						
Depth	165'	142'	199'	194'	145'	111'
Diameter						
Status	In use	In use	In use	In use	In use	In use
S. L. Elevation						
Ground	732'	713'	755'	716'	767'	718'
Static Max	652'			603'		
Static Min						
Av. G. P. D.	300	300	300	300	300	500
Yield g. p. m.						
Drawdown						
Date						
Use						
Analysis No.					87795	
Remarks	105' of casing to rock	125' of casing to rock	83' of casing to rock	*(861)		83' of casing to rock

TOWNSHIP 38 NORTH; RANGE 11 EAST—Concluded

Section	33	35	35	36	36	36
Owner	J. Lovellette	Steve Stebel	L. Marwitz	O. B. C. Club	E. Keller	Lutheran Cemetery
Location	600'E. 1000'S. of NW Sec. Cor. O. K. Hawkyard	1600'W. 50'S. of NE Sec. Cor. Richard Eggert	2500'W. 1400'N. of SE Sec. Cor. Richard Eggert	650'W. 3100'S. of NE Sec. Cor. Richard Eggert	500'W. 1300'S. of NE Sec. Cor. Richard Eggert	Richard Eggert
Driller						
Date Drilled						
Depth	169'	161'	162'	1934 123'	164'	144'
Diameter						
Status	In use	In use	In use	In use	In use	In use
S. L. Elevation						
Ground	765'	714'	735'	705'	705'	705'
Static Max	654'					
Static Min						
Av. G. P. D.	300	300	300	300	300	400
Yield g. p. m.						
Drawdown						
Date						
Use						
Analysis No.						
Remarks	140' of casing to rock	140' of casing to rock	146' of casing to rock	108' of casing to rock	120' of casing to rock	128' of casing to rock

DU PAGE COUNTY
TOWNSHIP 39 NORTH; RANGE 9 EAST

Section.....	4	4	5	5	5	9	9
Owner.....	West Chicago Well No. 1	West Chicago Well No. 2	Geo. Brozek	Chas. Ringler	Geo. Kroamer	Geo. J. Ball, Inc.	Union Tool Co.
Location.....	S. W. Cor. McConnell & Fremont Sts.	40' south of Well No. 1	1100' W. 300' S. of NE Sec. Cor. C. C. Diebold	1100' W. 2600' S. of NE Sec. Cor. C. C. Diebold	1400' W. 150' S. of NE Sec. Cor. C. C. Diebold	2200' N. 1100' E. of SW Sec. Cor.	S. W. pt. of West Chicago
Driller.....							
Date Drilled.....	1896	1903	1939	1940	1939		
Depth.....	885'	323'	109'	148'	113'	125'	248'
Diameter.....	10" top-8" bottom	10" top-8" bottom	4 1/2"		4 1/2"		8"
Status.....	In use	In use	In use	In use	In use		
S. L. Elevation.....							
Ground.....	760'	760'	752'	751'	752'		758
Static Max.....	710' (1915)		722' (1940)		722' (1940)		700' (1920)
Static Min.....	664' (1941)						
Av. G. P. D.....	150,000 (1930)	150,000 (1930)	300.	300	300		
Yield g. p. m.....	450						
Drawdown.....	12						
Date.....	1930						
Use.....	Public	Public	Farm	Farm			
Analysis No.....	47389, 93644	29269, 82395	87917	87916		87918	93643
Remarks.....	90' of casing (10") to rock	90' of casing (10") to rock	74' of casing (4 1/2") to rock	75' to rock		68' of casing (4 1/2")	

TOWNSHIP 39 NORTH; RANGE 9 EAST—Continued

Section.....	10	10	11	11	11	13
Owner.....	C. & N. W. R. R.	C. & N. W. R. R.	Michael Barndt	Chas. Madden	Mrs. R. A. Walther	G. H. Mumert
Location.....	West Chicago	West Chicago	500' N. 1700' E. of SW Sec. Cor.	2450' E. 1700' S. of NW Sec. Cor.	2500' E. 1750' S. of NW Sec. Cor.	500' E. 2750' S. of NW Sec. Cor.
Driller.....	F. M. Gray		John Diebold	C. C. Diebold		C. C. Diebold
Date Drilled.....	1924		1912	1940		1940
Depth.....	2052'	30'	137'	131'		141'
Diameter.....			4 1/2"	4 1/2"		4 1/2"
Status.....	In use	In use	In use	In use		In use
S. L. Elevation.....						
Ground.....	760'	760'	717'	730'		740'
Static Max.....	585' (1930)					636' (1940)
Static Min.....						
Av. G. P. D.....	225,000 ('22)		2,000	300		300
Yield g. p. m.....	300					8
Drawdown.....	30					1
Date.....	1930					1940
Use.....	Boilers	Boilers	Public	Farm		Farm
Analysis No.....	68015		82398			88852
Remarks.....	1000' of casing		Supplies 4 or 5 subdivisions			120' of casing (4 1/2") to rock

TOWNSHIP 39 NORTH; RANGE 9 EAST—Concluded

	13	13	13	13	30	34
Section	Winfield Village	Winfield Sanitarium	Winfield Sanitarium	Winfield Sanitarium	Paul Wasser	R. Hayes
Owner	Well No. 1	2450'W, 1000'S. of NE Sec. Cor.	500' West of 193' well	500' NW of 167' well	175'E, 1900'N. of SW Sec. Cor.	1750'W, 1600'S. of NE Sec. Cor.
Location	John Diebold				W. J. Neely	C. C. Diebold
Driller	1925	1931	1912		1940	1934
Date Drilled	200'	193'	167'	132'	109'	90'
Depth	3"	3"	3"	4"	4"	4"
Diameter	In use	In use	Emergency		In use	In use
Status	710'	742'			742'	710'
S. L. Elevation	Static Max	704' (1939)			706' (1940)	710'
Ground	Static Min					896' (1940)
Static Max	30,000 (1939)	10,000			300	300
Static Min	606	60				
Av. G. P. D.	1	9				
Yield g. p. m.	1927	1939				
Drawdown	Public	Drinking			Farm	
Date	80229	85851			87794	87783
Use	Public	Drinking				87783
Analysis No.	80229	85851				55' of casing (4 1/2") to rock
Remarks	78' of casing (8")					

TOWNSHIP 39 NORTH; RANGE 10 EAST

	2	2	10	11	11	11	11
Section	Howard Smith	Alex LeJeune	McIntosh Subdivision	Glen Ellyn Well No. 1	Glen Ellyn Well No. 2	Glen Ellyn Test Well No. 3	Rathbun Dairy
Owner	600'E, 400'S. of NW Sec. Cor.	400'E, 200'S. of NW Sec. Cor.	500'E, 600'S. of NW Sec. Cor.	1400'N, 1200'E. of SW Sec. Cor.	97' north of well No. 1	1970'N, 550'E. of SW Sec. Cor.	Glen Ellyn
Location	W. J. Neely	W. J. Neely			W. L. Thorne	Ray Fourborn	Steigman
Driller	1939	1939			1922	1941	
Date Drilled	146'	156'		310'	352'	422'	230'
Depth	4 1/2"	4 1/2"		8"	12"	18" top	
Diameter	In use	In use	In use	Emergency	Emergency	28" bottom	In use
Status	765'	775'		765'	765'	785'	
S. L. Elevation	Static Max	710' (1940)		722' ('14)	713' ('22)	690' ('41)	
Ground	Static Min				697' ('41)		
Static Max	300	300			600,000 ('30)	900,000 ('41)	1,000
Static Min	300	300			1,000	755	
Av. G. P. D.	93			500	14	87	
Yield g. p. m.	1916	1916		93	1922	1941	
Drawdown	Public	Public	Public	Public	Public	Public	Drinking
Date	87911	50865		63022	91935	63016	
Use	82' of casing (4 1/2")	72' of casing (4 1/2")		114' of casing (3") to rock	116' of casing (12") to rock	137 1/2' of casing (18") to rock	
Analysis No.	138' to rock	131' to rock					
Remarks							

DU PAGE COUNTY
TOWNSHIP 39 NORTH; RANGE 10 EAST—Continued

Section.....	11	11	12	12	16	16
Owner.....	Jefferson Ice Plant	Glen Ellyn Park Well	Glen Oak C. C.	Glen Oak C. C.	Wheaton Well No. 1	Wheaton Well No. 2
Location.....	Glen Ellyn	2150'S, 1880'W. of NE Sec. Cor.	300'N, 1000'W. of SE Sec. Cor.	1500'N, 2600'W. of SE Sec. Cor.		500'E, 600'S. of NW Sec. Cor.
Driller.....		W. L. Thorne Co.	W. L. Thorne			
Date Drilled.....			1923	1919	1890	1890
Depth.....	134'	325'	202'	130'	175'	175'
Diameter.....		10" top 8" bottom	16"	6"	10"	10"
Status.....	In use	In use	In use	In use	Abandoned	In use
S. L. Elevation.....						
Ground.....		715'	690'		735'	735'
Static Max.....		698' ('36)	638' ('29)		709' (1917)	
Static Min.....						
Av. G. P. D.....	25,000	5,000	2,600	2,000	325,000 ('17)	700,000 ('37)
Yield g. p. m.....		300	150			
Drawdown.....		27	11		40	
Date.....		1936	1938		1917	
Use.....	Drinking	Drinking	Sprinkling	Drinking	Public	Public
Analysis No.....	69295	78906	86011	86010		
Remarks.....			60' of casing (16") to rock		110' to rock	(552)

TOWNSHIP 39 NORTH; RANGE 10 EAST—Concluded

Section.....	16	16	18	25	35	36
Owner.....	Wheaton Well No. 3	Walter Schuttler	DuPage County	W. R. Johnson	Warwood Farm	W. R. Johnson.
Location.....	2000'E, 1600'N. of SW Sec. Cor.	Wheaton	1500'S, 200'E. of NW Sec. Cor.	300' from S. line of Sec.	2240'S, 125'E. of NW Sec. Cor.	900' from NE Sec. Cor.
Driller.....	Thorpe Bros. Well Co.					
Date Drilled.....	1930					
Depth.....	184'	220'		166'	231'	146'
Diameter.....	38" top 12" bottom					
Status.....	In use			In use		In use
S. L. Elevation.....						
Ground.....	735'				725'	
Static Max.....	702' (1930)					
Static Min.....						
Av. G. P. D.....	800,000 ('39)		800	500	300	300
Yield g. p. m.....						
Drawdown.....						
Date.....						
Use.....	Public	Private		Farm		Farm
Analysis No.....	68158	76341		84050		84049
Remarks.....	(563)					

TOWNSHIP 39 NORTH; RANGE 11 EAST

Section Owner.....	Elmhurst ¹	Elmhurst Well No. 1	Elmhurst Well No. 2	Wendland & Keimel Co.	Elmhurst Well No. 3	Elmhurst Ice Co.	Petty ³
Location.....	*	SE. Cor. York & Schiller Streets	100'E. of Well No. 1	1550'W, 2300'N. of SE Sec. Cor.	Larch Ave., 2 blocks west of No. 1 & No. 2	2300'S, 2100'E. of NW Sec. Cor.	Cor. Pick & Alexander, Elmhurst
Driller.....			F. M. Gray, Jr.	Geo. A. Morris	S. B. Geiger	C. E. Pigg	
Date Drilled.....		1915	1918	1926	1925	1928	
Depth.....		1500'	2222'	209'	2221'	209'	
Diameter.....		17" top 12" bottom	12" top 8" bottom	8"	18" top 10" bottom	10"	
Status.....		In use	In use	In use	Not in use (1941)	In use	In use
S. L. Elevation.....							
Ground.....		688'	688'	674'	690'	688'	
Static Max.....		651' ('15)	614' ('24)	614' ('26)	552' (1926)		
Static Min.....		388' ('25)					
Av. G. P. D.....		230,000 ('20)	600,000 ('26)	50,000	1,000,000 ('27)	50,000	200
Yield g. p. m.....		410	1000	170 (test)		40 (test)	
Drawdown.....		11	185				
Date.....		1915	1926				
Use.....		Public	Public		Public	Public	House
Analysis No.....		43322-72549-78948	43323-60570-78499	72547	78500-57924*	72548	
Remarks.....		*(564), (568)	185' of (12") casing 61' of rock	68' of (8") casing	*(567)	28' of casing to rock	

TOWNSHIP 39 NORTH; RANGE 11 EAST—Continued

Section Owner.....	C. C. C. Camp ³	Villa Park ⁴	Lombard, village well No. 1	Lombard, village well No. 2	Villa Park ⁹	Villa Park ⁹	Villa Park, village well No. 1
Location.....	1 block west of Salt Creek and probably near North Ave.	NW corner 3rd & Princeton	300'S, 700'E. of NW Sec. Cor.	75'N. of Well No. 1	300'S, 400'W. of NE Sec. Cor.	85' from Well No. 1	200'S, 400'W. of NE Sec. Cor.
Driller.....	John Diebold			F. M. Gray, Jr. & Co.	J. P. Miller Artesian Well Co.	J. P. Miller Artesian Well Co.	S. B. Geiger & Son
Date Drilled.....			1910	1926	1924	1924	1928
Depth.....	1373'	125'	93'	2028'	401'	200'	1912'
Diameter.....	4 1/2"	4"	8"	14"	12"	12"	22" top 10" bottom
Status.....			In use	In use	Not in use	Not in use	In use
S. L. Elevation.....							
Ground.....			710'	710'	690'	690'	602'
Static Max.....			695' (1910)	574' (1926)			
Static Min.....			700' (1939)	470' (1839)			
Av. G. P. D.....	500		200,000 ('39)	225,000 ('39)	100,000 ('26)	100,000 ('26)	
Yield g. p. m.....			465	95	200	250	
Drawdown.....			10	52	46	37	
Date.....			1939	1926	1924	1924	
Use.....		Public	Public	Public	Public	Public	Public
Analysis No.....		43321	38895	61710	57928		
Remarks.....		(568)	84' of casing (8") to rock	284' of 14" casing Rock at 70'	12" casing to rock at 76'		(569)

DU PAGE COUNTY
TOWNSHIP 39-NORTH; RANGE 11 EAST—Continued

Section	9	10	10	10	10	10	10
Owner	Villa Park Village Well No. 2	*Elmhurst Well No. 4	Villa Park-Heisen Well No. 1	Villa Park-Heisen Well No. 2	Villa Park-Heisen Well No. 3	Wander Co. Well No. 1	Wander Co. Well No. 2
Location	300'S, 850'W. of NE Sec. Cor.	Scott St. south of St. Charles Rd.	2600'N, 150'E. of SW Sec. Cor.	39' south of Well No. 1	12' west of Well No. 1	Villa Park	Villa Park
Driller	S. E. Geiger & Son	S. E. Geiger		Eckert	J. D. Palmer	Eckert	Eckert
Date Drilled	1931	1928		1919	1923	1917	1913
Depth	2125'	2219'	150'	285'	251'	120'	180'
Diameter				8"	12"	8"	12"
Status	In use	In use	In use	In use		Shut down	Not in use
S. L. Elevation							
Ground	700'	665'		702'	702'	675'	675'
Static Max		630' (1928)			662' (1923)	Flowing (1917)	Flowing (1918)
Static Min							
Av. G. P. D.						120,000 ('26)	120,000 ('26)
Yield g. p. m.		1310		90 (test)	185'		
Drawdown		185					
Date		1928					
Use	Public	Public	Public	Public	Public	Industrial	Industrial
Analysis No.	77752	78501-63159					
Remarks		*(370)	Cased to rock at 53'		12" casing to rock at 58'		

TOWNSHIP 39 NORTH; RANGE 11 EAST—Continued

Section	10	10	10	10	10	10	10
Owner	Wander Co. Well No. 3	Wander Co. Well No. 4	Wander Co. Well No. 5	Wander Co. Well No. 6	Wander Co. Well No. 7	Wander Co. Well No. 8	Wander Co. Well No. 9
Location	Villa Park	Villa Park	Villa Park	Villa Park	Villa Park	Villa Park	1600'W, 1040'S. of NE Sec. Cor.
Driller	J. D. Palmer	J. D. Palmer	Morris	Morris	Layne & Bowler	Layne & Bowler	Layne & Bowler
Date Drilled	1922	1924	1926	1926	1928	1927	1935
Depth	220'	187'	197'	190'	1900'	190'	2000'
Diameter	12"	14"	14"	14"	24"	18"	20" top 12" bottom
Status	Not in use	Abandoned	Part time use	In use	In use	In use	In use
S. L. Elevation							
Ground	670'	675'	675'	670'	675'	675'	670'
Static Max	651' (1922)	649' (1924)	641' (1926)		451' (1933)		
Static Min		642' (1925)					
Av. G. P. D.	120,000 ('26)	120,000 ('26)	120,000 ('26)	120,000 ('26)	120,000 ('26)	120,000 ('26)	120,000
Yield g. p. m.	350	300	200	60 (test)	1160		
Drawdown	40	50	60		*182		
Date	1922	1926	1926		1933		
Use	Industrial	Industrial	Industrial	Industrial	Industrial	Industrial	Industrial
Analysis No.							77755
Remarks		Pump has been pulled			*(371)		

TOWNSHIP 39 NORTH; RANGE 11 EAST—Continued

Section	12	13	14	15	16	21	22
Owner	Elmburst Well No. 5				York Center Church		Green Ridge Cemetery
Location	2500'S, 250'E. of NW Sec. Cor.	200'N, 2200'W. of SE Sec. Cor.	100'N, 200'E. of SW Sec. Cor.	2100'N, 100'W. of SE Sec. Cor.	200'N, 1400'E. of SW Sec. Cor.	30'S, 400'E. of NW Sec. Cor.	12th St. & Butterfield Rd.
Driller	J. P. Miller Artesian Well Co.	C. E. Pigg	C. E. Pigg	C. E. Pigg	C. E. Pigg	C. E. Pigg	W. L. Thorne
Date Drilled	1940						1924
Depth	1435'		130'	189'	158'	187'	800'
Diameter	12" top 12" bottom						12"-10"-8"
Status							
S. L. Elevation							
Ground	675'	668'	663'	676'	713'	716'	
Static Max	395' (1940)			661'	653'	704'	
Static Min							
Av. G. P. D.	1,000,000	300	300	300	300	300	500
Yield g. p. m.	750						
Drawdown	90						
Date	1940						
Use							
Analysis No.	95271						
Remarks	456' of casing (20') Rock at 89'	Rock at 78'	Rock at 60'	92' of casing to rock	100' of casing to rock	100' of casing Rock at 110'	471' of casing Rock at 87'

TOWNSHIP 39 NORTH; RANGE 11 EAST—Continued

Section	23	24	27	33	33	33
Owner	Otto Ahrens		Butterfield Country Club	J. D. McVean	John Papanek	Wm. B. Winter
Location	2300'N, 2650'E. of SW Sec. Cor.	2100'S, 2500'W. of NE Sec. Cor.	C. E. Pigg	150'N, 100'E. of SW Sec. Cor.	2250'N, 2050'W. of SE Sec. Cor.	2250'N, 1950'W. of SE Sec. Cor.
Driller		C. E. Pigg	C. E. Pigg	O. K. Hawkyard	W. J. Neely	W. J. Neely
Date Drilled					1940	1940
Depth	Spring	140'	657'	170'	123'	127'
Diameter			10" 8"		44"	44"
Status			In use			
S. L. Elevation						
Ground		636'	706'	758'	732'	733'
Static Max				676'	667' (1940)	675' (1940)
Static Min						
Av. G. P. D.	300	300	500	300	300	300
Yield g. p. m.						
Drawdown						
Date						
Use						
Analysis No.	88984				87785	
Remarks		90' of casing to rock	355' of casing Rock at 103'	148' of casing to rock	118' of casing to rock	120' of casing to rock

DU PAGE COUNTY
TOWNSHIP 39 NORTH; RANGE 11 EAST—Concluded

	35	35	35	36	36	36
Section.....	35	35	35	36	36	36
Owner.....	Browswood Cemetery		Schroeder Bros.	Gust Bullerman	E. W. Conable	Camp Fullersburg
Location.....	300' N, 900' W. of SE Sec. Cor. C. E. Pigg	2300' S, 1050' W. of NE Sec. Cor. C. E. Pigg	2200' N, 1000' E. of SW Sec. Cor. R. Eggert			NW 1/4 of SW 1/4 of Section W. J. Fulton (?)
Driller.....	C. E. Pigg	C. E. Pigg	R. Eggert	Richard Eggert	O. K. Hawkyard	
Date Drilled.....						1933
Depth.....	332'	129'	131'	110'	131'	120'
Diameter.....						5"
S. L. Elevation.....						
Ground.....	683'	680'	725'	655'	712'	
Static Max.....	643'	640'			641'	
Static Min.....						
Av. G. P. D.....	300	300	300	300	300	300.
Yield g. p. m.....						
Drawdown.....						
Date.....						
Use.....						Public
Analysis No.....						
Remarks.....	90' of casing to rock	90' of casing to rock	118' of casing	68' of casing to rock	104' of casing to rock	(372)

ZONE IV

**WILL COUNTY'
TOWNSHIP 32 NORTH; RANGE 9 EAST**

Section.....	8	8	13	24
Owner.....	City of Braidwood	City of Braidwood	L. A. Gebhart	F. B. Brinttinger
Location.....	2400'E & 1400'N. SW Cor.	6 well points	North of Custer Park	Custer Park
Driller.....	C. W. Varner & W. L. Thorne	?	T. F. Anderson and Son	Harry Cramer
Date Drilled.....	1937	1933	1940	1930
Depth.....	1647'	12'-20'	92'	76'10"
Diameter.....	10"	3" & dug.	4 1/2"	4"
Status.....	Not used	Operating	Operating	Operating
S. L. Elevation				
Ground.....	575'	575'	570'	
Static Max.....	505' 1938	567' 1914	549' ('40)	
Static Min.....		567' 1941		
Av. G. P. D.....		20,000	200	200
Yield g. p. m.....		75	6	5
Drawdown.....		?	8	
Date.....			1940	1933
Use.....		City	Household	Household
Analysis No.....		51277		73768
Remarks.....	(306)		33'-4 1/2" casing	Owner report

TOWNSHIP 32 NORTH; RANGE 10 EAST

Section.....		20
Owner.....		Paul Sarb
Location.....		NW of SW of NW 1/4
Driller.....		Schorie & Dreher
Date Drilled.....		1942
Depth.....		94'
Diameter.....		4 1/2"
Status.....		In use
S. L. Elevation		
Ground.....		560'
Static Max.....		538'
Static Min.....		
Av. G. P. D.....		200
Yield g. p. m.....		5
Drawdown.....		13
Date.....		
Use.....		
Analysis No.....		
Remarks.....		Rock at 38' 40'-4 1/2" casing

TOWNSHIP 33 NORTH; RANGE 9 EAST

Section	1	1	1	1	1	1	1
Owner.....	Roger Wharton Estate	Prairie Creek School	Peter Corelto	Wm. Morgan Est.	Kankakee Ordinance Works No. 5	Kankakee Ordinance Works No. 5A	Kankakee Ordinance Works (408)
Location.....	200'S & 300'W NE Cor.	50'N & 50'W SE Cor. SW 1/4	710'N & 120'W SE Cor. SW 1/4	1798'N & 200'W of SE Cor.	3166'N & 2737'W SE Cor.	2378'N & 2735'W SE Cor.	2400'N & 100'W SE Cor.
Driller.....	J. T. Mathews	Roy Anderson	Arthur Wood	Alex Schiffman	C. W. Varner	C. W. Varner	Jos. A. Kramer
Date Drilled.....	1905	1924	1898	1913	1941	1942	1942
Depth.....	877'	70'	154'	160'	935'	1653'	170'
Diameter.....	4"	4 1/2"	2 1/2"	4"	18"	18"	4 1/2"
Status.....	Abandoned	?	?	?	Water level recorder	In use	In use
S. L. Elevation							
Ground.....	625'	565'	568'	620'	572'	570'	620'
Static Max.....	475' 1934		558' 1934	560' 1934	437' 1941	337' 1942	550' ('42)
Static Min.....	425' 1934		506' 1934	500' 1934	386' 1942		
Av. G. P. D.....	200 1934	100 1934	100 1934	100 1934			
Yield g. p. m.....	5	2	2	6	160	975	
Drawdown.....	50'		60'	259'	103'	103'	
Date.....	1934	1934	1934	1941	1941	1941	
Use.....	Household	School	Household		Observation	Kankakee Ordinance Works	House
Analysis No.....	80302-89269		89268		91401	93448	
Remarks.....					S.W.S. water level recorder	Production test July 22-23, 1942	73' of 4 1/2" casing

TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued

Section	2	2	2	2	2	2	3
Owner.....	John Alexander	John Alexander	Thomas Raleigh	Roger Wharton Est.	Quinlan Est.	J. B. McIntire	Harry Lampin
Location.....	365'N & 120'W SE Cor. NE 1/4	505'N & 130'W SE Cor. NE 1/4	100'S & 1320'W NE Cor.	160'N & 705'E SW Cor.	60'N & 1230'E SW Cor.	125'N & 920'E of SW Cor. SE 1/4	165'S & 396'W NE Cor.
Driller.....	Schorie & Dreher	Roy Anderson	Charles Yates	Alex Schiffman	Alex Schiffman		Charles Yates
Date Drilled.....	1917	1933	1902	1902	1904	1900	1900
Depth.....	57'	52'	140'	100'	80'	80'	90'
Diameter.....	4"	4 1/2"	4"	4"	4"	4"	6"
Status.....							
S. L. Elevation							
Ground.....	560'	558'	542'	540'	542'	544'	530'
Static Max.....	544' 1917	546' 1933			523' 1904	524'	495'
Static Min.....							
Av. G. P. D.....	100 1914	100 1933	100 1934	200	100	100	100
Yield g. p. m.....	3	3	2	3	2 1/2	2 1/2	5
Drawdown.....	4'	?	?				
Date.....	1934	1934					
Use.....							
Analysis No.....	89576	89575	89267	89580	89577	89578	
Remarks.....							

**WILL COUNTY
TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued**

Section.....	3	3	3	4	4	4	4
Owner.....	Louis Nicholson	B. A. Pinneo	Louis Godel	Walker Findley	Walker Findley	Chas. H. Wood	Chas. H. Wood
Location.....	318'S & 50'E NW Cor. NE ¼	825'S & 1200'E of NW Cor.	120'N & 1300'W SE Cor.	750'N & 100'W SE Cor.	1240'N & 235'W SE Cor.	55'S & 50'W NE Cor.	85'S & 220'W NE Cor.
Driller.....	Alex Schiffman	Alex Schiffman	Charles Yates	Tom Anderson	Alex Schiffman	Mr. Crawford	Alex Schiffman
Date Drilled.....	1898	1905	1902	1928	1903	1888	1920
Depth.....	69'	80'	78'	75'	85'	474'	543'
Diameter.....	4"	4"	4"	4½"	4½"	5"	5"
Status.....							
S. L. Elevation.....							
Ground.....	528'	529'	530'	525'	523'	520'	518'
Static Max.....	513'	508'	525'	517'	517'	514'	514'
Static Min.....							
Av. G. P. D.....	100	100	100	100	100	100	100
Yield g. p. m.....	2½	2½	3	3½	5	6	5
Drawdown.....							
Date.....							
Use.....							
Analysis No.....	80240		89266			89265	
Remarks.....							

TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued

Section.....	4	4	4	4	4	5	5
Owner.....	Chas. H. Wood	John Martin Est.	B. P. Riley	Thomas Riley	Kankakee Ordnance Works (513)	Will Co. National	School District No. 12
Location.....	270'S & 460'W NE Cor.	140'S & 1400'W NE Cor. NW ¼	1720'S & 1250'E NW Cor.	1420'N & 1320'E SW Cor.	1600'S & 1300'E NW Cor.	120'S & 950'W NE Cor.	50'S & 800'W NE Cor. NW ¼
Driller.....	Tom Anderson	John Martin	Alex Schiffman	Alex Schiffman	Jos. A. Kramer	Jos. A. Kramer	Jos. A. Kramer
Date Drilled.....	1930	1900	1901	1910	1942	1917	1917
Depth.....	65'	20'	507'	160'	330'	375'	155'
Diameter.....	4½"	36"	5"	4"	6"	4½"	4"
Status.....					In use		
S. L. Elevation.....							
Ground.....	517'	515'	515'	515'	515'	515'	510'
Static Max.....	514'	497'		503'	480' ('42)	495'	500'
Static Min.....						435'	
Av. G. P. D.....	100	100	100	100	100	100	300
Yield g. p. m.....	4	3	3	3		2½	2½
Drawdown.....							
Date.....							
Use.....					House	Home	Home
Analysis No.....		89264		89263			
Remarks.....					105'-6-4½" casing		

TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued

Section.....	5	6	6	6	7	7	7
Owner.....	Mrs. Francis Kelley	W. Flynn Est.	Mrs. M. Link	Steve Phelan	Jay O'Brien	W. Elyea	Charles Bardwell
Location.....	130'S & 900'E NW Cor.	209'N & 100'W SE Cor. NE ½	112'S & 405'E NW Cor. NE ½	250'S & 1200'E NW Cor. SW ¼	500'N & 100'E SW Cor. SE ¼	350'S & 150'E NW Cor. SW ¼	1428'N & 500'W SE Cor.
Driller.....	Jos. A. Kramer		Tom Anderson	Ed. Collins	Tom Anderson	C. Anderson	Tom Anderson
Date Drilled.....	1900	1900	1904	1895	1900	1916	1895
Depth.....	375'	400'	277'	87'	340'	212'	170'
Diameter.....	4"	4"	4"	3"	4"	4"	4"
Status.....	In service	In service	In service	In service	In use	In use	
S. L. Elevation.....							
Ground.....	510'	510'	512'	510'	520'	518'	518'
Static Max.....					505'		512'
Static Min.....							
Av. G. P. D.....	100	100	100	100	100	100	100
Yield g. p. m.....	2½	3	2	2½	2½	2½	2½
Drawdown.....							
Date.....							
Use.....	HH & stock	HH & Stock	HH & Stock	HH & Stock	HH & farm	HH & farm	HH & farm
Analysis No.....							
Remarks.....					Black sulfur water		

TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued

Section.....	8	8	8	9	9	9	9
Owner.....	J. Henneberry	School (Lorenzo)	J. Barr Estate	J. Magner	George T. Nail	Mrs. Gavigan	A. Kelly
Location.....	100'N & 200'E SW Cor.	75'N & 50'W	1400'N & 600'E SW Cor. SE ¼	1100'S & 120'W NE Cor.	1000'S & 400'E NW Cor.	1200'N & 1500'E SW Cor.	400'S & 50'E NW Cor. SE ¼
Driller.....		Tom Anderson	Tom Anderson	Roy Anderson	Tom Anderson	Falkner (Tom Anderson)	Ed Collins
Date Drilled.....	1910	1930	1904	1929	1899	1900	1892
Depth.....	20' dug	476'	160'	605'	531½'	520'	68'
Diameter.....	24"	4½"	4"	4½"	4"	8"	4"
Status.....	In use	In use	In use	Abandoned	Abandoned	In use	Abandoned
S. L. Elevation.....							
Ground.....	522'	525'	522'	525'	510'	523'	510'
Static Max.....	506'	510'	507'	510'	490'		502'
Static Min.....	504'						510'
Av. G. P. D.....	100	50	100	100	100	100	100
Yield g. p. m.....	3	3	3	2	3	2	2½
Drawdown.....							
Date.....							
Use.....	HH & Stock	School	HH & Stock	Abandoned	Abandoned	HH & Stock	Abandoned
Analysis No.....					89262-13533		
Remarks.....							

WILL COUNTY
TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued

Section	9	10	10	10	11	11	11
Owner	Kankakee Ordnance Works (619)	J. Lestin	J. Tierney	J. Tierney	J. McFatire	F. Teeter	Wm. McGinnis
Location	900'S & 800'E NW Cor.	620'N & 30'W SE Cor. NE †	100'S & 80'E NW Cor. NE †	400'N & 50'W SE Cor.	80'S & 800'E	520'N & 175'E SW Cor.	120'N & 1100'E SW Cor.
Driller	Jos. A. Kramer		Ed. Collins	D. J. Tierney	Alex Schiffman	Alex Schiffman	Alex Schiffman
Date Drilled	1942	1870	1895	1875	1920	1905	1912
Depth	180'	90'	100'	24' dug	90'	39'	90'
Diameter	4"	4"	4"	24" x 24"	4"	4"	4"
Status	In use						
S. L. Elevation							
Ground	510'	520'	530'	541'	540'	542'	544'
Static Max	480' (42)	510'	507'	513'			
Static Min				497'			
Av. G. P. D.		100	100	100	100	100	100
Yield g. p. m	5	2½	3	3	2½	6	3
Drawdown	5						
Date	6-25-42						
Use	House	Abandoned					
Analysis No.					88579	80301	
Remarks	135' of 4" casing			Failed in dry weather			

TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued

Section	12	12	12	12	12	12	12
Owner	James Ward	Wm. Roderick	Mrs. Miller	Mrs. Tom Ryan	J. Craig Est.	Sinclair Prairie Oil Company	Kankakee Ordnance Works No. 11
Location	140'N & 150'W SE Cor. NE †	180'N & 120'E SW Cor. NE †	900'S & 200'E NW Cor. NE †	1000'S & 100'W NE Cor. NW †	100'S & 320'E NW Cor.	930'N & 200'W SE Cor.	NE † NE † Section 12
Driller			Peter Dittmeyer		Alex Schiffman	Alex Schiffman	Layne Western Co.
Date Drilled	1926	1904	1920	1894	1904	1924	1942
Depth	18' dug	65'	120'	12' dug	42'	232'	1600'
Diameter	24"	4"	4½"	12"	4"	6"	
Status						7	Drilling
S. L. Elevation							
Ground	570'	558'	560'	560'	560'	565'	
Static Max	554'	543'	540'	551'	545'	540'	
Static Min	544'		540'	548'	545'	549'	
Av. G. P. D.	100	100	100	100	100	100	
Yield g. p. m	5	3	3	3	3	5	
Drawdown							
Date							
Use						?	
Analysis No.						89273	
Remarks							Under construction

TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued

Section	13	13	13	13	13	14	14
Owner	Shamrock Inn	Mrs. F. Pino	Don Collins	F. Pino	J. Nugent	Ed. Collins, Jr.	J. Kelley
Location	450'N & 250'W SE Cor.	100'S & 800'E NW Cor.	50'N & 375'E SW Cor. NE ¼	500'N & 1000'E SW Cor. NE ¼	200'N & 500'E SW Cor.	150'S & 600'E of NW Cor.	300'S & 150'E NW Cor. SE ¼
Driller	Roy Anderson	Alex Schiffman	Mr. Cummings	Alex Schiffman	Alex Schiffman	Ed. Collins	
Date Drilled	1920		1934		1903	1900	1850
Depth	120'		139'		120'	150'	10' dug
Diameter	4 1/2"	4"	6"	4"	4"	4"	4 1/2"
Status	Abandoned						
S. L. Elevation							
Ground	562'	560'	558'	558'	560'	550'	560'
Static Max					545'	544'	552'
Static Min							552'
Av. G. P. D.	100	100	100	100	100	100	100
Yield g. p. m.	3		4	2 1/2	3	4	4
Drawdown							
Date							
Use	Abandoned						
Analysis No.							
Remarks							

TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued

Section	15	15	15	15	16	16	17
Owner	Roger Weldon Est.	John Tiernan	Mrs. Gould	Kankakee Ordnance Works (526)	Ed. Donahoe	D. Hayes	J. Cairns
Location	20'S & 1000'W NE Cor. NW ¼	120'N & 1750'W SE Cor.	2200'N & 700'E SW Cor.	2600'N & 2200'E SW	330'N & 150'W SE Cor. NE ¼	150'S & 80'E NW Cor.	80'S & 100'W NE Cor.
Driller	Alex Schiffman	Alex Schiffman	Alex Schiffman	Jos. A. Kramer	Charles Anderson	D. Hayes	
Date Drilled	1910		1915	1942	1894	1880	1920
Depth	115'		165'	190'*	535'	31' dug	15' dug
Diameter	4 1/2"		4 1/2"	4 1/2"	4"	4 1/2"	3 1/2"
Status			In use	In use	In use	In use	In use
S. L. Elevation							
Ground	525'	542'	540'	525'	545'	535'	534'
Static Max	514'			465' (9-30-42)	470'		
Static Min	509'	500'					
Av. G. P. D.	100	100	100		100	100	100
Yield g. p. m.	5	3			4	4	2
Drawdown							
Date							
Use			Farm	House	Farm	Farm	Farm stock
Analysis No.					80341		
Remarks				*(507)		Seasonal	Seasonal

WILL COUNTY
TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued

Section	17	17	18	18	18	21	22
Owner	Martin Underwood	Martin Underwood	Chas. Bardwell	Mrs. Johnson	Frank Cooper	Tom Anderson	Carrie Thomas
Location	70°S & 105°W NE Cor. NW ¼	120°S & 55°E NW Cor.	130°S & 60°W NE Cor.	500°S & 155°W NE Cor.	150°S & 48°W NE Cor. NW ¼	100°S & 100°W NE Cor.	200°S & 135°W NE Cor.
Driller	Tom Anderson	Tom Anderson				Tom Anderson	Mr. Cummings
Date Drilled	1905	1904	1915		1920	1907	1931
Depth	450'	90'	20' dug	20' dug	119'	635'	200'
Diameter	4"	4"			4"	4"	4 1/2"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	532'	530'	528'	528'	528'	542'	538'
Static Max			512'	504'	504'		
Static Min			510'	504'	504'		
Av. G. P. D.	100	100	100	100	100	100	100
Yield g. p. m.	2	3	4	3	3	3	3
Drawdown							
Date							
Use	Farm stock	Farm stock	Farm stock	Farm stock	Farm stock	Farm stock	Farm stock
Analysis No.							
Remarks							Very weak well

TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued

Section	23	23	23	23	23	23	23
Owner	G. Florian	G. Florian	C. J. Luther	H. Van Dyne	J. Godel	Mr. Pepper	E. J. Kahler
Location	1200°N & 250°E SW Cor.	100°N & 1250°E SW Cor.	1600°N & 1750°E SW Cor.	800°S & 230°E NW Cor. SE ¼	800°S & 600°E NW Cor. SE ¼	1150°N & 1000°W SE Cor.	660°N & 500°W SE Cor.
Driller	G. Florian	G. Florian	Luther & Schiffman	H. Kramer	Roy Anderson		Alex Schiffman
Date Drilled	?	?	1857-1900	1933	1930	1894	1900
Depth	40' dug	18' dug	700'	157'	140'	120'	640'
Diameter	24"	24"	4"	4"	4 1/2"	4"	8"
Status	In use	In use	Out of use	?	?	?	?
S. L. Elevation							
Ground	540'	540'	535'	540'	540'	540'	525'
Static Max	503'	526'		527'	513'	510'	510'
Static Min		526'			510'	510'	375'
Av. G. P. D.	100	100		100	100	100	100
Yield g. p. m.	3	2 1/2		8	2	4	5
Drawdown							
Date							
Use	Farm stock	Farm stock	Abandoned	Abandoned	Abandoned	Abandoned	Abandoned
Analysis No.						80294	
Remarks							

TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued

Section	23	24	24	24	24	25	25
Owner		J. Kelley	F. Carterfield	Tom Newman	Mr. McIntire	City of Wilmington No. 1	City of Wilmington No. 2
Location	400'N & 120'W SE Cor.	1550'S & 600'E NW Cor.	100'N & 1000'E SW Cor. NW 1/4	100'N & 900'E SW Cor.	120'N & 1000'W SW Cor.	1200'N & 1400'E SW Cor.	1250'N & 1425'E SW Cor.
Driller	Alex Schiffman		Alex Schiffman	?	Alex Schiffman	J. W. Hensley & Co.	C. W. Varner
Date Drilled	1919		1900	1905	1910	1917	1936
Depth	724'	20' dug	900'	20'	100'	710'	1598'
Diameter	4"	48"	4"	?	4"	12"	12"
Status	?	?	?	?	In use	In use	In use
S. L. Elevation							
Ground	540'	540'	540'	541'	541'	540'	540'
Static Max.	534'	522'	540'	525'	521'	523' 1917	481' 1936
Static Min.						437' 1942	418' 1942
Av. G. P. D.	100	100	100	100	100	90,000	90,000
Yield g. p. m.	2	3	3	3	7	450	450
Drawdown							
Date							
Use	Abandoned	Abandoned	Abandoned	Abandoned	Farm	City	City
Analysis No.						43291	83455
Remarks							

TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued

Section	25	25	25	25	25	25	26
Owner	City of Wilmington	Commercial National Bank?	Harave Swaval	E. J. Strong	Mary J. Kangley	Wilton Theatre (Wilmington)	W. J. Davey
Location	1600'N & 1800'E SW Cor.	1220'N & 400'W SE Cor.	1390'N & 30'W SE Cor.	1400'N & 250'W SE Cor.	750'S & 1056'W NE Cor. SE 1/4	870'N & 1170'E SW Cor.	530'N & 1456'W SE Cor. NE 1/4
Driller	?	?	?	?	?	?	?
Date Drilled	1885	1904	?	1854	?	1941	1885
Depth	?	?	20' dug	20' dug	?	200'	22' dug
Diameter	?	?	36"	36"	?	3"	36"
Status	In use	?	In use	In use	In use	Very poor	In use
S. L. Elevation							
Ground			542'	542'	543'		540'
Static Max.			524'	525'	527'		541'
Static Min.			522'	525'	525'		539'
Av. G. P. D.			100	100	100	200	100
Yield g. p. m.	2	2	5	3	5		6
Drawdown							
Date							
Use	Park	?	Home	Home	Home	Theatre	Farm
Analysis No.							
Remarks						Rock at 15' 10'-8" casing	

WILL COUNTY
TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued

Section	26	26	26	26	26	26	26
Owner	Soldiers & Widows Home	W. S. Shipley	Liberty Display Fireworks	P. Van Dyne	Mrs. Miller	C. W. Frost	Thomas Osborn
Location	1350'N & 1350'W SE Cor. NE ¼ Alex Schiffman	1050'S & 1320'W NE Cor. NE ¼ Alex Schiffman	150'N & 200'W SE Cor. SW ¼ Mr. Cummings	50'N & 30'W SE Cor. SW ¼ Roy Anderson	700'N & 560'W SE Cor. ?	1100'N & 360'W SE Cor. Charles Yates	1500'N & 600'W SE Cor. ?
Driller	Alex Schiffman	Alex Schiffman	Mr. Cummings	Roy Anderson	?	Charles Yates	?
Date Drilled	1904	1902	?	1930	1890	1880	?
Depth	?	59'	200'	130'	35' dug	97'	15' dug
Diameter	4"	4"	6"	4 1/2"	24"	6"	4 1/2"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	540'	540'	570'	570'	560'	550'	550'
Static Max	600' 1922	530'	550'	360'	540'	533'	
Static Min							
Av. G. P. D.	1,000	100	100	100	100	100	100
Yield g. p. m.	25	2 1/2	5	2	2	2	2
Drawdown							
Date							
Use	Home	Farm	Plant	Home	Home	Home	Home
Analysis No.							
Remarks							

TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued

Section	26	27	27	27	27	34	34
Owner	J. S. Osborn	Mr. Carvany	B. Kurth	W. Martin	W. Martin	John Danko	Steve Danko
Location	250'N & 250'W SE Cor.	500'N & 500'E SW Cor. NE ¼	600'S & 750'E NW Cor. SW ¼	200'N & 180'W SE Cor. SW ¼	800'N & 840'W SE Cor. SW ¼	220'N & 2180'W SE Cor.	250'N & 1450'W SE Cor.
Driller	Schorie & Dreher	Schorie & Dreher	Mr. Cummings	Alex Schiffman	Alex Schiffman	?	?
Date Drilled	1942	1931	1931	1920	?	1930	?
Depth	137'	230'	172'	150'	150'	20' dug	30' dug
Diameter	4 1/2"	5"	4 1/2"	4 1/2"	4"	3 1/2"	3 1/2"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground		560'	558'	560'	562'	563'	563'
Static Max		520'	543'			557'	555'
Static Min							
Av. G. P. D.		100	100	100	100	100	100
Yield g. p. m.		5	2 1/2	4	3	6	6
Drawdown							
Date							
Use		Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks	50' of 4 1/2" casing					Goes dry in summer since strip mining started	Goes dry in summer since strip mining started

TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued

Section.....	35	35	35	35	35	35	35
Owner.....	J. Kahler	R. Engles	A. Coles	Mrs. Homolka	Mr. Rybicka	Mr. Komolka	Mrs. Seybert
Location.....	60°S & 330°W NE Cor.	80°S & 720°W NE Cor.	790°N & 1030°W SE Cor. NE ¼	500°N & 1500°W SE Cor. NE ¼	500°N & 1230°W SE Cor. NE ¼	80°N & 1500°W SE Cor. NE ¼	953°S & 731°W NE Cor.
Driller.....	Roy Anderson	Alex Schiffman	Alex Schiffman	Roy Anderson	Roy Anderson	?	Alex Schiffman
Date Drilled.....	1929	1910	1909	1923	?	?	?
Depth.....	166'	80'	80'	120'	130'	20' dug	?
Diameter.....	4½"	4"	4"	4½"	4½"	45"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	540'	540'	540'	560'	550'	560'	545'
Static Max.....	507'	525'	?	533'		542'	
Static Min.....						540'	
Av. G. P. D.....	100	100	100	100	100	100	100
Yield g. p. m.....	3	2½	2	2½	4	3	6½
Drawdown.....							
Date.....							
Use.....	Home	Home	Home	Home	Home	Home	Home
Analysis No.....	80789	80788					
Remarks.....	Gas station	Black sulfur when pumping starts	Black sulfur Poor well	Not a good well Repaired in 1934			

TOWNSHIP 33 NORTH; RANGE 9 EAST—Continued

Section.....	35	35	35	35	35	35
Owner.....	Mrs. Elizabeth Singleton	Mrs. Jerry Lacey	Alexander Estate	Mike Donohoe	Carl Johnson	Carl Johnson
Location.....	890°S & 725°W NE Cor.	770°S & 637°W NE Cor.	390°S & 580°W NE Cor.	60°N & 500°E SW Cor. NW ¼	1200°N & 1380°W SE Cor.	1380°N & 1400°W SE Cor.
Driller.....	?	?	Harry Kramer	?	Alex Schiffman	C. Johnson
Date Drilled.....	1896	1904	1933	1921	1890	
Depth.....	40'	100'	134½'	16' dug	200'	Spring
Diameter.....	4"	4"	?	38"	6"	
Status.....	In use	In use	In use	In use	In use	
S. L. Elevation.....						
Ground.....	545'	545'	545'	565'	540'	
Static Max.....		525'	525'	555'	525'	
Static Min.....						
Av. G. P. D.....	100	100	100	100	100	
Yield g. p. m.....	6½	6½	?	6½	4	
Drawdown.....						
Date.....						
Use.....	Home	Home	Home	Road house	Home	?
Analysis No.....						
Remarks.....						

WILL COUNTY
TOWNSHIP 33 NORTH; RANGE 9 EAST—Concluded

Section	35	35	36	36	36	36
Owner	Carl Johnson	Carl Johnson	Jay Franklin	Walter Adams	Nye Osborne	W. Stahl
Location	1500'N & 1250'W SE Cor.	1500'N & 1450'W SE Cor. NE $\frac{1}{4}$	100'S & 100'W NE Cor. SW $\frac{1}{4}$	80'S & 1250'W NE Cor. SW $\frac{1}{4}$	900'N & 300'E SW Cor. SE $\frac{1}{4}$	100'N & 1300'W SE Cor.
Driller	Alex Schiffman	Carl Johnson	?	Wm. Reed	Alex Schiffman	Alex Schiffman
Date Drilled	1880	1920	?	1923	1905	1912
Depth	700'	20' drive point	24' dug	58'	80'	125'
Diameter	8"	11"	24"	41"	6"	4"
Status	Not used	In use	In use	In use	In use	In use
S. L. Elevation						
Ground	540'		557'	550'	560'	560'
Static Max	530'	590'	537'	545'	554'	542'
Static Min						
Av. G. P. D.		100	30	50	100	100
Yield g. p. m.	?	2	2	3	4	7
Drawdown						
Date						
Use	Not used		Home	Home	Farm	Farm
Analysis No.						
Remarks						

TOWNSHIP 33 NORTH; RANGE 10 EAST

Section	1	2	5	6	7	7	9
Owner	Hayden School Dist. No. 67	Elwood Ordnance Plant	John Cavanaugh	Wm. N. Wurtz	A. D. Jackson	Mr. Morgan	Elwood Ordnance Plant
Location	50'E & 30'N SW Cor.	Group 3, 50'E & 1700'N SW Cor.	100'W & 1300'S NE Cor.	100'N & 1450'W SE Cor.	1300'S & 100'W NE Cor.	400'N & 100'E SW Cor.	West deep well 100'S & 2100'W NE Cor.
Driller	Schorie & Dreher	S. B. Geiger & Co.		Schorie & Dreher	Peter Dittmeyer	Schorie & Dreher	J. P. Miller Artesian Well Co.
Date Drilled	1939	1941	?	?	?	1939	1941
Depth	130'	388'	72'	140'	92'	140'	1845'
Diameter		12"	8"	41"	41"		16"
Status	?	In use	Abandoned	Abandoned	Abandoned	Abandoned	In use
S. L. Elevation							
Ground	661'	630'	640'	620'	605'	560'	640'
Static Max		618' 1941					502'
Static Min							439' 6-17-42
Av. G. P. D.	20	?					
Yield g. p. m.	2	246					
Drawdown		923'					
Date		5-26-41					164'
Use	?	Plant	Abandoned	Abandoned	Abandoned	Abandoned	May 27, 1941
Analysis No.	89348	90631	89357			89345	Plant 91163
Remarks							

TOWNSHIP 33 NORTH; RANGE 10 EAST—Continued

Section	9	9	10	10	10	11	15
Owner	Elwood Ordnance Plant	Elwood Ordnance Plant	Henry Blogg	Elwood Ordnance Plant	Elwood Ordnance Plant	Frank Miller	Mrs. Jackson
Location	East deep well No. 1 100'S & 100'W NE Cor.	East deep well No. 2 120'W & 1500'S NE Cor.	100'N & 1800'E SW Cor.	Group 2, 400'S & 2100'E NW Cor.	Group 3A, 1800'N & 750'E SW Cor.	100'N & 1700'W SE Cor.	100'S & 1600'W NE Cor.
Driller	J. P. Miller Artesian Well Co.	J. P. Miller Artesian Well Co.		S. B. Geiger & Company	Henry Boysen, Jr.	Schorie & Dreher	Peter Dittmyer
Date Drilled	1941	1941	?	1941	1941		
Depth	835'	167'	100'+	834'	135'	120'	80'
Diameter		18"	?	12"	12"	?	
Status	Abandoned	In use	Abandoned	In use	In use	Abandoned	Abandoned
S. L. Elevation							
Ground	642.3'	646.5'	630	642'	635'	644	630'
Static Max.		482.5			613'		620'
Static Min.		439 ?					620'
Av. G. P. D.							
Yield g. p. m.		67'		150 21'	150 18'		
Drawdown							
Date		Aug. 24, 1941		Feb. 22, 1941	Sept. 10, 1941		
Use	Abandoned	Plant	Abandoned	Plant	Plant	Abandoned	Abandoned
Analysis No.		91291	89344	89960	91402		89350
Remarks							

TOWNSHIP 33 NORTH; RANGE 10 EAST—Continued

Section	15	15	16	17	19	21	22
Owner	Henry Blogg	Frank Deutschman	Elwood Ordnance Plant	R. G. Richards	Mr. Barry	Adam McDowell	John Whalen
Location	1700'S & 100'E NW Cor.	3000'S & 100'W NE Cor.	Group No. 1 500'S & 1000'W NE Cor.	150'N & 550'W SE Cor.	300'S & 100'W NE Cor.	1500'N & 200'W SE Cor.	300'S & 100'W NE Cor. SE 1/4
Driller	Schorie & Dreher	Peter Dittmyer	S. B. Geiger & Co.		Peter Dittmyer	Schorie & Dreher	Schorie & Dreher
Date Drilled		1940	1941		1920	1942	1942
Depth	140'	143'	803'	100'+	67'	63'	117'
Diameter		4 1/2"	12"		4 1/2"	4 1/2"	4 1/2"
Status	Abandoned			Abandoned	In use	In use	In use
S. L. Elevation							
Ground	638'	635'	642.8'	606'	582'	620'	638'
Static Max.		622'	475.5'		570'	598'	618'
Static Min.		622'			570'		
Av. G. P. D.					100	100	100
Yield g. p. m.			65		8 1/2	5	10
Drawdown			75			9	3
Date			4-21-41			1942	1942
Use	Abandoned	Abandoned	In use	Abandoned	Abandoned	Farm	Farm
Analysis No.	89349	89347	90431	89355	89346		
Remarks						Rock at 15' 17'-4 1/2" casing	(308)

WILL COUNTY
TOWNSHIP 33 NORTH; RANGE 10 EAST—Concluded

Section.....	22	22	23	23	23	27	33
Owner.....	John Mackender	Frank Renchen	A. N. Hilton, Symerton	Village of Symerton	Ben. J. Baskerville	Andrew Baskerville	A. Baskerville
Location.....	650'S & 75'W NE Cor. SE ¼	600'S & 100'W NE Cor. SE ¼	2200'N & 300'E SW Cor.		1500'E & 200'N SW Cor.	150'S & 800'E NW Cor.	700'N & 100'W SE Cor.
Driller.....	Schorie & Dreher	Schorie & Dreher	Peter Dittmyer		Schorie & Dreher	C. S. Cumming	Peter Dittmyer
Date Drilled.....	1942	1942	1920	1910	1942		
Depth.....	120'	118'	88'		160'	110'	272'
Diameter.....	4 1/2"	4 1/2"			4 1/2"	4 1/2"	
Status.....	In use	In use	In use	In use	In use		
S. L. Elevation.....							
Ground.....	639'	640'	640'	640'	645'	610'	625'
Static Max.....		620'	626'		607'		
Static Min.....							
Av. G. P. D.....	100	100	100		100	100	
Yield g. p. m.....		10	8 1/2		10	5	
Drawdown.....					7		
Date.....					1942		
Use.....			Home	Fire protection	Household	Farm	
Analysis No.....			89351			89356	
Remarks.....	Village Symerton	(309)			Rock at 61' 68'-4 1/2" casing		

TOWNSHIP 33 NORTH; RANGE 11 EAST

Section.....		15	17	26
Owner.....		Edward Dite	Mrs. George Brannon	Wm. Cunningham
Location.....		1320'N & 75'W SE Cor. SW ¼	120'S & 2200'W NE Cor. NW ¼	300'N & 100'W SE Cor. SW ¼
Driller.....		Schorie & Dreher	Schorie & Dreher	Schorie & Dreher
Date Drilled.....		1942	1942	1942
Depth.....		120'	125'	113'
Diameter.....		4 1/2"	4 1/2"	4 1/2"
Status.....		In use	In use	In use
S. L. Elevation.....				
Ground.....				
Static Max.....				
Static Min.....				
Av. G. P. D.....		100	100	100
Yield g. p. m.....		10	10	10
Drawdown.....				
Date.....				
Use.....		Farm	Farm	Farm
Analysis No.....				
Remarks.....		(376)	(376)	(377)

TOWNSHIP 33 NORTH; RANGE 12 EAST

Section.....	1	1	1	1	1	1	2
Owner.....	Peter Johnson	Albert Schubbee	Albert Schubbee	School House	Henry Monk	John Roger	Geo. Schwiesow
Location.....	340°S & 135°W NE Cor.	620°N & 530°E SW Cor. NE ↓ NW ↓	530°N & 530°E SW Cor. NE ↓ NW ↓	33°N & 160°E SW Cor.	355°N & 285°W SE Cor. SW ↓ SW ↓	304°N & 1210°E SW Cor. SE ↓	335°S & 20°E NW Cor. NE NE ↓
Driller.....	Chas. Houghten	?	Chas. Houghten	Chas. Houghten	Jim Armstrong	Jim Armstrong	?
Date Drilled.....	1371	1884	1910	1901	1886	1904	1885
Depth.....	200'	61'	82'	65'	108'	100'	42'
Diameter.....	44"	54"	54"	4"	4"	4"	48"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....	100	30	100	30	100	100	100
Yield g. p. m.....	8	8	8	8	8	8	9
Drawdown							
Date.....							
Use.....	Farm	Farm	Farm	School	Farm	Farm	Farm
Analysis No.....	80354				80236		80222
Remarks.....	(378)	(379)	(380)	(381)	(382)	(383)	Stone curbing Static 1934 35'

TOWNSHIP 33 NORTH; RANGE 12 EAST—Continued

Section.....	2	2	2	3	3	4	4
Owner.....	Fred Schubbee	Edward Ginter	Chas. Hagenno	German Church Parsonage	J. Buck	Philip Klemann	Mrs. Kate Sang- meister
Location.....	170°N & 500°W SE Cor. SW SW ↓	465°S & 117°E NW Cor. SW SE ↓	209°N & 530°W SE Cor.	295°S & 40°W NE Cor.	530°N & 125°E SW Cor. NW SW ↓	60°S & 235°N NE Cor.	740°W NE Cor. SW NE ↓
Driller.....	?	Wm. Myer	Wm. Myer	Jim Armstrong	Jim Armstrong	Jim Armstrong	?
Date Drilled.....	?	1914	1914	1909	1917	1909	1894
Depth.....	?	101'	100'	100'	127'	119'	38' dug
Diameter.....	4"	6"	4"	4"	4"	4"	42"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....	100	100	100	100	100	100	100
Yield g. p. m.....	8	8	8	8	8	12	8
Drawdown							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							80284
Remarks.....	Stone curbing Static 1934 30"	(384)	(385)	(386)	(387)	(388)	(389)

WILL COUNTY
TOWNSHIP 33 NORTH; RANGE 12 EAST—Continued

Section Owner.....	⁴ Mrs. Kate Sangmeister	⁴ Miss Frida Borms	⁴ Mrs. Mary Gorston	⁴ School	⁵ Ross Estate	⁵ Mrs. Mary Subbert	⁵ Conrad Andres
Location.....	734'N NE Cor. SW NE $\frac{1}{4}$	110'S & 530'E NW Cor. NE NW $\frac{1}{4}$	555'N & 260'E SW Cor.	80'N & 40'W SE Cor.	660'N & 530'W SE Cor. SW NE $\frac{1}{4}$	530'N & 200'E SW Cor. NW NW $\frac{1}{4}$	530'S & 41'E NW Cor. SW $\frac{1}{4}$
Driller.....	Wm. Meyer	?	?	Wm. Meyer	Louis Hoffman	?	?
Date Drilled.....	1911	1883	1875	1904	1884	1884	1884
Depth.....	110'	100'	60' dug	125'	55' dug	125' dug & drilled	40' dug
Diameter.....	4 $\frac{1}{2}$ "	4"	4 $\frac{1}{2}$ "	4"	4 $\frac{1}{2}$ "	4"	4 $\frac{1}{2}$ "
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....	100	100	100	30	100	100	100
Yield g. p. m.....	8	12	8	8	10	8	8
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	School	Farm	Farm	Farm
Analysis No.....							
Remarks.....	(380)	(381)	Stone curbing Static 1934 40'	Limestone at 70' 75'-4" casing (382)	Brick curbing Static 1934, 30'	(383)	Stone curbing Static 1934, 20'

TOWNSHIP 33 NORTH; RANGE 12 EAST—Continued

Section Owner.....	⁵ Andres & Wilton Grain Co.	⁵ Fred Borms	⁵ Gowan Hoahn Est.	⁵ Gowan Hoahn Est.	⁶ Henry Krapf Farm	⁶ Henry Krapf Property	⁶ Henry Krapf Property
Location.....	178'N & 260'E SW Cor. NW SW $\frac{1}{4}$	40'N & 230'E SW Cor. E $\frac{1}{4}$	240'S & 135'W NE Cor. SE $\frac{1}{4}$	240'S & 240'W NE Cor. SE $\frac{1}{4}$	120'S & 110'W NE Cor.	140'S & 530'E NW Cor. NE NW $\frac{1}{4}$	215'S & 420'E NW Cor. NE NW $\frac{1}{4}$
Driller.....	?	Louis Hoffman	Wm. Reed	?	Wm. Meyer	?	?
Date Drilled.....	1913	?	1928	?	1900	1923	?
Depth.....	96'	35' dug	119'	99'	101'	102'	40'
Diameter.....	4"	60"	4"	4"	4"	4"	3 $\frac{1}{2}$ "
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....	30	100	100	100	100	100	100
Yield g. p. m.....	8	8	8	8	15	10	8
Drawdown.....							
Date.....							
Use.....	Elevator	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....			80355				
Remarks.....	(384)	Stone curbing Static 1934, 20'	(385)	(386)	(387)	(388)	Stone curbing Static 1934, 30'

TOWNSHIP 33 NORTH; RANGE 12 EAST—Continued

Section.....	6	6	6	6	6	6	6
Owner.....	J. C. Krapf	Oliver Bros.	Andres & Wilton Grain Company	Andres & Wilton Grain Company	C. M. St. P. & P. Ry.	Conrad Andres	Conrad Andres
Location.....	1670'W Center NW ¼	350'N & 130'W SE Cor. W ¼	1320'N & 110'W SE Cor.	152'N & 110'W SE Cor. NE SE ¼	345'N & 990'E Center SE ¼	630'S & 135'W NE Cor. SE ¼	530'S & 135'W NE Cor. SE ¼
Driller.....	?	?	?	?	?	?	?
Date Drilled.....	1893	1910	1911	1912	1905	1924	1924
Depth.....	118' dug & drilled	102'	96'	96'	93' dug & drilled	96'	104'
Diameter.....	4 3/4"	4"	4"	4"	60'-8"	4"	4"
Status.....	In use	In use	In use	In use	Abandoned	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....	100	100	30	30	20,000	50	50
Yield g. p. m.....	10	6	8	8	75	8	8
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Elevator	Elevator	R. R. locomotive Abandoned	Home	Home
Analysis No.....							
Remarks.....	(398)	(400)	(401)	(402)	(403)	(404)	(405)

TOWNSHIP 33 NORTH; RANGE 12 EAST—Continued

Section.....	6	7	7	7	7	7	8
Owner.....	Conrad Andres	Clarence A. Miller	Jurres Estate	Henry Deininger	Henry Knoop	Mrs. Louisa Andres	John Andres
Location.....	265'S & 370'W NE Cor. SE ¼	150'S & 1055'E NW Cor. E ¼	719'S & 235'W NW Cor.	195'N & 1055'W SE Cor. W ¼	385'N & 1055'E SW Cor. E ¼	2640'N & 125'W SE Cor.	265'S & 100'W NE Cor. W ¼
Driller.....	?	?	Geo. Goetz	Jim Armstrong	Jim Armstrong	Wm. Meyer	?
Date Drilled.....	1924	1900	1864	1915	1897	1913	1874
Depth.....	112'	80'-100'	30'	120' dug & drilled	101'	135'	36' dug
Diameter.....	4"	5"	4 1/2"	4"	4"	4"	42"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....	50	30	100	100	100	100	100
Yield g. p. m.....	15	12	6	6	6	6	8
Drawdown.....							
Date.....							
Use.....	Home	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	(406)	Static 1934, 24'	Stone curbing Static 1934, 15'	(407)	(408)	(408)	Stone Static 1934, 18'

WILL COUNTY
TOWNSHIP 33 NORTH; RANGE 12 EAST—Continued

Section.....	8	8	8	8	8	8	8
Owner.....	School	Mrs. Louisa Andree	J. H. Leonard	J. H. Leonard	1st Trust J. S. Land Bank	Wm. Landan	Wm. Landan
Location.....	90°S & 115°E NW Cor.	1055°S & 110°E NW Cor. SW ½	360°N & 790°W SE Cor. W ½	500°N & 755°W SE Cor. W ½	510°N & 790°E SW Cor. E ½	120°N & 660°W SE Cor.	45°N & 610°W SE Cor.
Driller.....	?	Wm. Reed	?	Jim Armstrong	?	?	?
Date Drilled.....	1909	1928	?	1923	1931	1914	1899
Depth.....	112'	114'	35' dug	110'	119'	100'	75'
Diameter.....	4"	4"	?	4"	4"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....	30	30	30	150	300	30	600
Yield g. p. m.....	8	6	6	10	6	6	12
Drawdown.....							
Date.....							
Use.....	School	Farm home	Farm home	Farm home	Farm home	Farm home	Farm home
Analysis No.....							
Remarks.....	(410)	(411)	Stone curbing Static 1934, 28'	Ends in limestone 4" casing (412)	Ends in limestone 4" casing (413)	Ends in limestone 4" casing (414)	Ends in limestone 4" casing (415)

TOWNSHIP 33 NORTH; RANGE 12 EAST—Continued

Section.....	9	9	9	9	9	10	10
Owner.....	Peter Heusner	Arthur F. Jurres	John Englehart	Michael Welsh	Wm. Seitz	Mrs. Henry Jurres	Herman Bisping
Location.....	265°N & 255°W SE Cor. NE ½	105°S & 530°N NE Cor.	1055°N & 120°E SW Cor. NW ½	95°N & 1055°E SW Cor.	1055°S & 105°W NE Cor. SE ½	790°N & 110°E SW Cor. NW ½	1050°N & 55°W SE Cor. W ½
Driller.....	?	Jim Armstrong	Mr. Helman	?	?	Jim Armstrong	?
Date Drilled.....	1904	1904	1894	?	?	1885	?
Depth.....	96'	108'	62' dug	42' dug	30' dug	105'	125'
Diameter.....	4"	4"	36"	36"	36"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....	500	600	300	300	400	300	400
Yield g. p. m.....	8	12	8	6	8	10	8
Drawdown.....							
Date.....							
Use.....	Farm home	Farm home	Farm home	Farm home	Farm home	Farm home	Farm home
Analysis No.....							
Remarks.....	Limestone at 70' Static 1934, 30'	(416)	Stone curbing Static 1934, 12'	Stone curbing Static 1934, 18'	Stone curbing Static 1934, 24'	(417)	(418)

TOWNSHIP 33 NORTH; RANGE 12 EAST—Continued

Section	10	10	11	11	11	12	12
Owner	Victor Beutien	Anton Eilers	Citizens Bank of Peotone	Wm. Mueller	August Pralle	Harry P. Rehr (Administrator)	Philip Frochner
Location	790'N & 530'W SE Cor. NE ½	265'S & 1035'W NE Cor.	660'S & 265'E NW Cor. SW ½	145'N & 395'W SE Cor. W ½	170'N & 925'E SW Cor. SE ½	925' due E. Center of NE ½	1055'N & 530'E SW Cor. NW ½
Driller	Wm. Meyer	↑	Geo. Goetz	?	Gerhart Wehling	?	?
Date Drilled	1911	1874	1889	?	1932	?	1903
Depth	111'	125'	32' dug	101½'	96'	?	117'
Diameter	4"	4"	45"	4"	4"	4"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground							
Static Max							
Static Min							
Av. G. P. D.	300	400	300	150	300	300	400
Yield g. p. m.	6	8	6	6	8	6	7
Drawdown							
Date							
Use	Farm home	Farm home	Farm home	Farm home	Farm home	Farm home	Farm home
Analysis No.							
Remarks	(419)	Ends in limestone Static 1934, 32'	Brick curbing Static 1934, 28'	Ends in limestone 4" casing (480)	Ends in limestone 4" casing (481)	4" casing Static 1934, 25'	(482)

TOWNSHIP 33 NORTH; RANGE 12 EAST—Continued

Section	12	12	13	13	13	13	14
Owner	Fred Pfeil	Herman Dubbert	Mrs. Annie Wiechen	L. Birkowitz	Mrs. Mary K. Gorman	L. Robertson	Mrs. H. Lankenau
Location	265'N & 790'W SE Cor. W ½	235'N & 530'E SW Cor. E ½	530'S & 100'W NE Cor. NW ½	1190' due W. Center NW ½	1055'N & 530'W SE Cor. SW ½	1055'N & 195'W SE Cor.	1055'S & 235'W NE Cor.
Driller	?	?	?	?	?	?	Gerhart Wehling
Date Drilled	?	1884	?	?	?	?	1929
Depth	?	32' dug	80'	?	80'	?	82'
Diameter	?	48"	4"	?	4"	4"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground							
Static Max							
Static Min							
Av. G. P. D.	300	500	400	Summer only	150	300	300
Yield g. p. m.	6	6	8	?	8	6	6
Drawdown							
Date							
Use	Farm home	Farm home	Farm	Truck farm	Farm	Farm	Farm
Analysis No.							
Remarks	Static 1934, 22'	Brick curbing Static 1934, 22'	(483)	Static 1934, 20'	(484)	(485)	(486)

WILL COUNTY
TOWNSHIP 33 NORTH; RANGE 12 EAST—Continued

Section	14	14	15	15	15	15	16
Owner	Carstens Estate	C. L. Fahs	H. C. Schwiesow	H. C. Schwiesow	Borms Est.	Fred Youker	Borms Estate
Location	925'N & 130'E SW Cor. NW ¼	660'N & 530'W SE Cor.	395'S & 790'E NW Cor. NE ¼	275'S & 840'E NW Cor. NE ¼	395'S & 1055'E NW Cor.	270'N & 790'E SW Cor. SE ¼	180'S & 1055'W NE Cor.
Driller	Cbas. Houghten	Jim Armstrong	Wm. Meyer	?	Wm. Meyer	Jim Armstrong	Wm. Meyer
Date Drilled	1902	1889	1916	?	1922	1904	1924
Depth	?	85'	95'	42' dug	81'	107'	89 1/2'
Diameter	4"	4"	4"	?	4"	4"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Static Max.							
Static Min.							
Av. G. P. D.	300	1,000	200	300	400	500	100
Yield g. p. m.	6	18	6	6	8	6	8
Drawdown							
Date							
Use	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks	(427)	(428)	(429)	Brick curbing Static 1934, 18'	(430)	(431)	(432)

TOWNSHIP 33 NORTH; RANGE 12 EAST—Continued

Section	16	16	16	17	17	18	18
Owner	John Wilson	Mrs. Anna Werner	Henry S. Werner	G. W. Imholtz	Mrs. C. B. Riddle	Geo. Morrison	Mat Tures
Location	205'S & 230'E NW Cor.	260'N & 285'E SW Cor. SE ¼	530'S & 190'W NE Cor. SE ¼	90'S & 1055'E NW Cor.	260'N & 1055'W SE Cor. SW ¼	530'N & 150'W SE Cor. NE ¼	630'S & 145'W NE Cor.
Driller	Mr. Bickford	?	Jim Armstrong	?	Wm. Reed	Wm. Reed	Schlotz & Dreher
Date Drilled	1876	1902	1903	?	?	1932	1932
Depth	50' dug	195'	85'	80'-90' dug	112'	87'	119'
Diameter	5 1/2"	4"	4"	5 1/2"	4"	4"	5"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground							
Static Max.							
Static Min.							
Av. G. P. D.	50	800	400	300	200	300	300
Yield g. p. m.	6	9	8	6	6	6	?
Drawdown							
Date							
Use	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks	Stone curbing Static 1934, 14'	(433)	(434)	(435)	(436)	(437)	(438)

TOWNSHIP 33 NORTH; RANGE 12 EAST—Continued

Section.....	18	18	18	18	18	18	18
Owner.....	J. Guinand	Henry Roger	Henry Roger	D. H. Morrison	D. H. Morrison	H. W. Deininger	School
Location.....	520'S & 155'W NE Cor.	1055'N & 165'E SW Cor. NW ¼	1055'N & 250'E SW Cor. NW ¼	790'S & 163'E NW Cor. SW ¼	870'S & 300'E NW Cor. SW ¼	135'N & 790'W SE Cor.	300'N & 40'W SE Cor.
Driller.....	Wm. Reed	Goetz & Hoffman	?	Wm. Meyer	?	Chas. Houghton	Chas. Houghton
Date Drilled.....	1928	1895	?	1914	1875	1899	1896
Depth.....	114'	41' dug	?	112'	30' dug	76'	29'
Diameter.....	4"	54"	48"	4"	42"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....	200	100	200	150	300	50	20
Yield g. p. m.....	3	8	7	8	6	6	6
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	(439)	Stone curbing Static 1934, 19'	Stone curbing Static 1934, 19'	(440)	Stone curbing Static 1934, 10'	(441)	(442)

TOWNSHIP 33 NORTH; RANGE 12 EAST—Concluded

Section.....	19	19	20	22	22	24	24	24
Owner.....	Miss Jennie Fill	E. J. Crawford	Mrs. Anna Simpson	Samuel Pierson	Mrs. E. R. Higgins	Village of Peotone	Village of Peotone	Continental Bridge Co.
Location.....	300'N & 600'E SW Cor.	600'N & 1000'E SW Cor. SE ¼	180'S & 100'E NW Cor. NE ¼	165'N & 660'E SW Cor.	495'N & 180'E SW Cor. SE ¼	220'N & 1130'W SE Cor. NE ¼	250'N & 1165'W SE Cor. NE ¼	970'S & 1015'W NE Cor.
Driller.....	?	Jim Armstrong	?	?	Jim Armstrong	Martin & Kaler	J. O. Heslin	?
Date Drilled.....	?	1920	?	?	?	1895	1930	1909
Depth.....	190'	110'	?	45' dug	65' dug & drilled	136'	135'	90'
Diameter.....	4"	4"	?	48"	42'-4"	10"	10"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation								
Ground.....								
Static Max.....								
Static Min.....								
Av. G. P. D.....	200	100	2000	400	30	2500	54,600	6500
Yield g. p. m.....	3	3	6	8	6	150	300	11
Drawdown.....								
Date.....								
Use.....	Farm	Farm	Farm	Farm	Farm	Municipal	Municipal	Industrial
Analysis No.....								
Remarks.....		Into limestone 4" casing	Stone curbing	(443)	(510)	Limestone at 60' 70'-10" casing	Limestone at 60' 70'-10" casing	Limestone at 55' 90'-4" casing

WILL COUNTY
TOWNSHIP 33 NORTH; RANGE 13 EAST

Section	1	3	3	4	4	12	15
Owner	Elke Dubridge	August Kersten	August Kersten	Jacob Ruder	School Dist.No. 169	W. Siefker	Chas. Kersten
Location							
Driller	Chas. H. Bahlman	E. C. Sass	Chas. H. Bahlman	Chas. H. Bahlman	E. C. Sass	Chas. H. Bahlman	Chas. H. Bahlman
Date Drilled	1910		1906	1906		1912	1906
Depth	185'	98'	131'	91'	81'	84'	101'
Diameter	7	7	7				
Status	In use	In use	In use				
S. L. Elevation							
Ground							
Static Max							
Static Min							
Av. G. P. D.	100	100	100	100	100	100	100
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks	Rock at 154'	Rock at 94'	Rock at 114'	Rock at 89'	Rock at 79'	Rock at 72' Static 1912, 5'	Rock at 82'

TOWNSHIP 33 NORTH; RANGE 13 EAST—Concluded

Section	16	24	25	26	26	35	36
Owner	George Norman	Louis Hameister	Henry Meyer	Henry Albers	F. Weacher	Henry Most	Fred Albers
Location							
Driller	E. C. Sass	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman
Date Drilled	1917	1910	1912	1910	1903	1910	1911
Depth	102'	85'	46 1/2'	88'	81 1/2'	64'	57'
Diameter							
Status							
S. L. Elevation							
Ground							
Static Max							
Static Min							
Av. G. P. D.	100	100	100	100	100		
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks	Rock at 95'	Rock at 76'	Rock at 39'	Rock at 56'	Rock at 70' 70'-4" casing	Rock at 56'	Rock at 53' Static 1911, 10'

TOWNSHIP 33 NORTH; RANGE 14 EAST

Section.....	2	8	8	10	10	11	11
Owner.....	Mrs. J. Schroeder	Conrad Behrens	P. Hurts	Theodore Wille	Chas. Schmidt	Henry Bruns	W. Piepenbrinck
Location.....							
Driller.....	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	G. H. Wehling	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman
Date Drilled.....	1908	1911	1907	1934	1905	1905	1903
Depth.....	191'	183'	122'	7'	121'	124'	198'
Diameter.....							44"
Status.....							
S. L. Elevation.....							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....		100	100	100	100	100	100
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....							
Analysis No.....							
Remarks.....	Rock at 163'	Rock at 137' Static 1911, 65'	Rock at 120' Static 1907, 30'		Rock at 118' Static 1905, 37'	Rock at 121'	Rock at 108' Drainage well 108'-44" casing

TOWNSHIP 33 NORTH; RANGE 14 EAST—Continued

Section.....	12	13	14	16	16	16	16
Owner.....	W. Schwier	Fred Senholtzæ	Wm. Piepenbrinck	Beecher Bank	Henry Smith	Fred Becker	Grages
Location.....							May be in Sec. 28
Driller.....	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman
Date Drilled.....	1907	1911	1913	1906	1912	1910	1900
Depth.....	133'	147'	123'	128'	121'	111'	95'
Diameter.....							
Status.....							
S. L. Elevation.....							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....	100	100	100	100	100	100	100
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....							
Analysis No.....							
Remarks.....	Rock at 126' Static 1907, 23'	Rock at 140' Static 1911, 47'	Rock at 121' Static 1913, 36'	Rock at 125'	Rock at 118' Static 1912, 49'	Rock at 107'	Rock at 88'

WILL COUNTY
TOWNSHIP 33 NORTH; RANGE 14 EAST—Continued

Section.....	16	16	16	16	17	17
Owner.....	Fred Oberheide	City of Beecher No. 1	City of Beecher No. 2	Chas. Steadt	Chas. Wehling	J. Hinzle
Location.....	May be in Sec. 21	590' N & 660' E SW Cor.	580' N & 660' E SW Cor.	May be in Sec. 17		
Driller.....	Chas. H. Bahlman	Chas. H. Bahlman	J. Otis Heflin (deceased)	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman
Date Drilled.....	1911	1910	1931	1913	1907	1903
Depth.....	121'	164'	?	148'	154'	142'
Diameter.....		10'				
Status.....		Standby				
S. L. Elevation.....						
Ground.....		705'	705'			
Static Max.....		692' 1910	679' 1938			
Static Min.....						
Av. G. P. D.....	100	28000	45000	100	100	100
Yield g. p. m.....		180	300			
Drawdown.....						
Date.....						
Use.....		City	City			
Analysis No.....		33536	83844			
Remarks.....	Rock at 112' Static 1911, 45'	Rock at 77' Static 1910, 23'		Rock at 126' Static 1913, 50'	Rock at 139' Static 1907, 50'	Rock at 128' Static 1903, 50'

TOWNSHIP 33 NORTH; RANGE 14 EAST—Continued

Section.....	17	17	17	18	21	21
Owner.....	Ed. Wehmhoefer	Hoff & Viegenhausen	T. E. Miller	Wm. Ohlenburg	George Kapp	J. Hoick
Location.....						
Driller.....	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman
Date Drilled.....	1905	1909	1913	1912	1905	1904
Depth.....	1514'	119'	143'	1334'	1284'	119'
Diameter.....						
Status.....						
S. L. Elevation.....						
Ground.....						
Static Max.....						
Static Min.....						
Av. G. P. D.....	100	100	100	100	100	100
Yield g. p. m.....						
Drawdown.....						
Date.....						
Use.....						
Analysis No.....						
Remarks.....	Rock at 137' Static 1905, 53'	Rock at 117'	Rock at 134' Static 1919, 45'	Rock at 130' Static 1912, 46'	Rock at 123' Static 1905, 50'	Rock at 99'

TOWNSHIP 33 NORTH; RANGE 14 EAST—Continued

Section	21	22	23	29	29	29
Owner	Wm. Bemse	Siegfried Church	Chas. Stedt	Henry Freerking?	Louis Siefker	Chas. Beseke
Location						
Driller	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman
Date Drilled	1912	1910	1912	1905	1910	1912
Depth	814'	133'	130'	86'	147'	114'
Diameter						
Status						
S. L. Elevation						
Ground						
Static Max						
Static Min						
Av. G. P. D.	100	100	100	100	100	100
Yield g. p. m.						
Drawdown						
Date						
Use						
Analysis No.						
Remarks	Rock at 71' Static 1912, 38'	Rock at 108' Static 1910, 58'	Rock at 118'	Rock at 83'	Rock at 123'	Rock at 99' Static 1912, 44'

TOWNSHIP 33 NORTH; RANGE 14 EAST—Concluded

Section	30	32	34	35	35	35
Owner	August Seitz	Herman Kurt	Wm. Langreder	George Stedt	F. Stedt	Wm. Staben
Location					Location in doubt	
Driller	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman
Date Drilled	1905	1909	1912	1912	1907	1906
Depth	109'	110'	944'	88'	112'	105'
Diameter						
Status						
S. L. Elevation						
Ground						
Static Max						
Static Min						
Av. G. P. D.	100	100	100	100	100	100
Yield g. p. m.						
Drawdown						
Date						
Use						
Analysis No.						
Remarks	Rock at 105'	Rock at 192'	Rock at 91'	Rock at 85'	Rock at 104'	Rock at 97'

WILL COUNTY
TOWNSHIP 33-NORTH; RANGE 15 EAST

	17	24	30
Section.....	17	24	30
Owner.....	F. Wilke	H. Wehrman	Henry Friecking
Location.....			
Driller.....	Chas. H. Bahlman	Chas. H. Bahlman	Chas. H. Bahlman
Date Drilled.....	1904	1911	1910
Depth.....	163'	157'	151'
Diameter.....			
Status.....			
S. L. Elevation.....			
Ground.....			
Static Max.....			
Static Min.....			
Av. G. P. D.....	100	100	100
Yield g. p. m.....			
Drawdown.....			
Date.....			
Use.....			
Analysis No.....			
Remarks.....	Rock at 160'	Rock at 142'	Rock at 139'

TOWNSHIP 34 NORTH; RANGE 9 EAST

	9	14	15	15	17	20	21
Section.....	9	14	15	15	17	20	21
Owner.....	C. E. Burch	Gordon Brown, Trustee	Norton Deal	Kankakee Ordnance Works (225)	Illinois Div. of Parks	Connolly Bros.	W. F. Bromm
Location.....	NE 1/4 SE 1/4	150'N & 700'E SW Cor.	700'N & 2300'W SE Cor.	300'N & 1900'E SW Cor.	1300'N & 1220'E SW Cor.	200'N & 200'W SE Cor.	SW 1/4 NW 1/4 NE 1/4
Driller.....	?	L. W. Mangun	L. W. Mangun	Jos. A. Kramer	W. J. Fulton Eng. Co.	Van Alatyne ?	T. E. Anderson & Son
Date Drilled.....	?	?	1933	Repair 1942 Before 1940	1942	1900	1936
Depth.....	150'	53'	110'	190'	266'	600'	419'
Diameter.....		4"	4"	4"	8"	4"	4 1/2"
Status.....				In use	In use	In use	?
S. L. Elevation.....							
Ground.....				540'	518'		520'
Static Max.....				519' ('42)	458' 1942		500' 1936
Static Min.....							
Av. G. P. D.....	100	100	100		300	300	500
Yield g. p. m.....					35		15
Drawdown.....					15 1/2'		160'
Date.....					6-18-42		1936
Use.....				House	Park	Farm	Farm ?
Analysis No.....	88794	89354	89279		83213	89280	79909
Remarks.....			Rock at 30'	70' of 3" casing	Rock at 65'		Rock at 70' 139' of 4 1/2" casing

TOWNSHIP 34 NORTH; RANGE 9 EAST—Continued

Section.....	21	21	21	22	22	22	23
Owner.....	Kankakee Ordnance Works (228)	Kankakee Ordnance Works (228)	Kankakee Ordnance Works (227)	Will Noonan	Will Noonan	George Jennings	?
Location.....	1000'S & 1500'W NE Cor.	1000'S & 1500'W NE Cor.	500'S & 400'W NE Cor.	400'S & 700'W NE Cor.	2000'N & 1200'W SE Co.	50'S & 500'E	?
Driller.....	?	Jos. A. Kramer	?	L. W. Mangun	Schiffman	L. W. Mangun	Peter Dittmyer
Date Drilled.....	Before 1940	1942	Before 1940				1937
Depth.....	80'	165'	95'	144'	67'	112'	158'
Diameter.....	3 1/2"	4 1/2"	3"	4"		4"	4 1/2"
Status.....	In use	In use	In use	?		?	?
S. L. Elevation							
Ground.....	520'	525'	530'	547'	545'		
Static Max.....	440', 7-23-'43	495', 2-7-'42	501' (early '42)	531'	533'		
Static Min.....							
Av. G. P. D.....				100	100	100	100
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	House	House	House	Farm ?	Farm ?	Farm ?	
Analysis No.....				89353	89358	89352	
Remarks.....	20' of 3 1/2" casing	70' of 4 1/2" casing		10' of 4" casing		8'-4" casing	Rock at 12'

TOWNSHIP 34 NORTH; RANGE 9 EAST—Continued

Section.....	23	24	24	25	25	25	25
Owner.....	Mrs. Connolly	Frank Haas	Kankakee Ordnance Works (319)	H. S. Humphrey	Mrs. A. L. Deal	Kankakee O. W. No. 10	Kankakee O. W. No. 9
Location.....	200'N & 2500'W SE Cor.	700'N & 2500'W SE Cor.	200'S & 1300'E NW Cor.	100'S & 500'W NE Cor.	2250'S & 2500'W NE Cor.	151'S & 2746'W NE Cor.	2587'N & 2745'W SE Cor.
Driller.....	Tom Anderson	Peter Dittmyer	Jos. A. Kramer	Peter Dittmyer	?	Joseph Egerer	Layne-Western Co.
Date Drilled.....	1905	1938	1942	1939	1899	1941	1941
Depth.....	350'-400'	94'	236'	238'	165'D & D	1589'	1602'
Diameter.....		4 1/2"	6"	4 1/2"		18"	18"
Status.....	?	In use	In use	?	?	Operating	Operating
S. L. Elevation							
Ground.....		590'	595'	614'		591	589.0
Static Max.....		560'	560'	564'		393	468
Static Min.....							
Av. G. P. D.....	100	100		100	100	?	?
Yield g. p. m.....		5		5			
Drawdown.....		46'		38'		150	218 1/2
Date.....		1938		1939		1941	1941
Use.....			Const'n use	Farm		K. O. W.	K. O. W.
Analysis No.....	89270	89275		89281		91817	91160
Remarks.....		(311)	47' of 6" casing	(312)	Poor, goes dry	(313)	(314)

WILL COUNTY
TOWNSHIP 34 NORTH; RANGE 9 EAST—Continued

Section	25	26	26	26	27	27	
Owner	Kankakee O. W. No. 8	McCune property	McCune property	McCune property	Drummond School Dist. 14	W. H. Condo Store	Alton Railroad
Location	87°N & 2744'W SE Cor.	1700'N & 1200'W SE Cor.	1000'S & 600'W NE Cor.	1100'S & 600'W NE Cor. Barn	50'S & 100'E NW Cor.	50'S & 1100'W NE Cor.	200'S & 800'W NE Cor.
Driller	Layne-Western Co.	Geo. Davis	Geo. Davis	Geo. Davis	Schorie & Dreher	Schorie & Morrissey	Schorie & Dreher
Date Drilled	1941	?	?	?	?	1927	?
Depth	1639'	?	52' ?	80' ?	140'	87'	120'
Diameter	18"	?	?	?	4 1/2"	4"	?
Status	Operating	?	?	?	?	?	?
S. L. Elevation							
Ground	606'				540'	540'	
Static Max.	470'				460'	534'	
Static Min.							
Av. G. P. D.	?	100	100	100	100	100	100
Yield g. p. m.							
Drawdown	67'						
Date	1941						
Use	K. O. W.	?	?	?	School ?	?	R. R.
Analysis No.	91159				89276	89359	89271
Remarks	(316)	Poor well-goes dry	Poor well-goes dry	Fair well	Rock out crops Shale at 80'	Rock near surface	Rock at 4'

TOWNSHIP 34 NORTH; RANGE 9 EAST—Continued

Section	29	31	31	32	34	34	35
Owner	Connolly Bros.	Marine Service Area	Brandon-Morris CCC.	Kankakee Ordnance Works (205)	Kankakee Ordnance Works Well No. 4	Kankakee Ordnance Works Well No. 3	Agnes Schring
Location	1800'S & 300'W NE Cor.	2665'N & 275'E SW Cor.	1210'S & 2060'W NE Cor.	300'S & 1800'E NW Cor.	100'N & 1230'E SW Cor.	110'N & 1965'W SE Cor.	300'S & 1800'W NE Cor.
Driller	Tom Anderson	W. J. Fulton Eng. Co.		Jos. A. Kramer	Layne-Western Co.	Layne-Western Co.	Peter Dittmyer
Date Drilled	1912	1942	1933	1942	1941	1941	1936
Depth	185'	269'	630-660' ?	195'	1600'	1593'	141'
Diameter	4"	8"	5"	4 1/2"	18"	18"	4 1/2"
Status		In use	?	In use	In use	In use	?
S. L. Elevation							
Ground		515'	605'	515'	524'	528'	
Static Max.		466'	480' 1933	430' (2-42)		478'	
Static Min.			470' 1942				
Av. G. P. D.	800	12,000	9000				100
Yield g. p. m.		?	9				
Drawdown		924'				1864'	
Date		1942				1941	
Use		State of Ill.	?	House		K. O. W.	?
Analysis No.	89276	92992	93219			90436	89272
Remarks		Dept. of Public Wks. & Bldgs.		84-4 1/2" casing Strong H ₂ S	Elev. of pump base 524.00'	Elev. of pump base 534.95'	(316)

TOWNSHIP 34 NORTH; RANGE 9 EAST—Concluded

Section	35	35	35	35	36	36	36
Owner	Kankakee Ordnance Works Well 2A	Kankakee Ordnance Works Well No. 2	Kankakee Ordnance Works Well No. 1	Elmer Schweizer	Kankakee Ordnance Works Well No. 8	Kankakee Ordnance Works Well No. 7	Kankakee Ordnance Works Well (403)
Location	80°N & 27°E SW Cor.	80°N & 35°E SW Cor.	50°N & 2745'W SE Cor.	100°S & 2550'E NW Cor.	4903'S & 2740'W NE Cor.	2483'S & 2744'W NE Cor.	100°N & 100'W SE Cor.
Driller	Layne-Western Co.	Layne-Western Co.	Layne-Western Co.	Schiffman	C. W. Varner	Layne Northwest Co.	Jos. A. Kramer
Date Drilled	1941	1941	1941	1905	1941	1941	1942
Depth		1611'	1597'	96'	1648'	1649'	122'
Diameter		18"	18"		18"	18"	4 1/2"
Status		In use	In use		In use	In use	In use
S. L. Elevation							
Ground		531.8'	539'		577'	601'	626'
Static Max.		479.8'	469.5'		438'	464'	
Static Min.							
Av. G. P. D.				100			
Yield g. p. m.							
Drawdown			250'		112'	182'	
Date			1941				
Use		K. O. W.	K. O. W.		K. O. W.	K. O. W.	House
Analysis No.	90630	90230	90434	89277	91245	91158	
Remarks		Pump base elev. 538.00'	Pump base elev. 540.46'		Pump base elev. 577.80'	Pump base elev. 603.40'	68' of 4 1/2" casing

TOWNSHIP 34 NORTH; RANGE 10 EAST

Section	5	7	8	12	12	13	14
Owner	Madison	Kankakee Ordnance Works (339)		Kankakee Ordnance Works (343)	Kankakee Ordnance Works	Kankakee Ordnance Works	J. Saller
Location		100°N & 1400'W SE Cor.		2400°N & 2000'W SE Cor.	2500°N & 1000'W SE Cor.	2200°N & 500'W SE Cor.	
Driller	John Mathews	Jos. A. Kramer	John Mathews	Jos. A. Kramer			Chas. H. Bahlman
Date Drilled	1911	1942	1919	1942			1904
Depth	80'	118'	96'	126'	128'	64'	62'
Diameter		4 1/2"		4 1/2"			
Status	In use	In use	In use	In use			In use
S. L. Elevation							
Ground	610'	620'		602'	605'	615'	
Static Max.	592' (1911)			562' (2-42)	588' ('42)	596' ('42)	
Static Min.							
Av. G. P. D.	100						100
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	House		House	House	House	Farm
Analysis No.							
Remarks	Rock at 39'	Rock at 46' 46' of 4 1/2" casing Static 22" Feb. '42	Rock at 88' Static 26' in 1919	Rock at 50' 50'-4 1/2" casing	In basement of house Drilled before 1940	Drilled before 1940	Rock at 86'

WILL COUNTY
TOWNSHIP 34 NORTH; RANGE 10 EAST—Continued

Section	15	17	17	17	17	18	18
Owner	Kankakee Ordnance Work (352)	Kankakee Ordnance Works (331)	Kankakee Ordnance Works 331	Kankakee Ordnance Works (330)	Kankakee Ordnance 330	Abe Eib	Young Eib
Location	1500'S & 300'W NE Corner	2500'S & 2500'W NE Corner	2500'S & 2500'W NE Corner	2500'S & 700'E NW Corner	2500'S & 700'E NW Corner		
Driller	Jos. A. Kramer	Jos. A. Kramer	?	Jos. A. Kramer	?	John Mathews	John Mathews
Date Drilled	1942	1942	Before 1940	1942	Before 1940	1912	1912
Depth	128'	100'	62'	187'	111'	124'	112'
Diameter	44''	44''	4''	6''			
Status	In use	In use	Abandoned	In use	In use	?	?
S. L. Elevation							
Ground	515'	634'	634'	630'	630'	625'	625'
Static Max	495'	550' ('42)	592' ('42)	532' ('42)	555' ('42)	598' ('12)	606' ('12)
Static Min							
Av. G. P. D.						100	100
Yield g. p. m.							
Drawdown							
Date							
Use	House	House	Abandoned	House	House	?	?
Analysis No.							
Remarks	Rock at 36' 36' of 44'' casing	Rock at 61' 61'-44'' casing	Rock at 59' 59'-4'' casing	Rock at 60' 60'-6'' casing		Rock at 45'	Rock at 32'

TOWNSHIP 34 NORTH; RANGE 10 EAST—Continued

Section	18	20	20	23	25	29	29
Owner	Mr. Rademaker	Powers & Thompson	Kankakee Ordnance Works (310)	Jarvis Brown	Frank Kirkamp	Paul Angesen	Chas. Frederick
Location			2500'S & 1100'E NW Cor.	NE Cor. NW ¼ SW ¼	100'N & 100'E SW Cor. NW ¼	1600'S & 800'E NW Cor.	1500'S & 1400'W NE Cor.
Driller	John Mathews	John Mathews	?	Schorie & Dreher	Schorie & Dreher	Peter Dittmyer	Peter Dittmyer
Date Drilled	1912	1921	Before 1940	1942	1942	1938	1938
Depth	107'	144'	102'	88'	127'	136'	110'
Diameter			4''	44''	44''		
Status	?	?	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	625'	640'	645'	660'	660'	655'	655'
Static Max	595' ('12)	630' ('21)	607' ('42)	649' ('42)	649' ('42)	638' ('38)	635' ('35)
Static Min							
Av. G. P. D.	100	100		100	100	100	100
Yield g. p. m.					10	7	8
Drawdown							
Date							
Use	?	?	Res.		Farm	Home	Farm
Analysis No.						89274	89282
Remarks	Rock at 41'	Rock at 64'		Rock at 37' 37' of 44'' casing	(318)	Rock at 69' 4' of sand above rock	Rock at 57' Thin sand above rock

TOWNSHIP 34 NORTH; RANGE 10 EAST—Continued

Section	29	29	30	30	30	30	30
Owner	Village of Elwood	Village of Elwood	Frank Deurtschman	Mr. Spangler	Kankakee Ordnance Works (301)	Kankakee Ordnance Works (307)	Kankakee Ordnance Works, Well No. 303
Location	900'S & 2000'E NW Cor.	1150'S & 1950'E NW Cor.	1200'S & 100'W NE Cor.		200'N & 900'E SW Cor.	2600'N & 2300'E SW Cor.	NE Cor. SE of SW 1
Driller	Schorie & Dreher	S. B. Geiger & Co.	Peter Dittmyer	Peter Dittmyer		Jas. A. Kramer	Jos. A. Kramer
Date Drilled	1920	1942	1919	1919	Before 1940	1942	1942
Depth	160'	934'	123'	104' ?	90'	135'	135'
Diameter	8"	12" top-8" bottom	4 1/2"	4"		6"	6"
Status	?		?	?	In use	In use	In use
S. L. Elevation							
Ground	650'		650'	640'	640'		625'
Static Max	637' ('40)		617'	598'	599' ('42)		
Static Min							
Av. G. P. D.	30,000	30,000	100	100			
Yield g. p. m.		91	6 1/2	6 1/2			
Drawdown							
Date		12-18-'42					
Use	Paving contractor		?	?	Res.	Res.	
Analysis No.							
Remarks	Rock at 80'		Rock at 82'	Rock at 64' Well dry to 75'		84 1/2"-8" casing	65' of 6" casing Rock at 65'

TOWNSHIP 34 NORTH; RANGE 10 EAST—Concluded

Section	31	31	32	32	32	33
Owner	Kankakee Ordnance Works, Well No. 12	Kankakee Ordnance Works, (404)	Elwood Ordnance Plant (Batch Mix Plant) well No. 3	Elwood Ordnance Plant (Batch Mix Plant) well No. 1	Elwood Ordnance Plant (Batch Mix Plant) well No. 2	Chas. De'Angeli
Location	300'N & 1500'E (?) SW Cor.	100'N & 200'E SW Cor.	400'S & 1500'E (?) NW Cor.	400'S & 2600'E (?) NW Cor.	400'S & 3300'E (?) NW Cor.	
Driller	Layne Western Co.		Henry Boysen, Jr.	Schorie & Dreher	Jas. A. Kramer	Schorie & Dreher
Date Drilled	1942	March 1942	1941	1940	1942	1940
Depth	125'	125'	187'	203'	125'	155'
Diameter	8"	8"	10"	8"	6"	4 1/2"
Status			In use	In use	In use	?
S. L. Elevation						
Ground			648'		625	
Static Max			630' (4-15-'41)			
Static Min						
Av. G. P. D.			100			100
Yield g. p. m.			37			5
Drawdown						11
Date			4-15-41			1940
Use			E. O. P.		Res.	?
Analysis No.			89616			
Remarks			80375			
			41'-10" casing		89616	
					41'-10" casing	
					65" 6" casing	
						40' of 4 1/2" casing Rock at 15'

WILL COUNTY
TOWNSHIP 34 NORTH; RANGE 11 EAST

Section	9	18	20	20	20	29	35
Owner	Mr. Jones	Mr. Briscoe	Standaline Pipe Line Co.	Village of Manhattan	Wabash Railroad	Mr. Seltzer	Schoolhouse
Location	?		SW Cor. SE 1/4	1125'S & 1320'W NE Cor.	SE Cor. NW 1/4 of NE 1/4	?	NE Cor.
Driller	John Mathews	John Mathews	Schorie & Dreher		Schorie & Dreher	John Mathews	Mr. Mangum
Date Drilled	1913	1917	1942	1892	1942	1917	
Depth	121'	106'	159'	98'	137'	96'	63'
Diameter	4 1/2"		4 1/2"	6"	10"		
Status	In use	In use	In use	In use	In use	In use	
S. L. Elevation							
Ground				680'			
Static Max.					22' ('42)		
Static Min.							
Av. G. P. D.			10,000	35,000	25,000	100	100
Yield g. p. m.			15	80	240		
Drawdown					35		
Date					1942		
Use				Municipal	Railroad		
Analysis No.							
Remarks	(444)	Rock at 28' Static 20' in 1917	(445)	Rock at 40' 40' of 6" casing	40' to rock 41' of 10" casing	Rock at 56' Static 29' in 1917	Rock at 31'

TOWNSHIP 34 NORTH; RANGE 12 EAST

Section	1	1	2	3	4	4	7
Owner	Mrs. Wasschafer	Henry Keusten	Plage	Fred Schellhouse	Henry Ross	Charles Frajick	John Bobsin
Location			South of Frankfort			Couple miles south of Frankfort	
Driller	E. C. Sass	E. C. Sass	Wm. F. Johns	Wannemacher	E. C. Sass	Wm. F. Johns	E. C. Sass
Date Drilled	1915	1914	1923-9	1934	1914	1924	1913
Depth	138 1/2'	117'	172'	208'	129'	117'	117'
Diameter				4 1/2"		4 1/2"	
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground							
Static Max.							
Static Min.							
Av. G. P. D.	100	100	100	100	100	100	100
Yield g. p. m.							
Drawdown							
Date							
Use	Home	Home	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks	Rock at 135'	Rock at 117' Water from gravel just on rock	Rock at 137'	Rock at 162' 162' of 4 1/2" casing	Rock at 126'	(448)	Rock at 51'

TOWNSHIP 34 NORTH; RANGE 12 EAST—Continued

Section	8	8	12	13	14	16	17
Owner	Geo. Mark	Henry Baade	Carl Nieland	Charles Fippinger	Louis Beckman May be in Sec. 11	Fred Dempke	E. Hennebay 800'S & 50'E NW Cor.
Location							John Wisting
Driller	Wannemacher	Wm. F. Johns	E. C. Sass	E. C. Sass	Wm. F. Johns	E. C. Sass	John Wisting
Date Drilled	1934	1925	1914	1915	1981	1914	1940
Depth	123'	110'	135'	108'	135'	120'	100' + 7
Diameter		4 1/2"					
Status	In use	In use		In use	In use	In use	In use
S. L. Elevation							
Ground							
Static Max.							
Static Min.							
Av. G. P. D.	100	100					
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.							88187
Remarks	Rock at 93'	Rock at 81' 81' of 4 1/2"	Rock at 133'	Rock at 88'	Rock at 117'	Rock at 112'	

TOWNSHIP 34 NORTH; RANGE 12 EAST—Concluded

Section	18	21	23	23	24	25	27	33
Owner	Peter Stauffenberg	John Rehberg	Wm. Fredrick	Gerry Grassmeir	Martin Harms	Stassan	Carl Nagel	John Baumeister
Location							May be in Sec. 34	
Driller	E. C. Sass	E. C. Sass	E. C. Sass	E. C. Sass	E. C. Sass	Charles H. Bahlman	Wm. F. Johns	Charles H. Bahlman
Date Drilled	1914	1915	1919	1914	1914	1909	1922	1909
Depth	46'	90 1/4'	95'	99'	85'	113'	97'	142'
Diameter							4"	
Status	In use	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation								
Ground								
Static Max.								
Static Min.								
Av. G. P. D.								
Yield g. p. m.								
Drawdown								
Date								
Use	Farm	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.								
Remarks	Ended in gravel	Rock at 89'	Rock at 93'	Rock at 76'	Rock at 80'	Rock at 70'	(447)	Rock at 139'

WILL COUNTY
TOWNSHIP 34 NORTH; RANGE 13 EAST

Section.....	1	1	1	1	1	2	3
Owner.....	Joe Karnschack	Theodore Peterson	Geo. Currier, Jr.	Fred Shoemaker	Indian Wood Golf Club	Mary Bafia	Charles Kuester
Location.....	1/2 Mi. W. Western Ave. S. of Cook County Line			2500'S & 100'E NW Cor.	210'S & 1260'W of NE Sec. Cor.		
Driller.....	Wm. F. Johns	Wm. F. Johns	Wm. F. Johns	H. McCaskey		Wm. F. Johns	Wm. F. Johns
Date Drilled.....	1930	1923	1923	1940	1930	1925	1923
Depth.....	130'	128'	123'	127'	600'	131'	141'
Diameter.....	4 1/2"	4 1/2"	4 1/2"			4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use		In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....							
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm		Farm	Farm
Analysis No.....				86183	91360		
Remarks.....	(448)	(449)	(450)	Rock at 104'		(451)	Rock at 120' Static 32' in 1923

TOWNSHIP 34 NORTH; RANGE 13 EAST—Continued

Section.....	3	3	4	5	6	7	8
Owner.....	H. P. Hefferman	Martha Stade	Prosper Vervalt	Philip Werner	Oscar Seeman	Libby Albers	Dralle
Location.....			450'S & 1200'W NE Cor.	75'S & 530'E NW Cor.			
Driller.....	John Wieting	John Wieting	John Wieting	E. C. Sass	Wm. F. Johns	Charles H. Bahlman	Wm. F. Johns
Date Drilled.....			1934	1917	1922	1911	1922
Depth.....	158'	118'	138'	147'	? 100'+	133'	132'
Diameter.....	4 1/2"	4 1/2"			4 1/2"	?	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....							
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.....							
Remarks.....	Static 25' when new	Static 25' when new	Rock at 124' Static 30' in 1934.	Rock at 134' 134' of casing	(452)	Rock at 115'	(453)

TOWNSHIP 34 NORTH; RANGE 13 EAST—Continued

Section	10	12	12	12	12	12	13
Owner	Andrew Urban	Adam Ruder	Cooper Farm	J. Jones	Geo. Schirra	Currier	Theodore Koellerig
Location						NE 1/4	
Driller	Thomas & Claude Kramer	E. C. Sass	E. C. Sass	Charles H. Bahlman	E. C. Sass	Wm. F. Johns	Wm. F. Johns
Date Drilled	1934	1914	1914	1904	1916	1919	1920
Depth	256'	141'	101'	157'	154'	124'	87'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground							
Static Max.							
Static Min.							
Av. G. P. D.							
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Farm	Farm	Farm	Farm	Farm
Analysis No.							
Remarks	Rock at 130' 130' of 5" casing	Rock at 138'	Rock at 93'	Rock at 147'	Rock at 140'	Rock at 117'	(454)

TOWNSHIP 34 NORTH; RANGE 13 EAST—Continued

Section	13	15	15	15	17	20	20
Owner	Wm. Mastens	Philip Trien	Ed Gorman	Otto Trien	Colstedt School	Philip Arnold	John Hare
Location							600'N & 1500'W SE Cor.
Driller	E. C. Sass	E. C. Sass	E. C. Sass	Wm. F. Johns	Wm. F. Johns	E. C. Sass	John Wieting
Date Drilled	1915	1915	1914	1922	1920	1915	1940
Depth	140'	133'	143'	137'	108'	137 1/2'	137 1/2'
Diameter				4 1/2"			
Status	In use	In use	In use	In use	In use		
S. L. Elevation							
Ground							
Static Max.							
Static Min.							
Av. G. P. D.							
Yield g. p. m.							
Drawdown							
Date							
Use	Farm	Farm	Farm	Farm	Farm		
Analysis No.							88181
Remarks	Rock at 100'	Rock at 113'	Rock at 120'	(456)	(466)	Rock at 125'	

WILL COUNTY
TOWNSHIP 34 NORTH; RANGE 13 EAST—Continued

Section	21	21	21	21	21	21	21	21
Owner	John Conrad	Geo. Miller	Andy Brunner	Monroe Fair Grounds	Monroe Village No. 1	Monroe Village No. 2	Louis Bode	Aug. Davine
Location								
Driller	E. C. Sass	E. C. Sass	E. C. Sass	Charles H. Bahl- man		E. C. Sass	Wm. F. Johns	Wm. F. Johns
Date Drilled	1915	1915	1915	1909	1897	1913	1925	1920
Depth	105'	93'	129'	157'	166'	189'-500'	185'	121'
Diameter					6"	10"	4"	
Status								
S. L. Elevation								
Ground					810'			
Static Max								
Static Min								
Av. G. P. D.								
Yield g. p. m.								
Drawdown								
Date								
Use								
Analysis No.								
Remarks	Rock at 97'	Rock at 80'	Rock at 80'	Rock at 118' Static 62' in 1909	Rock at 90' 90' of 6" casing	Rock at 90' 90' of 10" casing	(457)	(458)

TOWNSHIP 34 NORTH; RANGE 13 EAST—Concluded

Section	23	25	27	28	28	28	30	31
Owner	Henry Kuersten	Henry Cording	Homan School	E. C. Nixon	Wm. Stasson	Alice Laswell 1000'N & 200'E SW Cor.	Caroline Eichman	Wm. Schube
Location								
Driller	Charles H. Bahl- man	E. C. Sass	E. C. Sass	Wannemacher	E. C. Sass	John Wieting	E. C. Sass	E. C. Sass
Date Drilled	1912	1914	1914	1929	1913		1919	1913
Depth	94'	114'	108'	165'	102'		118'	80'
Diameter								
Status								
S. L. Elevation								
Ground								
Static Max								
Static Min								
Av. G. P. D.								
Yield g. p. m.								
Drawdown								
Date								
Use								
Analysis No.						88182		
Remarks	Rock at 84'	Rock at 112'	Rock at 112'	Rock at 97' 97' of casing	Rock at 98'		Rock at 92'	Rock at 70'

TOWNSHIP 34 NORTH; RANGE 14 EAST

Section	1	1	3	3	5	5	5
Owner	Ed. Ponsa	Wm. Piepenbrink	W. H. Marting	Albert Johannsen	Village of Steger No. 1	Village of Steger No. 2	Max Schroeter
Location	1500'S & 250'W NE Cor.				1050'S & 2260'E NW Cor.	230'S & 1550'W. NE Cor.	1100'S & 2470'E NW Cor.
Driller	Charles H. Bahlman	Charles H. Bahlman	Thomas Kramer & Son	Herbert Foyle		Thomas Kramer & Son	MacCasky
Date Drilled	1904	1906	1940	1942	1910	1935	
Depth	654'	135'	138'	150'	218'	325'	125'
Diameter	4 1/2"			4"		12"	
Status					Available	In use	In use
S. L. Elevation							
Ground	680'				712'		707'
Static Max							
Static Min							
Av. G. P. D.	100	100	100	100		150,000	100
Yield g. p. m.						400	
Drawdown							
Date							
Use						City	
Analysis No.			38185		39933	92700	
Remarks	Rock at 94' 94' of 4 1/2" casing	Rock at 113'		(459)	(460)	Rock at 89'	Rock at 80'

TOWNSHIP 34 NORTH; RANGE 14 EAST—Continued

Section	5	6	6	6	7	8	8
Owner	Joseph A. White	August Rock	Peter Riessen	Thomson	Charles Schirra	City of Crete No. 1	City of Crete No. 2
Location						720'N & 173'W SE Cor.	720'N & 175'W SE Cor.
Driller	Wm. F. Johns	Wm. F. Johns	Wm. F. Johns	Wm. F. Johns	E. C. Sass		W. L. Thorne Co.
Date Drilled	1925	1920	1921	1921	1915	1903	1924
Depth	86'	1134'	111'	113'	90 1/2'	192'	264'
Diameter	4 1/2"					10"	12"
Status	In use	In use	In use	In use	In use		
S. L. Elevation							
Ground						695' (?)	695' (?)
Static Max						605' (1902)	635' (1924)
Static Min							
Av. G. P. D.	100	100	100	100	100	45,000	45,000
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.						30855	
Remarks	(461)	Rock at 106' Static 28' 1920	Rock at 104' Static 40' 1921	Rock at 89' Static 60' 1921	Rock at 73'	Rock at 100'	

WILL COUNTY
TOWNSHIP 34 NORTH; RANGE 14 EAST—Continued

Section Owner	8 C. & E. I. R. R.	8 C. & E. I. R. R.	8 J. H. Pralle & Sons Dairy	9 D. J. Long	9 H. Junge	9 L. C. Howard	9 City Construction Co., Montgomery Ward House
Location				Lincolnshire Country Club	Lincolnshire Country Club		Lincolnshire Country Club Subdivision
Driller			W. L. Thorne & Co.	MacCasky	MacCasky	Claude E. Kramer	Claude E. Kramer
Date Drilled			1935	1930	1931	1932	1932
Depth	220'	30' dug	265'	115'	133'	137'	130'
Diameter			8"				
Status				In use	In use	In use	In use
S. L. Elevation							
Ground							
Static Max							
Static Min							
Av. G. P. D.	100,000		7,200				
Yield g. p. m.							
Drawdown							
Date							
Use				Country Club	Country Club		
Analysis No.							
Remarks			(462)	Rock at 90'	Rock at 111' 111' of casing	(463)	(464)

TOWNSHIP 34 NORTH; RANGE 14 EAST—Continued

Section Owner	9 ?	9 Dr. Allord	9 Lincolnshire Country Club	9 Lincolnshire Country Club	10 Wm. Thrasher	15 Dr. Witlock	15 McCoy	16 F. Satter
Location	Lincolnshire Country Club		Lincolnshire Country Club	Lincolnshire Country Club				
Driller	Claude E. Kramer	Claude E. Kramer	Claude E. Kramer	Claude E. Kramer	Charles H. Bahlman	Claude E. Kramer	Claude E. Kramer	Charles H. Bahlman
Date Drilled	1928	1929	1929	1929	1906	1933	1933	1907
Depth	107'	130'	134'	125'	114'	182'	181'	100'
Diameter								
Status	In use	In use	In use	In use	Likely abandoned			
S. L. Elevation								
Ground								
Static Max								
Static Min								
Av. G. P. D.								100
Yield g. p. m.								
Drawdown								
Date								
Use								
Analysis No.								
Remarks	(465)	(466)	(467)	(468)	Rock at 109' A drainage well	Rock at 105' Static 25' 1933	(469)	Drainage well Rock at 75'

TOWNSHIP 34 NORTH; RANGE 14 EAST—Continued

Section	18	19	23	25	26	26	26	26
Owner	J. Nacke	Christ Behrus	Dr.	H. Wehmhoefer	G. Scheive	Gus Scheive	Wille Jenning	John Scheive
Location								
Driller	Charles H. Bahlman	Charles H. Bahlman	Hemmingway	Charles H. Bahlman	Charles H. Bahlman	Charles H. Bahlman	Charles H. Bahlman	Charles H. Bahlman
Date Drilled	1904	1908	1934	1906	1906	1906	1904	1910
Depth	72'	92'	136' 138'	149'	146 1/2'	143 1/2'	140'	143'
Diameter			4 1/2"					
Status								
S. L. Elevation								
Ground								
Static Max.								
Static Min.								
Av. G. P. D.	100	100						
Yield g. p. m.								
Drawdown								
Date								
Use								
Analysis No.								
Remarks	Rock at 70'	Rock at 84'	Rock at 75' 75' of 4 1/2" casing	Rock at 141'	Rock at 148'	Rock at 141'	Rock at 138'	Rock at 137'

TOWNSHIP 34 NORTH; RANGE 14 EAST—Concluded

Section	29	31	32	32	32	32	33	34
Owner	Wm. Winzenburg	Wm. Langebartels	Leo Lersing	Ed. Klemm	Mrs. H. Mathias	J. H. Bahlman	Ed Heller	J. Meier
Location								
Driller	Charles H. Bahlman	E. C. Sass	Charles H. Bahlman	Charles H. Bahlman	Charles H. Bahlman	Charles H. Bahlman	Charles H. Bahlman	Charles H. Bahlman
Date Drilled	1910	1917	1908	1906	1907	1907	1906	1907
Depth	160'+	129'	130'	117'	128 1/2'	149'	98'	119'
Diameter								
Status								
S. L. Elevation								
Ground								
Static Max.								
Static Min.								
Av. G. P. D.								
Yield g. p. m.								
Drawdown								
Date								
Use								
Analysis No.								
Remarks	Rock at 117'	Rock at 123'	Rock at 119'	Rock at 116'	Rock at 120' Static 30' 1907	Rock at 100' Static 20' 1907	Rock at 95'	Rock at 96' Static 35' 1907

WILL COUNTY
TOWNSHIP 34 NORTH; RANGE 15 EAST

Section	7	19
Owner		Charles Batterman
Location		
Driller	Charles H. Bahlman	Charles H. Bahlman
Date Drilled	1912	1912
Depth	109'	125'
Diameter		
Status		
S. L. Elevation		
Ground		
Static Max		
Static Min		
Av. G. P. D.		
Yield g. p. m.		
Drawdown		
Date		
Use		
Analysis No.		
Remarks	Rock at 105' Static 53' 1912	Rock at 123' Static 30' 1912

TOWNSHIP 35 NORTH; RANGE 9 EAST

Section	9	13	16
Owner	Ed Meyer	Joyce 7-Up	Howard Brockner
Location		1200'N & 150'W SE Cor.	
Driller	Wm. Breitzke	Peter Dittmyer	Peter Dittmyer
Date Drilled	1940	1940	1939
Depth	164'	724'	143'
Diameter	4"	8"	4 1/2"
Status	In use	In use	In use
S. L. Elevation			
Ground		627'	
Static Max			
Static Min			
Av. G. P. D.			
Yield g. p. m.			
Drawdown			
Date			
Use	Farm		Farm
Analysis No.		91640	
Remarks	(470)	Rock at 61'	(471)

TOWNSHIP 35 NORTH; RANGE 10 EAST

Section.....	1	1	1	1	1	1	1
Owner.....	E. Stahovick	J. Maloney	H. Brockman	Hurd	Andrew Sefcik	Wm. H. Braun	Frank Brummond
Location.....	2110'S, 260'W. of NE Sec. Cor.	300'S, 1570'W. of NE Sec. Cor.	1600'S, 260'W. of NE Sec. Cor.	150'S, 1060'E. of NW Sec. Cor.	550'N, 550'E. of SW Sec. Cor.	540'N, 265'E. of SW Sec. Cor.	1075'N, 1060'E. of SW Sec. Cor.
Driller.....	B. Crowley	Ray Anderson			Steve Shroba	Schoria & Dreher	
Date Drilled.....	1930	1933	1930		1936	1930	
Depth.....	98'	135'		110'	166'	148'	
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....					640	640	
Static Max.....		6			695	585	
Static Min.....							
Av. G. P. D.....	200	300	200	200	200	3000	200
Yield g. p. m.....	4	12		4	4	10	4
Drawdown.....							
Date.....		1933					
Use.....	Household	Farm	Household	Farm	Household	15 families	Household
Analysis No.....							
Remarks.....		Sand 110', limestone 25'	Cased to rock	Cased to rock	Rock at 79'-cased to rock	Rock at 88'-cased to rock	

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	1	1	1	1	2	2	2
Owner.....	Brummond Flat Bldg.	Ruettiger	James McPhee	Mrs. Anna Volker	Henry Gould	Forest Park Slovac Club Hall	James Coughlin
Location.....	1075'N, 1000'E. of SW Sec. Cor.	2430'N, 1040'W. of SE Sec. Cor.	2375'N, 1750'W. of SE Sec. Cor.	1740'N, 1780'W. of SE Sec. Cor.	2400'S, 2580'W (?) NE Cor.	500'S, 2420'W. NE Cor.	2300'S, 2595'E. NW Cor.
Driller.....		Wm. Folker		Volker	Birkey	Shroba	Juker
Date Drilled.....		1900	1912	1900	1924	1920	1917
Depth.....		147'	200'	110'	135'	99'	110'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....		670					
Static Max.....		640 (1936)	30	30	35' (1942)	49' (1930)	50' (1941)
Static Min.....					30' (1924)		
Av. G. P. D.....	1000	200	80	35	1000	30	50
Yield g. p. m.....		4	5	4	10	3	3
Drawdown.....							
Date.....							
Use.....	6 families	Farm	Farm	Household	7 families	Household	Household
Analysis No.....							
Remarks.....				4" casing to rock	Rock at 47' 48' of 4" casing	Rock at 38' 39' of 4" casing	Rock at 42' 43' of 4" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	Sebering Lawson	David Edmond	Ed. Pelkey	Frank Waldvogel	Moody & Hursovsky	Miles Stone	Joseph Miedzink
Location.....	2290'S, 2420'E, NW Cor.	1860'S, 2420'E, NW Cor.	1560'S, 2400'E, NW Cor.	1610'S, 905'E, NW Cor.	2380'S, 2390'E, NW Cor.	2385'S, 1830'E, NW Cor.	2305'S, 2095'E, NW Cor.
Driller.....	Birkey	Shroba	Shroba	Shroba	Juker	I. A. Stone	Shroba
Date Drilled.....	1912	1940	1930	1926	1932	1935	1932
Depth.....	155'	160'	150'	150'	90'	80'	135'
Diameter.....	4"	4 1/2"	4 1/2"	4 1/2"	4"	3"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	43' (1942)	50' (1940)	45' (1930)	60' (1940)	60' (1940)	50' (1835)	60' (1832)
Static Min.....							
Av. G. P. D.....	60	30	90	60	60	210	30
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	3 families	2 families	2 families	2 families	Household
Analysis No.....							
Remarks.....	Rock at 42' 43' of 4" casing	Rock at 40' 41' of 4 1/2" casing	Rock at 40' 41' of 4 1/2" casing	Rock at 41' 42' of 4 1/2" casing	Rock at 40' 41' of 4" casing	Rock at 30' 32' of 3" casing	Rock at 30' 40' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	Joseph Haizer	Forest Park School	Angelo Lorenzo	Clara Valantino	Louis Doimota	Dorothy Benson	Andrew Shroba
Location.....	2200'S, 1830'E, NW Cor.	1900'S, 2010'E, NW Cor.	1790'S, 2100'E, NW Cor.	1750'S, 1910'E, NW Cor.	1600'S, 1910'E, NW Cor.	1510'S, 1910'E, NW Cor.	1480'S, 1900'E, NW Cor.
Driller.....	Shroba	Juker			Shroba	Felker	Shroba
Date Drilled.....	1930	1912	1910	1900	1940	1900	1921
Depth.....	125'	212'	24'	95'	108'	90'	130'
Diameter.....	4 1/2"	5"	4"	4"	4 1/2"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	50' (1930)	69' (1940)	21 1/2' (1942)	30' (1900)		40' (1920)	25' (1921)
Static Min.....							
Av. G. P. D.....	20	2000	10	10	15	30	400
Yield g. p. m.....	3	10	3	2	2	3	3
Drawdown.....							
Date.....							
Use.....	2 families	150 pupils	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	Rock at 40' 41' of 4 1/2" casing	Rock at 40' 93' of 5" casing	Rock curb	Rock 40' 40' of 4" casing	Rock 40' 40' of 4 1/2" casing	Rock 40' 40' of 4" casing	Rock 45' 130' 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	Michael J. Polochi	S. Dottavio	L. Swital	Carman Tucci	A. J. Saxon & Co.	Angelo DiSalvo	Anna Vargo
Location.....	2390'S, 1485'E. NW Cor.	2330'S, 1630'E. NW Cor.	2270'S, 1470'E. NW Cor.	2130'S, 1625'E. NW Cor.	1790'S, 1600'E. NW Cor.	2300'S, 1325'E. NW Cor.	2300'S, 1060'E. NW Cor.
Driller.....	Shroba	Shroba	Shroba	Birkey	Joker	Shroba	Shroba
Date Drilled.....	1934	1933	1926	1922	1997	1930	1925
Depth.....	150'	165'	118'	135'	107'	130'	140'
Diameter.....	44"	41"	43"	4"	4"	44"	44"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....	60' (1941)	60' (1933)	60' (1926)	60' (1940)	60' (1930)		60' (1925)
Static Min.....							
Av. G. P. D.....	100	30	30	50	400	70	30
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	20 families	Household	Household
Analysis No.....							
Remarks.....	Rock at 42' 43' 44" casing	Rock at 40' 41 1/2' 4 1/2" casing	Rock at 37' 38' 4 1/2" casing	Rock at 37'	Rock at 40' 41' of 4" casing	Rock at 40' 41' 4 1/2" casing	Rock at 29' 37' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	Fredricks	John Chronek	R. Goravas	Stanley Malmar	Jacob Baft	O. Krieger	Shredlock
Location.....	2375'S, 1280'E. NW Cor.	1370'S, 1060'E. NW Cor.	3100'S, 1070'E. NW Cor.	1890'S, 1250'E. NW Cor.	1850'S, 1060'E. NW Cor.	1580'S, 1060'E. NW Cor.	1060'S, 1320'E. NW Cor.
Driller.....	Shroba	Geo. Shroba	Geo. Shroba	Shroba	Joe Shroba	Geo. Shroba	Steve Shroba
Date Drilled.....	1925	1922	1926	1926	1925	1925	1933
Depth.....	150'	80'	112'	135'	142'	140'	130'
Diameter.....	44"	43"	43"	4"	44"	44"	44"
Status.....	In use	In use	In use	In use	In use	Abandoned	In use
S. L. Elevation.....							
Ground.....							
Static Max.....	55' (1925)	60' (1923)	58' (1926)	55' (1926)	60' (1925)	60' (1925)	60' (1933)
Static Min.....							
Av. G. P. D.....	120	50	60	100	60		30
Yield g. p. m.....	3	3	3	3	3		3
Drawdown.....							
Date.....							
Use.....	Household	Household	3 families	Household	3 families	Household	Household
Analysis No.....							
Remarks.....	Rock at 37' 38' 4 1/2" casing	Rock at 40' 41 1/2' of 4 1/2" casing	Rock at 40' 41' of 4 1/2" casing	Rock at 30' 31' of 4" casing	Rock at 37' 38' of 4 1/2" casing	Rock at 35' 36' of 4 1/2" casing	Rock at 34' 35' of 4 1/2" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	Frank Stanfel	Elizabeth Lobus	Dowley	Robert Wilson	Peter Benco	Steve Shroba	B. Waldrogl
Location.....	1620'S, 1250'E. NW Cor.	1520'S, 1250'E. NW Cor.	1460'S, 1150'E. NW Cor.	910'S, 1280'E. NW Cor.	890'S, 1060'E. NW Cor.	790'S, 1320'E. NW Cor.	2630'S, 1060'E. NW Cor.
Driller.....	Birkey	Dinie Ulsiovich	Shroba	Shroba	Steve Shroba	Steve Shroba	Wm. Vaalker
Date Drilled.....	1923	1932	1926	1922	1931	1932	1900
Depth.....	160'	32' dug	175'	180'	115'	150'	90'
Diameter.....	4"	4"	4"	4"	4 1/2"	4 1/2"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....			40' (1928)	40' (1922)	60' (1942)	60' (1932)	75' (1940)
Static Min.....							
Av. G. P. D.....	200	50	50	25	30	130	180
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	6 families
Analysis No.....							
Remarks.....	Rock at 40' 40' of 4" casing	32' 4" casing	Rock at 40' 40' of 4" casing	Rock at 40' 40' of 4" casing	Rock at 32' 33' 4 1/2" casing	Rock 35' 35' 4 1/2" casing	Rock at 78' 77' of 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	John Kostick	George Gracken	Stern Gardens Subdivision	George Perinar	Peter Buldak	Jessie Hodge	Sterno Realty Co.
Location.....	2350'S, 1050'E. NW Cor.	2270'S, 790'E. NW Cor.	1460'S, 790'E. NW Cor.	1320'S, 790'E. NW Cor.	1050'S, 1060'E. NW Cor.	305'S, 1055'E. NW Cor.	575'S, 1060'E. NW Cor.
Driller.....	John Kostick	Geo. Shroba	Geo. Shroba	Geo. Shroba	Geo. Shroba	Geo. Shroba	
Date Drilled.....	1930	1924	1927	1930	1929	1916	1920
Depth.....	25' dug	180'	130'	125'	120'	130'	25' dug
Diameter.....	30" dug	4"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	24"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	18' (1940)	70' (1940)	80' (1940)	50' (1942)	50' (1942)	50' (1942)	23' (1942)
Static Min.....							
Av. G. P. D.....	30	80	300	220	30	30	30
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	2 families	10 families	2 families	Household	Household	Household
Analysis No.....							
Remarks.....	Rock wall	Rock at 78' 77' of 4" casing	Rock at 80' 81' of 4" casing	Rock at 70' 71' of 4 1/2" casing		Rock at 67' 4 1/2" casing	24" tile casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	P. Jerome	John Baranak	Henderson	Stella Ketcha	Dennis McGee	Peter Sachan	M. Kokara
Location.....	1320'S, 530'E. NW Cor.	700'S, 520'E. NW Cor.	45'S, 500'E. NW Cor.	1580'S, 200'E. NW Cor.	1055'S, 190'E. NW Cor.	2630'S, 1430'E. NW Cor.	2630'S, 1490'E. NW Cor.
Driller.....	Joe Shroba	Shroba	Steve Shroba		Sherman Simpson	Steve Shroba	Geo. Shroba
Date Drilled.....	1922	1925	1942	1920	1941	1939	1912
Depth.....	143'	140'	150'	117'	180'	150'	153'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	Abandoned
S. L. Elevation							
Ground.....							
Static Max.....	60' (1942)	60' (1940)	60' (1942)		65' (1940)	50' (1939)	60' (1940)
Static Min.....							
Av. G. P. D.....	30	40	60	20	50	60	
Yield g. p. m.....	3	3	3	3	3	3	0
Drawdown							
Date.....							
Use.....	Household	2 families	3 families	Household	Household	3 families	Household
Analysis No.....							
Remarks.....	Rock at 35' 71' of 4 1/2" casing	Rock at 36' 71' of 4 1/2" casing	Rock at 35' 71' of 4 1/2" casing	Rock at 40' 40' of 4" casing	Rock at 35'	(472)	Rock at 61' 62' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	Andrew Lomestick	John Anderson	Mary Sealey	Steve Shroba	Joe Mack	E. J. & E. Ry. No. 4	E. J. & E. Ry. No. 1
Location.....	2610'S, 1610'E. NW Cor.	2600'S, 1720'E. NW Cor.	2600'S, 1830'E. NW Cor.	2610'S, 1950'E. NW Cor.	1610'S, 2170'E. NW Cor.	40'N, 1450'E. SW Cor.	560'N, 7420'E. SW Cor.
Driller.....	Steve Shroba	Joe Shroba	Steve Shroba	Steve Shroba	Joe Shroba		John Mathews & Son
Date Drilled.....	1939	1926	1935	1926	1927		
Depth.....	121'	112'	118'	170'	150'	276'	185'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	Abandoned	Abandoned
S. L. Elevation							
Ground.....							
Static Max.....	60' (1939)	60' (1926)	59' (1935)	65' (1926)	65' (1927)		555'
Static Min.....							
Av. G. P. D.....	50	40	120	120	120	0	0
Yield g. p. m.....	3	3	3	3	3		
Drawdown							
Date.....							
Use.....	Household	2 families	Household	Household	Household	Railway	Railway
Analysis No.....							
Remarks.....	Rock at 30' 31' of 4 1/2" casing	Rock at 30' 31' of 4 1/2" casing	Rock at 37' 38' of 4 1/2" casing	Rock at 48' 49' of 4 1/2" casing	Rock at 48' 49' of 4 1/2" casing	Close to No. 3	(319)

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	City of Joliet Williamson Ave.	Veronica Baft	Michael Koral	Andrew Eric	Peter Mistocho- vitch	Frank Vranesic	Godeck
Location.....	1300'N, 180'E. SW Cor.	1800'N, 80'E. SW Cor.	1555'N, 300'E. SW Cor.	2335'N, 210'E. SW Cor.	1710'N, 260'E. SW Cor.	1840'N, 265'E. SW Cor.	2390'N, 260'E. SW Cor.
Driller.....	Sewell Well Co.	Shroba		A. Eric	Steve Shroba	Sherman Simpson	Godeck
Date Drilled.....	1924	1928	1890	1922	1934	1940	1920
Depth.....	1613'	160'	?	8' dug	153'	147'	12' dug
Diameter.....	16"	4 1/2"	4"	4 1/2"	4 1/2"	4 1/2"	54"
Status.....	In use	In use	Abandoned	In use	In use	In use	In use
S. L. Elevation							
Ground.....	555'						
Static Max.....		10'		5' (1942)	25' (1940)	25' (1940)	8' (1940)
Static Min.....							
Av. G. P. D.....	1,000,000	200	0	30	100	160	30
Yield g. p. m.....	1,000	3		3	3	3	3
Drawdown.....							
Date.....							
Use.....	City supply	2 families		Household	Household	5 families	Household
Analysis No.....							
Remarks.....	(520)	Rock at 8' 20 1/2' of 4 1/2" casing		Rock at 8' 6' sewer pipe casing	Rock at 8' 30' of 4 1/2" casing cemented in	Rock at 7' 25' of 4 1/2" casing	Rock at 12' Stone curb

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	Joe Papicheck	Victor Gotorros	Herman Jaimo- ceera	J. Ordanik	Vincent Elich	Andrew Kozar	Charles Marek
Location.....	2510'N, 260'E. SW Cor.	1700'N, 390'E. SW Cor.	2370'N, 400'E. SW Cor.	1850'N, 395'E. SW Cor.	1990'N, 270'E. SW Cor.	2600'N, 260'E. SW Cor.	940'N, 1460'E. SW Cor.
Driller.....	Joe Papicheck	V. Gotorros	Steve Shroba	J. Ordanik	Elich	Andrew Kozar	Sara Bergnar
Date Drilled.....		1920	1940	1938	1941	1912	1910
Depth.....	11' dug	9' dug	110'	16' dug	12' dug	11' dug	35' dug
Diameter.....	24"	48"	4 1/2"	36"	42"	24"	60"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	7' (1942)	7' (1940)	25' (1940)	7' (1942)	7' (1942)	6' (1942)	25' (1940)
Static Min.....							
Av. G. P. D.....	30	60	175	30	30	30	30
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	3 families	2 families	Household	Household	Household	Household
Analysis No.....							
Remarks.....	Rock at 11' Stone curb	Rock at 9' Stone curb	Rock at 10' 25' of 4 1/2" casing	Rock at 16' Stone curb	Rock at 12' Stone curb	Rock at 11' Stone curb	Rock at 35' Stone curb

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	Mrs. Anna Dulny	John Senko	Anna Krayink	Nick Jonas	Mary Vrencur	Frank Vance	Vincent Elich
Location.....	1020'N, 1400'E. SW Cor.	1190'N, 1300'E. SW Cor.	1285'N, 1180'E. SW Cor.	1320'N, 1060'E. SW Cor.	1380'N, 700'E. SW Cor.	1580'N, 525'E. SW Cor.	1650'N, 770'E. SW Cor.
Driller.....	Mr. Dulny	John Senko	Mr. Krayink	Nick Jonas	Mr. Vrencur	Frank Vance	Vincent Elich
Date Drilled.....	1917	1929	1922	1919	1905	1920	1912
Depth.....	33' dug	37' dug	20' dug	40' dug	10' dug	10' dug	9 1/2' dug
Diameter.....	60"	60"	24"	18"	24"	24"	24"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	30' (1941)	33' (1929)	17' (1942)	25' (1942)	7' (1942)	7' (1942)	6' (1942)
Static Min.....							
Av. G. P. D.....	30	30	30	30	30	30	30
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	Rock at 36' Stone curb	Rock at 35' Stone curb	Tile curb Gravel at 18'	Rock at 36' Tile curb to rock	Rock at 10' Tile curb to rock	Rock at 10' Tile curb to rock	Rock at 8 1/2' Tile curb to rock

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	Mary Gusick	J. Kozar	George Kusturin	Tom Cora	Louis Forkar	Alex Donajewski	Magelski
Location.....	1620'N, 530'E. SW Cor.	1750'N, 770'E. SW Cor.	1750'N, 530'E. SW Cor.	1850'N, 525'E. SW Cor.	2250'N, 170'E. SW Cor.	2170'N, 350'E. SW Cor.	2170'N, 450'E. SW Cor.
Driller.....	Joe Gusick	Joe Burkey	Geo. Kusturin	Tom Cora	Louis Forkar	Alex Donajewski	Magelski
Date Drilled.....	1917	1912	1920	1934	1928		
Depth.....	16' dug	60'	12' dug	12' dug	10' dug	10' dug	10' dug
Diameter.....	30"	4"	30"	24"	36"	24"	36"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	7' (1942)	20' (1941)	7' (1940)	7' (1942)	7' (1942)	7' (1942)	7' (1942)
Static Min.....							
Av. G. P. D.....	30	30	30	30	30	30	30
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	Household	2 families	Household
Analysis No.....							
Remarks.....	Rock at 10' Tile curb to rock	Rock at 13' Stone curb to rock	Rock at 12' Tile curb to rock	Rock at 12' Stone curb	Rock at 10' Tile curb 36' to rock	Rock at 10' Tile curb 24' to rock	Rock at 10' Tile curb 36' to rock

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	L. Chopp	A. B. Cherben, No. 1	A. R. Cherben, No. 2	Walter Lewandow- ski	Paul Macek	Louis Forkar	Jack Semrov
Location.....	2030'N, 530'E. SW Cor.	2180'N, 530'E. SW Cor.	2160'N, 530'E. SW Cor.	2220'N, 730'E. SW Cor.	2150'N, 790'E. SW Cor.	1570'N, 1050'E. SW Cor.	1680'N, 790'E. SW Cor.
Driller.....	L. Chopp	A. B. Cherben	A., B. Cherben	Walter Lewandow- ski	Sherman Simpson	Steve Shroba	Jack Semrov
Date Drilled.....		1918	1918	1940	1941	1941	1922
Depth.....	10' dug	10' dug	10' dug	10' dug	154'	95'	30' dug
Diameter.....	38"	36"	24"	38"	44"	44"	48"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	6' (1942)	7' (1942)	7' (1942)	7' (1942)	70' (1941)	40' (1941)	25' (1941)
Static Min.....							
Av. G. P. D.....	30	30	75	30	110	100	30
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	Rock at 10' Tile curb 36' to rock	Rock at 10' Tile curb 36' to rock	Rock at 10' Tile curb 24' to rock	Rock at 16' Tile curb	Rock at 80' 30' of 4 1/2" casing	Rock at 30' 33' of 4 1/2" casing	Rock at 30' Stone curb

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	Frank Semrov	Walter Jourivels	Wm. Crinkshank	J. L. Johnson	John Gulas	John Frond	Mike Glad
Location.....	1700'N, 790'E. SW Cor.	1850'N, 790'E. SW Cor.	2385'N, 790'E. SW Cor.	1700'N, 1260'E. SW Cor.	1670'N, 1130'E. SW Cor.	1910'N, 1130'E. SW Cor.	2100'N, 1325'E. SW Cor.
Driller.....		Joe Shroba	Sherman Simpson	Shroba			Geo. Shroba
Date Drilled.....	1912	1912	1940	1939	1921	1927	1912
Depth.....	60'	130'	155'	170'	100'	125'	142'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	40' (1939)	40' (1941)	70' (1940)	100' (1939)		40' (1927)	55' (1940)
Static Min.....							
Av. G. P. D.....	30	30	200	30	10	50	30
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown							
Date.....							
Use.....	Household	Household	4 families	Household	Household	Household	Household
Analysis No.....							
Remarks.....	Rock at 30' 30' of 4 1/2" casing	Rock at 30' 31' of 4 1/2" casing	Rock at 80' 81' of 4 1/2" casing	Rock at 40' 40' of 4 1/2" casing	Rock at 40' 40' of 4 1/2" casing	Rock at 40' 40' of 4 1/2" casing	Rock at 33 1/2' 39' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	John Gromas	Andrew Gaydos	Bill Kaiser	George Kaval	S. Choean	Elizabeth Horworth	Jim Ursitti
Location.....	2240'N, 1323'E. SW Cor.	1390'N, 1440'E. SW Cor.	1325'N, 1573'E. SW Cor.	1390'N, 1440'E. SW Cor.	1580'N, 1570'E. SW Cor.	1680'N, 1570'E. SW Cor.	1850'N, 1410'E. SW Cor.
Driller.....	Geo. Shroba	Shroba	Geo. Shroba		Roy Anderson	Mr. Horworth	Shroba
Date Drilled.....	1915	1922	1925		1931	1921	1922
Depth.....	140'	100'	150'	30' dug	130'	24' dug	135'
Diameter.....	4 1/2"	4"	4 1/2"	4 1/2" dug	4 1/2"	18"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	60' (1940)		55' (1926)		48' (1940)	16' (1921)	60' (1922)
Static Min.....							
Av. G. P. D.....	30	15	20	70	30	30	30
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	Rock at 40' 41' of 4 1/2" casing	Rock at 40' 41' of 4" casing	Rock at 48' 49' of 4 1/2" casing	Stone curb	Rock at 46' 47' of 4 1/2" casing	Tile curb 18"	Rock at 50' Cased to rock

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	John Stefan	Frank Podobnik	James Ballak	Joseph Palko	Joseph Kinac	Steven Kantar	Rudolph Strokel
Location.....	1830'N, 1560'E. SW Cor.	1830'N, 1575'E. SW Cor.	1975'N, 1570'E. SW Cor.	1900'N, 1410'E. SW Cor.	2170'N, 1420'E. SW Cor.	2380'N, 1410'E. SW Cor.	2230'N, 1520'E. SW Cor.
Driller.....	Shroba	Roy Anderson	Roy Anderson	Roy Anderson	Shroba	Shroba	Peter Dittmyer
Date Drilled.....	1927	1936	1917	1936	1925	1925	1940
Depth.....	130'	140'	170'	175'	150'	140'	150'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4"	4"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	47' (1940)	60' (1940)	45'	75' (1936)			65' (1940)
Static Min.....							
Av. G. P. D.....	30	30	30	10	25	20	120
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	Rock at 46' 46 1/2' of 4 1/2" casing	Rock at 43' 46' of 4 1/2" casing	Rock at 47' 48' of 4 1/2" casing	Rock at 40' 41' of 4 1/2" casing	Rock at 33' 40' of 4" casing	Rock at 33' 40' of 4" casing	Rock at 50' 50' of 4 1/2" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	Charles Shroba	Tom Mauchak	Marie Vows	Jos. Remko	Joseph Letssy	Teresa Dobak	Vrencor
Location.....	2385' N, 1570' E. SW Cor.	1100' N, 1720' E. SW Cor.	1300' N, 1780' E. SW Cor.	1180' N, 1850' E. SW Cor.	1370' N, 1850' E. SW Cor.	1590' N, 1850' E. SW Cor.	1470' N, 1850' E. SW Cor.
Driller.....	Steve Shroba	Shroba	Jos. Remko	Joseph Letssy	Mr. Dobak	Joe Birkey
Date Drilled.....	1925	1930	1917	1920	1922	1920	1913
Depth.....	155'	200'	97'	24' bored	16' dug	20' dug	300'
Diameter.....	4 1/2"	4"	8"	8"	2 1/2"	5 1/2" x 5 1/2"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....	65' (1925)	35' (1930)	35' (1940)	20' (1940)	14' (1922)	17' (1920)	40' (1920)
Static Min.....							
Av. G. P. D.....	30	20	10	20	30	30	30
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	Rock at 48' 49' of 4 1/2" casing	Rock at 65' 66' of 4" casing	Rock at 65' 66' of 8" casing	24' of 8" tile curb	Tile curbed 24"	Stone curb	Rock at 50' 51' of 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	Rudolph Batis	Joseph Sula	Carl Peterson	Leonard Johnson	Conrad Lindstrom	Mrs. Palochik	John Behun
Location.....	1590' N, 1770' E. SW Cor.	1670' N, 1710' E. SW Cor.	1880' N, 1710' E. SW Cor.	1820' N, 1850' E. SW Cor.	2020' N, 1850' E. SW Cor.	2050' N, 1730' E. SW Cor.	2200' N, 1750' E. SW Cor.
Driller.....	Joe Birkey	Peter W. Dittmyer	Shroba	Shroba	Shroba
Date Drilled.....	1925	1925	1914	1938	1928	1927	1920
Depth.....	25' dug	20' dug	125'	147'	119'	100'	85'
Diameter.....	4"	4"	4"	4 1/2"	4"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....	20' (1925)	15' (1925)	35' (1939)	50' (1938)	43' (1926)	35' (1927)	35' (1920)
Static Min.....							
Av. G. P. D.....	30	30	50	30	100	30	35
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	25' of 4" casing	20' of 4" casing	Rock at 60' 60' of 4" casing	Rock at 48' 49' of 4 1/2" casing	Rock at 40' 41' of 4" casing	Rock at 60' 61' of 4" casing	Rock at 60' 60' of 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	John Zuffa	Claus Johnson	L. Cohnbrecher	Mary C. Sullivan	Alex Smago	Geo. Shroba	Herman Benske
Location.....	2120'N, 1850'E. SW Cor.	2300'N, 1730'E. SW Cor.	2300'N, 1850'E. SW Cor.	2385'N, 1850'E. SW Cor.	2500'N, 1730'E. SW Cor.	2570'N, 1850'E. SW Cor.	1850'N, 1970'E. SW Cor.
Driller.....	Shroba	Shroba	Shroba	Joe Birkey	Shroba	Shroba	Shroba
Date Drilled.....	1932	1930	1941	1910	1932	1912	1940
Depth.....	90'	111'	126'	96'	135'	125'	104'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4"	4 1/2"	4"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	35' (1932)	50' (1935)	43' (1941)	45' (19)	35' (32)	50' (40)	41' (40)
Static Min.....							
Av. G. P. D.....	30	20	30	100	25	30	100
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	Rock at 42' 43' of 4 1/2" casing	Rock at 60' 61' of 4 1/2" casing	Rock at 45' 46' of 4 1/2" casing	Rock at 42' 43' of 4 1/2" casing	Rock at 60' 61' of 4 1/2" casing	Rock at 50' 50 1/2' of 4" casing	Rock at 40' 41' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	Dzurko	George Dolak, Jr.	Mike Rittof	Mike Gossack	John Behringer	Ray Gosick	Anton J. Grah
Location.....	1960'N, 2165'E. SW Cor.	2165'N, 1975'E. SW Cor.	1680'N, 2150'E. SW Cor.	2490'N, 1060'E. SW Cor.	2520'N, 1305'E. SW Cor.	2500'N, 1700'E. SW Cor.	2500'N, 1900'E. SW Cor.
Driller.....	Shroba	Shroba	Joe Birkey	Mike Gossack	Shroba		Shroba
Date Drilled.....	1936	1935	1922	1922	1920	1920	1934
Depth.....	112'	125'	85'	44' dug	150'	100'	190'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	42' (1936)	42' (1935)	42' (1938)	40' (1940)	60' (1941)	55' (1938)	40' (1934)
Static Min.....							
Av. G. P. D.....	30	100	60	50	30	60	200
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	2 families	2 families	Household	Household	Household
Analysis No.....				(321)			
Remarks.....	Rock at 40' 41' of 4 1/2" casing	Rock at 42' 42 1/2' of 4 1/2" casing	Rock at 40' 40 1/2' of 4 1/2" casing		Rock at 52' 53' of 4 1/2" casing	Rock at 40' 40' of 4" casing	Rock at 33' 40' of 4 1/2" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	Steve Rodgers	John Antol	Mary Seeley	Joseph E. Mack	Powel Michelitch	George Onofrey	John Petrol
Location.....	2500'N, 1990'E. SW Cor.	2500'N, 2090'E. SW Cor.	2500'N, 2300'E. SW Cor.	2500'N, 2500'E. SW Cor.	400'N, 2120'W. SE Cor.	630'N, 2350'W. SE Cor.	600'N, 2000'W. SE Cor.
Driller.....	Peter W. Dittmeyer	Shroba	Shroba	Shroba	Shroba	Shroba	Peter W. Dittmeyer
Date Drilled.....	1911	1922	1939	1922	1924	1920	1929
Depth.....	160'	150'	125'	130'	78'	103'	81'
Diameter.....	4"	4"	4 1/2"	4"	4 1/2"	4"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	40' (1911)	40' (1922)	40' (1939)	60' (1939)	30' (1927)		40' (1920)
Static Min.....							
Av. G. P. D.....	200	10	50	200	100	200	200
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	Rock at 33' 33' of 4" casing	Rock at 33' 40' of 4" casing	Rock at 33' 35' of 4 1/2" casing	Rock at 33' 34' of 4" casing	76' of 4 1/2" casing		Rock at 78' 78' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	George Antol	Steve Coulon	Baier	George Kuhs	Frank Lobarchi	Mrs. Rose Burion	Frank Gleishman
Location.....	600'N, 1900'W. SE Cor.	700'N, 2020'W. SE Cor.	1320'N, 320'W. SE Cor.	540'N, 560'W. SE Cor.	560'N, 530'W. SE Cor.	10'N, 2150'W. SE Cor.	100'N, 630'W. SE Cor.
Driller.....	Shroba	Shroba	Burke	Seth Gray	Shroba	J. Ottis Heflin	Mathews
Date Drilled.....	1926	1926	1929	1936	1939	1900	1930
Depth.....	30'	67'	200'	280'	140'	100'	200'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	40' (1926)	35' (1926)	50' (1935)		40' (1939)	15' (1900)	
Static Min.....							
Av. G. P. D.....	200	200	120	190	200	200	300
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	Household	3 families	2 families
Analysis No.....							
Remarks.....	30' of 4 1/2" casing	69' of 4 1/2" casing	Rock at 70' 70' of 4 1/2" casing		Rock at 94' 95' of 4 1/2" casing	Rock at 19' 20' of 4" casing	Cased to rock

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section Owner.....	Mrs. Albert Lam- ² feay	John Gaydos ²	Mary Eckels ²	Joseph Jankola ²	Michael Anderisin ²	Tom Kokas ²	Teresa Chromek ²
Location.....	270°N, 250°W. SE Cor.	60°N, 1850°W. SE Cor.	500°N, 75°W. SE Cor.	555°N, 260°W. SE Cor.	200°N, 2330°W. SE Cor.	200°N, 2330°W. SE Cor.	850°N, 2640°W. SE Cor.
Driller.....	Shroba	Mathews	Mathews	Steve Shroba	John Mathews	Heffin	Shroba
Date Drilled.....	1932	1912	1927	1937	1927	1930	1924
Depth.....	157'	120'	154'	167'	160'	40'	104'
Diameter.....	4 1/2"	4"	4"	4 1/2"	4"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	50' (1932)	20' (1912)		50' (1937)	8' (1927)	2' (1930)	45' (1924)
Static Min.....							
Av. G. P. D.....	200	200	200	200	1400	300	200
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown							
Date.....							
Use.....	Household	Household & greenhouse	Household	Household	7 families	Household	Household
Analysis No.....							
Remarks.....	Rock at 70' Cased to rock	Rock at 20' 20' of 4" casing		Rock at 113' 114' of 4 1/2" casing		Rock at surface	Rock at 70' 70' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section Owner.....	Michael Adams ²	Joseph Ferancik ²	John Metric ²	Tony Marino ²	Frank Lind ²	William Grohne ²	Albert Posego ²
Location.....	635°N, 2640°W. SE Cor.	2600°N, 900°W. SE Cor.	2500°N, 700°W. SE Cor.	2390°N, 700°W. SE Cor.	750°N, 1170°W. SE Cor.	1100°N, 500°W. SE Cor.	2390°N, 1780°W. SE Cor.
Driller.....	Shroba	Shroba	John Metric		Frank Lind		
Date Drilled.....	1942	1926	1932	1940	1929	1936	
Depth.....	129'	110'	15' dug	8' dug	301'		172'
Diameter.....	4 1/2"	4 1/2"	4"	8"	6"	6"	
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	40' (1942)	39' (1926)	10' (1935)	4' (1940)	100' (1929)		
Static Min.....							
Av. G. P. D.....	200	100	10	10	2000	2000	20
Yield.....	3	3	3	3	10	10	3
Drawdown							
Date.....							
Use.....	Household	Household	Household	Household	11 families	10 families	Household
Analysis No.....							
Remarks.....	Rock at 67 1/2' 68' of 4 1/2" casing	Rock at 43' 44' of 4 1/2" casing	15' of 4" casing	8' tile pipe	Rock at 101' 102' of 6" casing		

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	John Bulno	Andrew Hlavinka	Steve Riba	Russell Skoien	Frank White	Frank Saloski	Andrew Budhazi
Location.....	2320'N, 1720'W. SE Cor.	2230'N, 1500'W. SE Cor.	2330'N, 1390'W. SE Cor.	2230'N, 1390'W. SE Cor.	2410'N, 1100'W. SE Cor.	2410'N, 1000'W. SE Cor.	2275'N, 950'W. SE Cor.
Driller.....			Michael Howath		Frank Saloski	Frank Saloski	Andrew Budhazi
Date Drilled.....	1930	1921		1927	1930	1942	1940
Depth.....	30' dug	38' dug		30' dug	21' dug	30' dug	40' dug
Diameter.....	4"	4"	4"	4"	4"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	29' (1930)	37' (1921)			10' (1931)	4' (1941)	0' (1940)
Static Min.....							
Av. G. P. D.....	40	40	10	10	10	10	10
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown							
Date							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	80' of 4" casing	88' of 4" casing		30' of 4" casing	21' of 4" casing	50' of 4" casing	40' of 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	John Ruzon	Joe Martis	Hancasky	Andrew Grabin	George Luca	Martin Luca	Andrew Kurtyak
Location.....	2273'N, 870'W. SE Cor.	2410'N, 870'W. SE Cor.	1840'N, 2380'W. SE Cor.	2090'N, 2380'W. SE Cor.	1840'N, 2250'W. SE Cor.	1840'N, 2120'W. SE Cor.	2090'N, 2130'W. SE Cor.
Driller.....	John Ruzon	Shroba	Hancasky	Andrew Grabin	George Luca	Martin Luca	Andrew Kurtyak
Date Drilled.....	1925	1923	1941	1925	1935	1930	1936
Depth.....	20' dug	65'	31' dug	30' dug	30' dug	30' dug	28' dug
Diameter.....	4"	4"	48" x 45"	48" x 45"	48" x 48"	48" x 48"	43" x 43"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	4' (1935)	30' (1935)	25' (1941)	25' (1925)	26' (1935)	25' (1930)	25' (1936)
Static Min.....							
Av. G. P. D.....	20	15	60	30	30	30	50
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown							
Date							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	4" casing	Rock at 30' 31' of 4" casing	Stone curb	Stone curb	Stone curb	Stone curb	Stone curb

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	2	2	2	2
Owner.....	Wm. Seeley	Verne Salka	John Stoss	John Stoss	Steve Banis	Joseph Madarik	Joseph Yashirdo
Location.....	1930'N, 2610'W. SE Cor.	2100'N, 1520'W. SE Cor.	1900'N, 1520'W. SE Cor.	1900'N, 1520'W. SE Cor.	1900'N, SE Cor.	1900'N, 1400'W. SE Cor.	1520'N, 2350'W. SE Cor.
Driller.....	Wm. Seeley					Anderson	Joseph Yashirdo
Date Drilled.....	1940	1912	1914	1929	1920	1923	1920
Depth.....	26' dug	30' dug	250'	33' dug	28' dug	135'	29' dug
Diameter.....	36"	4"	4"	4"	4"	4"	48"
Status.....	In use	In use	Not used	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	23' (1940)	28' (1937)		30' (1940)	20' (1920)	30' (1928)	20' (1920)
Static Min.....							
Av. G. P. D.....	30	20		80	10	50	30
Yield g. p. m.....	3	3		3	3	3	3
Drawdown							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	Stone curb	30' of 4" casing	Rock at 40' 4" casing	4" casing	4" casing	Rock at 30' 4" casing to rock	Rock curb

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	2	2	2	3	3	3	3
Owner.....	Steve Jandura	Shirido	Myron Tomastick	M. Sabel	Joseph Klepec	Knapp Bros. No. 1	Knapp Bros. No. 2
Location.....	1770'N, 198'W. SE Cor.	1750'N, 1860'W. SE Cor.	2650'N, 2400'W. SE Cor.	1830'S-50'W-NE †	2380'S-300'W-NE †	1750'S-237½'E-NW Cor.	1700'S-226½'E-NW Cor.
Driller.....	Shroba	Shroba	Shroba		Shorie & Dreher	Joe. W. Birkey	Joe. W. Birkey
Date Drilled.....	1923	1925	1910	1920	1914	1929	1929
Depth.....	220'	27' dug	160'	102'	300'	212'	109'
Diameter.....	4"	48"	4"	4½"	4"	6"	4½"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	50' (1923)	24' (1925)	60' (1910)			20' (42)	20' (40)
Static Min.....							
Av. G. P. D.....	30	30	10	100	30		1500
Yield g. p. m.....	3	3	3	3	3	100	5
Drawdown							
Date.....							
Use.....	Household	Household	Household	Household	Household	Fire protection	Drink & sanitation
Analysis No.....							
Remarks.....	Rock at 40' 4" casing to rock	Stone curb	Rock at 33' 40' of 4" casing	Rock at 30'	Rock at 70'	Rock at 4½' 30' of 6" casing	Rock at 5' 30' of 4½" casing

WILL COUNTY
TOWNSHIP 35 NORTH.; RANGE 10 EAST—Continued

Section.....	3	3	3	3	3	3	3
Owner.....	Joliet Heating Corp.	Anthony Pretto	Antone Dorin No. 1	Antone Dorin No. 2	Albert Swiers	Mrs. Toton	Joe Chylek
Location.....	975'S-2250'E-NW Cor.	1670'S-2350'E-NW Cor.	1670'S-2410'E NW Cor.	1670'S-2200'E NW Cor.	1220'S-2500'E NW Cor.	515'S-2320'E NW Cor.	660'S-2320'E NW Cor.
Driller.....		Simpson	Birkey	Birkey	Steve Shroba	Steve Shroba	Steve Shroba
Date Drilled.....	1930	1935	1913	1916	1938	1924	1924
Depth.....	143'	105'	70'	130'	103'	80'	120'
Diameter.....	4 1/2"	4 1/2"	4"	4"	4 1/2"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....	4 ('30)	60 ('35)	60 ('36)	60 ('36)	60 ('38)	20 ('24)	30 ('24)
Static Min.....							
Av. G. P. D.....	1500	100	30	30	50	40	35
Yield g. p. m.....	5	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Drink & sanitation	Household	Household	Household	2 families	2 families	2 families
Analysis No.....							
Remarks.....	Rock at surface 20' of 4 1/2" casing	Rock at 1' 30' of 4 1/2" casing	Rock at 2' 20' of 4" casing	Rock at 2' 30' of 4" casing	Rock at 4' 30' of casing 4 1/2"	Rock at 3' 20' of 4" casing	Rock at 3' 30' of 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	3	3	3	3	3	3	3
Owner.....	Mrs. Hyleck	Mary Rumpke	Allen Whistler	A. Hartman Metal Co.	Mike Swierz	Walter Marsalek	John Gajezak
Location.....	800'S-2325'E NW Cor.	920'S-2350'E NW Cor.	1380'S-2250'E NW Cor.	1250'S-2200'E NW Cor.	800'S-2150'E NW Cor.	700'S-2150'E NW Cor.	550'S-2150'E NW Cor.
Driller.....	Steve Shroba	Peter W. Dittmyer	Shroba	Peter W. Dittmyer	Shroba	Shroba	Shroba
Date Drilled.....	1925	1917	1929	1924	1929	1929	1932
Depth.....	75'	100'	90'	110'	100'	70'	77'
Diameter.....	4"	4"	4"	4 1/2"	4"	4"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....	30 ('25)	60 ('38)	30 ('37)		25 ('37)	60 ('29)	30 ('32)
Static Min.....							
Av. G. P. D.....	30	30	100	30	20	50	75
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	4 families	Household	Household	Household	2 families
Analysis No.....							
Remarks.....	Rock at 4' 20' of 4" casing	Rock at 4' 30' of 4" casing	Rock at 3' 25' of 4" casing	Rock at 4'	Rock at 4' 30' of 4" casing	Rock at 15' 20' of 4" casing	Rock at 4' 25' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	3	3	3	3	3	3	3
Owner.....	Nora Kozbek	Joliet Br. Penitentiary No. 1	Joliet Branch Penitentiary No. 2	Am. Steel & Wire Co., Collins St.	D. Rudlo	Frank Wafedwa	Paulo
Location.....	410°S-2150°E NW. Cor.	2365°S-2040°E NW. Cor.	2400°S-2015°E NW. Cor.	730°N-1515°E SW. Cor.	2250°N-2360°E SW. Cor.	2250°N-2500°E SW. Cor.	1920°N-2500°E SW. Cor.
Driller.....			Gray Well Drilling	W. H. Gray & Bro.	Birkey		Birkey
Date Drilled.....	1922		1927-28	1914	1901	Old-1880	1890
Depth.....	90'	700' ?	1550'	1602'	109'	108'	150'
Diameter.....	4"	10"	12"	8"	4"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....		544.5	545'	543'			
Static Max.....	20 ('39)	254 ('42)	295 ('42)	238 ('41)	30 ('37)	25 ('25)	30 ('27)
Static Min.....							
Av. G. P. D.....	50	250,000	300,000	575,000	25	30	30
Yield g. p. m.....	3	325	370	400	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Penitentiary	Penitentiary	Factory	Household	Household	Household
Analysis No.....				91639			
Remarks.....	Rock at 4' 25' of 4" casing	Rock at 64'	Rock at 65' 553' of 12" casing	Rock at 20'	Rock at 5' 20' of 4" casing	Rock at 5' 18' of 4" casing	Rock at 3' 20' of 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	3	3	3	3	3	3	3
Owner.....	Andrew Kozol	Guy Stella	Charles Gruber	Adam Krochmal	Sophia Mehon	Kobyliński	
Location.....	2130°N-2250°E SW. Cor.	2390°N-2630°E SW. Cor.	2100°N-30°W SE. Cor.	1710°N-40°W SE. Cor.	1855°N-60°W SE. Cor.	1750°N-60°W SE. Cor.	2630°N-70°W SE. Cor.
Driller.....	Shroba	Birkey		Shroba	Shroba	Shroba	Shroba
Date Drilled.....	1932	1910	1890	1924	1927	1925	1929
Depth.....	94'	190'	83'	68'	100'	106'	100' ±
Diameter.....	4"	4"	4"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....		25 ('25)	20 ('41)	15 ('42)	13 ('42)	20 ('25)	10 ('28)
Static Min.....							
Av. G. P. D.....	30	20	50	50	80	80	30
Yield g. p. m.....	3	3	3	3	1	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	2 families	2 families	2 families
Analysis No.....							
Remarks.....	Rock at 4'	Rock at 4' 30' of 4" casing	Rock at 5' Cased into rock	Rock at 4' 10' of 4 1/2" casing	Rock at 4' 20' of 4 1/2" casing	Rock at 8' 72' of 4 1/2" casing	Rock at 8'

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	3	3	3	3	3	3	3
Owner.....	Alois Storiel	Charles Glagola	Andrew Jostek, Sr.	John Chaloka	Steve Obrinback	M. Goral	Sullivan
Location.....	1550'N-330'W SE. Cor.	1460'N-340'W SE. Cor.	1560'N-340'W SE. Cor.	1610'N-345'W SE. Cor.	1550'N-300'W SE. Cor.	1775'N-345'W SE. Cor.	2240'N-345'W SE. Cor.
Driller.....	Shroba		Peter W. Dittmyer	Peter W. Dittmyer	Birkey	Bl. Goral	Sullivan
Date Drilled.....	1920	1927	1918	1918	1907	1910	1920
Depth.....	100'	100'	130'	125'	100'	10' dug	94' dug
Diameter.....	4"	4"	4 3/4"	4"	4"	36"	36"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	15 ('37)	35 ('42)	20 ('20)	20 ('20)	15 ('42)	7 ('42)	7 ('40)
Static Min.....							
Av. G. P. D.....	60	30	100	30	40	60	30
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown							
Date.....							
Use.....	3 families	3 families	4 families	Household	Household	2 families	Household
Analysis No.....							
Remarks.....	Rock at 3' 15' of 4" casing	Rock at 4' 25' of 4" casing	Rock at 10' 30' of 4 3/4" casing	Rock at 10' 30' of 4" casing	Rock at 3' 5' of 4" casing	Rock at 10' Stone curb	Rock at 94' Stone curb

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	3	3	3	3	3	3	3
Owner.....	Jack Kochelko	Sophia Jandura	John Nemenski, Sr.	John Machnak	Edward Jankowski	John Jancola	Sophi Bottran No. 1
Location.....	2300'N-300'W SE. Cor.	2445'N-500'W SE. Cor.	2250'N-300'W SE. Cor.	2460'N-500'W SE. Cor.	2590'N-500'W SE. Cor.	2570'N-500'W SE. Cor.	2645'N-500'W SE. Cor.
Driller.....		Matt Jandura		John Mochnak		S. Bottran	S. Bottran
Date Drilled.....	1936	1923	1905	1920	1910	1919	1920
Depth.....	13' dug	9'	22'	9 1/2'	10'	9 1/2' dug	9' dug
Diameter.....	36 x 38"	6"	4"	42 x 42"	48 x 48"	36"	36"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	7 ('42)	3 ('42)	10 ('42)	7 1/2 ('42)	7 ('42)	7 ('42)	7 1/2 ('42)
Static Min.....							
Av. G. P. D.....	10	20	20	20	20	30	30.
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	Rock at 4' Stone curb	Rock at 9' 9' of 6" casing	Rock at 10' 22' of 4" casing	Rock at 94' Stone curb	Rock at 10' Stone curb	Rock at 94' Stone curb	Rock at 9' Stone curb

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	3	3	3	3	3	3	3
Owner.....	Andrew Przybylski	Mike Kipilla	Joseph Bernadya	Martin Cyzelnick	Cacilia Yandura	William Sullivan	Joseph Grenchik
Location.....	1575'N-540'W SE. Cor.	1670'N-540'W SE. Cor.	1770'N-705'W SE. Cor.	1770'N-540'W SE. Cor.	2070'N-710'W SE. Cor.	2100'N-600'W SE. Cor.	2180'N-600'W SE. Cor.
Driller.....	Shroba		Shroba		Shroba		Grenchik
Date Drilled.....	1924-1937	1931	1926	1918	1941	1918	
Depth.....	103'	9'	110'	140'	120'	100'+	15' dug
Diameter.....	4"	4"	4"	4"	4"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	25 ('37)	9 ('31)	42 ('34)	42 ('34)	15 ('41)		10 ('42)
Static Min.....							
Av. G. P. D.....	20	10	15	15	50	20	15
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	Rock at 4' 20' of 4" casing	Rock at 4' 8' of 4" casing	Rock at 4' 40' of 4" casing	Rock at 4' 20' of 4" casing	Rock at 4' 25' of 4" casing	Rock at 3'	Rock at 3' 15' of 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	3	3	3	3	3	3	3
Owner.....	Rose Schaubert	Clarence E. Nickel	Elizabeth Walick	George Peeniak	John Ferak	Victor Cisminske	Anna Steryal
Location.....	2230'N-710'W SE. Cor.	2230'N-600'W SE. Cor.	2450'N-600'W SE. Cor.	2500'N-710'W SE. Cor.	2630'N-710'W SE. Cor.	1310'N-980'W SE. Cor.	1450'N-1060'W SE. Cor.
Driller.....	Shroba						Birkey
Date Drilled.....	1918	1920	1920	1918	1917	1913	1912
Depth.....	117'	100'	150'	35'	65'	90'	95'
Diameter.....	4"	4"	4"	4"	4"	4"	4"
Status.....	In use	In use	Not in use	In use	In use	Not in use	In use
S. L. Elevation							
Ground.....							
Static Max.....	15 ('41)	10 ('42)		15 ('41)	15 ('41)	25 ('39)	20 ('42)
Static Min.....				30			
Av. G. P. D.....	20	20		275	60		60
Yield g. p. m.....	3	3		3	3		3
Drawdown.....							
Date.....							
Use.....	Household	Household		Household	Household		3 families
Analysis No.....							
Remarks.....	Rock at 4' 25' of 4" casing	Rock at 6' 20' of 4" casing	(473)	Rock at 4' 25' of 4" casing	Rock at 4' 4" casing	Rock at 4' Now have city water	Rock at 4' 4" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	3	3	3	3	3	3	3
Owner.....	Joe. Hulina	Joseph Sower	Helen Rudlik	M. Mahalik	John Kuchmek	Stanley Stencel	John Uilonovis
Location.....	1455'N-1050'W SE. Cor.	1600'N-900'W SE. Cor.	2640'N-1050'W SE. Cor.	1425'N-1055'W SE. Cor.	1700'N-900'W SE. Cor.	1620'N-1050'W SE. Cor.	1800'N-900'W SE. Cor.
Driller.....	Madas	Peter W. Dittmyer	Peter W. Dittmyer	Madas	Dillon	Peter W. Dittmyer	Shroba
Date Drilled.....	1923	1924	1925	1912	1915	1924	1927
Depth.....	115'	110'	102'	85'	100'	120'	104'
Diameter.....	4"	4"	4 1/2"	4 1/2"	6"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	20 ('41)	30 ('24)		20 ('42)	15 ('15)	30 ('40)	15 ('27)
Static Min.....							
Av. G. P. D.....	40	75	200	20	30	30	80
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown							
Date.....							
Use.....	2 families	3 families	10 families	Household	Household	Household	4 families
Analysis No.....							
Remarks.....	Rock at 6' 18' of 4" casing	Rock at 4' 20' of 4" casing	Rock at 6' 4 1/2" casing	Rock at 5' 4 1/2" casing	Rock at 3' 20' of 6" casing	Rock at 6' 30' of 6" casing	Rock at 4' 6' of 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	3	3	3	3	3	3	3
Owner.....	Julia Buczek	Louise Zala	Julia Techy	Andrew Daszak	William Riggs	Tom Kuta	Petronella Pomez- kala
Location.....	1860'N-1060'W SE. Cor.	2060'N-1045'W SE. Cor.	2190'N-1050'W SE. Cor.	1475'N-1050'W SE. Cor.	2250'N-1050'W SE. Cor.	2350'N-600'W SE. Cor.	1575'N-1050'W SE. Cor.
Driller.....	Madas	Shroba	Shroba	Shroba	Olvin May	Shroba	Shroba
Date Drilled.....	1923	1925	1924	1925	1912	1924-1933	1929
Depth.....	82'	108'	60'	125'	178'	100'	113'
Diameter.....	4"	4 1/2"	4 1/2"	4"	4"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	25 ('40)	20 ('28)	20 ('24)	15 ('37)	25 ('40)	8 ('33)	18 ('37)
Static Min.....							
Av. G. P. D.....	40	20	20	100	80	10	25
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown							
Date.....							
Use.....	Tavern	Household	Household	5 families	4 families	2 families	Household
Analysis No.....							
Remarks.....	Rock at 7' 30' of 4" casing	Rock at 6' 30' of 4 1/2" casing	Rock at 6' 30' of 4 1/2" casing	Rock at 4' 20' of 4" casing	Rock at 6' 15' of 4" casing	Rock at 4' 10' of 4" casing	Rock at 4' 17' of 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued.

Section.....	3	3	3	3	3	3	3
Owner.....	Rose Rajbha	Basil Liboxicz	Antone Bolek	Susa Kostyran	Jandura	George Lesnak	Russell
Location.....	1700'N-1050'W SE. Cor.	2645'N-900'W SE. Cor.	1480'N-1200'W SE. Cor.	1700'N-1200'W SE. Cor.	1700'N-1210'W SE. Cor.	1830'N-1200'W SE. Cor.	2230'N-1190'W SE. Cor.
Driller.....	Shroba	Shroba		Shroba	Peter W. Dittmyer		Roy Anderson
Date Drilled.....	1914	1922	1910	1927	1933	1933	1929
Depth.....	100'	110'	40'	110'	110'	120'	107'
Diameter.....	4"	4"	4"	4"	4"	4"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	20 ('14)	20 ('22)	28 ('38)	25 ('39)	27 ('38)	25 ('38)	25 ('29)
Static Min.....							
Av. G. P. D.....	15	40	50	50	40	30	20
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	3 families	Household	3 families	Household	Household
Analysis No.....							
Remarks.....	Rock at 4' 20' of 4 1/2" casing	Rock at 4' 25' of 4 1/2" casing	Rock at 3' 20' of 4 1/2" casing	Rock at 2' 30' of 4 1/2" casing	Rock at 4' 28' of 4 1/2" casing	Rock at 4' 30' of 4 1/2" casing	Rock at 4' 22' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	3	3	3	3	3	3	3
Owner.....	Antone Racki	Jos. Verbic	Thomas Prieback	Mervin Vanisko	Frank Boris	Margaret Zupantick	John Rafac
Location.....	1825'N-1210'W SE. Cor.	2250'N-1200'W SE. Cor.	2650'N-1200'W SE. Cor.	1200'N-1300'W SE. Cor.	1300'N-1120'W SE. Cor.	2650'N-800'W SE. Cor.	2650'N-700'W SE. Cor.
Driller.....	Peter W. Dittmyer	Roy Anderson	Anderson		Mathews	Zupantick	Rafac
Date Drilled.....	1936	1924	1920	1902	1890	1929	1917
Depth.....	150'	105'	105'	90'	90'	12' dug	12' dug
Diameter.....	4 1/2"	4 1/2"	4"		4"		4 1/2"
Status.....	In use	In use	In use	Not in use	Not in use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	26 ('36)	20 ('24)	25 ('40)		20 ('42)	10 ('42)	10 ('42)
Static Min.....							
Av. G. P. D.....	30	35	50			10	20
Yield g. p. m.....	3	3	3				1
Drawdown.....							
Date.....							
Use.....	House-2 families	2 families	2 families			Household	Household
Analysis No.....							
Remarks.....	Rock at 4' 30' of 4 1/2" casing	Rock at 5' 20' of 4 1/2" casing	Rock at 4' 20' of 4 1/2" casing	Rock at 4'	Rock at 5' 15' of 4 1/2" casing	Rock at 6' Concrete curb	Rock at 8' Brick curb

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	3	3	3	3	3	4	4
Owner	Mrs. Gross	J. Dinoffria	James Maloney	James G. Heggie Mfg. Co.	James G. Heggie Mfg. Co.	Standard Oil Co. No. 2	Western United Gas Warehouse
Location	2230'N-2325'W SE. Cor.	2320'N-2310'W SE. Cor.	2610'N-1210'W SE. Cor.	1850'N-2140'W SE. Cor.	1500'N-2570'W SE. Cor.	N. Broadway at Smith	2525'S-275'W NE. Cor.
Driller	BrKey	Sherman Simpson	Roy Anderson	A. K. Wallen	A. K. Wallen		
Date Drilled	1910	1939	1927	1900		1933	1921?
Depth	80'	140'	110'	1500'	600'		
Diameter	4"	4 1/2"	4 1/2"	6"	3"	4"	
Status	In use	In use	In use	In use	Not used	Not used	
S. L. Elevation							
Ground							
Static Max.	20 ('20)	20 ('39)	20 ('27)				
Static Min.							
Av. G. P. D.	50	50	30	19,000			
Yield g. p. m.	3	3	3	18			
Drawdown							
Date							
Use	3 families	Gas sta. & house	2 families	Factory			
Analysis No.				91734			
Remarks	Rock at 5' 18' of 4" casing	28' of 4 1/2" casing	Rock at 4' 20' of 4 1/2" casing				91736

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	4	4	4	4	4	4	4
Owner	Phoenix Mfg. Co.	Phoenix Mfg. Co.	Joelyn Mfg. & Supply Co. No. 1	Joelyn Mfg. & Supply Co. No. 2	West Side Dairy	P. H. Metzger	Wm. Nurryk
Location	410'S-690'W NE. Cor.	410'S-705'W NE. Cor.	1300'S-500'W NE. Cor.	1150'S-450'W NE. Cor.	150'S-75'E NW. Cor.	160'S-75'E NW. Cor.	500'S-2250'E NW. Cor.
Driller	Peter W. Dittmyer	S. B. Geiger & Co.		Wm. Cater	Burke	Burke	Peter W. Dittmyer
Date Drilled	1923	1941	1923	1925	1911	1923	1941
Depth	330'	1004'	817'	1596'	70'	151'	129'
Diameter	4"	10"	12"	16"	4"	4"	4 1/2"
Status	Not used	In use	Not used	In use	In use	In use	In use
S. L. Elevation							
Ground		552'	547'	548'			
Static Max.	15 ('41)	166 ('41)	89 ('23)	248 1/2 ('30)	50 ('23)	50 ('23)	46 ('41)
Static Min.				254 1/2 ('41)			
Av. G. P. D.	240	4000	Not used	10,000	1,500	400	100
Yield g. p. m.	30	260	89	150	4	10	5
Drawdown	145	177	252				
Date	1941	1940	1923				
Use	Factory	Factory			Dairy	5 families	Household
Analysis No.		90264-90822		86242			
Remarks		Rock at 5' 370' of 10" casing			Rock at 50' ? 4" casing	Rock at 50' ? 50' of 4" casing	Rock at 39' 40 1/2' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	4	4	4	4	4	4	5
Owner.....	Leonard M. Hertz	Andy Smigaj	V. W. Kachel	Helen Kayfish	J. B. Killelea	Wm. C. Higgelkie	Raynor Park Improvement No. 1
Location.....	1875'S-190'E NW. Cor.	2175'S-75'E NW. Cor.	2340'S-300'E NW. Cor.	2390'S-1250'E NW. Sec. Cor.	2455'S-405'E NW. Cor.		630'S-2250'W NE. Cor.
Driller.....	Peter W. Dittmyer	Peter W. Dittmyer	J. Otis Heflin	Schorie & Dreher	Sherman Simpson	Schorie & Dreher	Gray (not Frank Sr.)
Date Drilled.....	1938	1940	1911	1942	1936	1940	1927
Depth.....	151'	128'	140'	152'	85'	192 1/2'	200'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	8"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	50 ('38)	69 ('40)	50 ('39)	55 ('42)	30 ('36)	58 ('40)	30' ('38)
Static Min.....							
Av. G. P. D.....	200	100	100	20	100	100	3,500
Yield g. p. m.....	8	4	4	2	3	3	15
Drawdown.....	30					22	
Date.....						1940	
Use.....	5 families	Household	Household	Household	Household	Household	Subdivision- 130 families
Analysis No.....							
Remarks.....	Rock at 43' 45' of 4 1/2" casing	Rock at 49' 49 1/2' of 4 1/2" casing		Rock at 41' 43 1/2' of 4 1/2" casing	4 1/2" casing		

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	5	5	5	5	5	5	5
Owner.....	Raynor Park Improvement No. 2	Bon Aire Subdiv.	R. Steinback	Mrs. Marie Bitterman	Sam Davidson	Willard E. Magsky	Guardian Angel Home Farm
Location.....	750'S-575'W NE. Cor.	1650'S-185'W NE. Cor.	1850'S-1125'W NE. Cor.	1990'S-780'W NE. Cor.	2000'S-90'W NE. Cor.	2010'S-115'W NE. Cor.	900'S-450'E NW. Cor.
Driller.....	Peter W. Dittmyer	Peter W. Dittmyer	Peter W. Dittmyer	Jos. Birkey	Peter W. Dittmyer		
Date Drilled.....	1934	1941	1941	1915	1924	1926	1925 ?
Depth.....	436'	100'	150'	101'	102'	120'	160'
Diameter.....	8"	4 1/2"	4 1/2"	4"	4"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	75' ('34)	51' ('41)	48' ('41)	50' ('39)	40' ('24)	30' ('40)	40' ('40)
Static Min.....							
Av. G. P. D.....	4,500	800	150	100	500	200	200
Yield g. p. m.....	20	8	3	2	6	3	12
Drawdown.....							
Date.....							
Use.....	Subdivision- 130 families	8 families	Household	Household	5 families	Household	Farm
Analysis No.....							
Remarks.....	Rock at 54' 55' of 8" casing	(SEE)	Rock at 45' 46' of 4 1/2" casing	Rock at	Rock at 46' 47' of 4" casing		Rock at 60' 60' of 4 1/2" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	5	5	5	5	5	5	5
Owner.....	Charles E. Barthelme	Taft School	Briargate Subdiv.	A. & P. Stores	Flint Ice Cream	National Cleaners No. 1	National Cleaners No. 2
Location.....	120°N-109°W SE. Cor.	1700°N-675°E SW. Cor.	1725°N-225°E SW. Cor.	300°N-75°W SE. Cor.	800°N-975°W SE. Cor.	1500°N-1300°W SE. Cor.	1500°N-1260°W SE. Cor.
Driller.....	Joe Birkey	Chas. E. Barthelme	Joe Birkey	Shroba	J. Otis Heffin	Peter W. Dittmyer	Peter W. Dittmyer
Date Drilled.....	1882	1930	1924	1939	110	1934
Depth.....	130'	150'	125'	44"	220'	335'	150'
Diameter.....	4 1/2"	6"	4"	4 1/2"	6"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....
Ground.....
Static Max.....	30'	65' ('30)	65'	50' ('39)	80' ('38)	40	20
Static Min.....
Av. G. P. D.....	200	1,500	1,500	1,200	2000	2000
Yield g. p. m.....	6	10	2 1/2	10	8	8
Drawdown.....
Date.....
Use.....	Farm	School & 11 families	60 families	3 stores	Ice cream factory	Laundry	Laundry
Analysis No.....
Remarks.....	Rock at 70' 4 1/2" casing	Rock at 70' 75' of 6" casing	Went dry in 1940	Rock at 50' 60' of 4 1/2" casing	Rock at surface	Rock at surface

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	5	5	5	5	5	6	6
Owner.....	S. Schults	Frank A. Rogers	Charles Runquist	Louis Winkler	August Rimmke	Guardian Angel Home	Thomas F. Larkin
Location.....	1820°N-162 1/2°W SE. Cor.	1850°N-1580°W SE. Cor.	1960°N-1575°W SE. Cor.	1980°N-1980°W SE. Cor.	2250°N-1760°W SE. Cor.	200°N-750°W SE. Cor.
Driller.....	Burke	Joe Birkey	Birkey	Schorrie & Dreher	Peter W. Dittmyer
Date Drilled.....	1920	1923	1930	1941	1926	1890
Depth.....	104'	86'	105'	172'	104'	142'	65'
Diameter.....	4"	4"	4"	4 1/2"	4 1/2"	72"-12"-4"
Status.....	In use	In use	In use	In use	In use	In use
S. L. Elevation.....
Ground.....
Static Max.....	60 ('40)	60 ('41)	60 ('40)	75 ('41)	54 ('26)	660'
Static Min.....	633 ('41)
Av. G. P. D.....	100	100	100	1000	80	3000	200
Yield g. p. m.....	3	3	4.5	10	3	3
Drawdown.....
Date.....
Use.....	Household	Household	Household	8 families	3 families	Orphanage	Farm
Analysis No.....
Remarks.....	50' of 4" casing	4" casing	4" casing	Rock at 50' 75' of 4 1/2" casing	Rock at 55' 59' of 4 1/2" casing	(325)

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	7	7	8	8	9	9	9
Owner	Victor Stoalhammer	Frank Betzwieser	Andrew Sinigay	J. A. Larson No. 1	Columbia Baking Co.	City of Joliet, Ruby St. Well	John Mateesvie
Location	130°N, 50°W of SE Cor.	150°N, 57°W SE Cor.	NW Cor.	300°N, 110°E, SW Cor.	1100°S, 75°W NE Cor.	650°S, 85°W N. E. Cor.	900°S, 80°W N. E. Cor.
Driller	Peter W. Dittmyer	Joseph Birkey	Peter Dittmyer	Roy Anderson	Prior 1910	Ohio Drilling Co.	Prior 1900
Date Drilled	1937	1911	1940	1929	1916	1916	1916
Depth	115'	109'	123'	123'	150'	1584'	75'
Diameter	4 1/2"	4"	4 1/2"	4 1/2"	6"	12"	3"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	647'	645'	661'	648'		546'	
Static Max	592' (1937)	641' (1941)	656			336' (1933)	
Static Min						312' (1940)	
Av. G. P. D.	200	200	200	200	5000	1,000,000	100
Yield g. p. m.	6					1000	
Drawdown	0						
Date	9-8-37						
Use	House	House		House	Bakery	City	Residence
Analysis No.							
Remarks	Rock at 65'		Rock at 49' 50' of 4 1/2" casing		(324)	Rock at surface	Rock at surface Static 20' 1900

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	9	9	9	9	9	9	9
Owner	Pioneer Brewing Co.	St. Francis Convent	Weber Dairy	City of Joliet, Ottawa St. Well	Tenderoni, Inc.	Joliet Boiler & Mach. Co.	City of Joliet, Canal S. Well
Location	1800°S, 2150°W SE Cor.	1800°S, 940°E NW Cor.	700°N, 2500°E SW Cor.	2270°N, 480°W SE Cor.	2025°N, 850°W SE Cor.	2250°N, 900°W SE Cor.	2640°N, 1125°W SE Cor.
Driller	J. P. Miller Artesian Well Co.	Peter Dittmyer	J. O. Heflin, J. A. Kramer	L. Wilson & Co.		Ohio Drilling Co.	Ohio Drilling Co.
Date Drilled	1930	1937	1930-1941	1907	1921	Prior 1900	1911
Depth	1030'	946'	855'	1621'	480'	100' +	1575' +
Diameter	8"	8"	8" top, 6" bottom	16"	6"	4 1/2"	14"
Status	In use	In use	In use	In use	In use	Abandoned	Abandoned
S. L. Elevation							
Ground	596'	647'	591'	533'			532'
Static Max				525' (1907)			
Static Min		294' (1941)		297' (1937)			
Av. G. P. D.	20,000	25,000	8000	1,000,000	4000		
Yield g. p. m.	100	125	100	835			
Drawdown	114	17'	75'	87'			
Date	April '41	Aug. 1941	1941	1937			
Use	Brewing	Convent	Dairy	City	Factory	Factory	City
Analysis No.	91644	91638	91731	78942			
Remarks		Rock at 60' 70'-8" casing	(325)		Rock at surface Static 40'	Drained by nearby canal	

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	9	9	9	9	9	9	10
Owner.....	Reimer Bottling Wks.	Will Co. Farm Bureau	Will Co. Court House	Flexer & Reich- man	Columbia Laundry Co.	Adler Packing Co.	Carlson
Location.....	1225'N, 1725'W SE Cor.	1100'N, 560'W SE Cor.	175'N, 110'W SE Cor.	525'N, 1840'W SE Cor.	750'N, 900'W SE Cor.	375'N, 1680'W SE Cor.	2000'S, 290'W N. E. Cor.
Driller.....	Maurice Fowley	Jos. A. Kramer	Ohio Drilling Co.				Birkey
Date Drilled.....	1870	1938					1920
Depth.....	150'	246'	970'	368' +	208' +	357' +	250'
Diameter.....	3"	6"	10"				4 1/2"
Status.....	In use	In use	In use	Abandoned	Abandoned	Abandoned	In use
S. L. Elevation.....							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....	1000	4000	10,000				30
Yield g. p. m.....	8.6						3
Drawdown.....	125'	58'					
Date.....	1936	10-9-38					
Use.....	Factory	Air cooling	General	Industrial	Industrial	Industrial	Residence
Analysis No.....		94397	91642	18078		17718, 31683	
Remarks.....	Static 15' in 1936 Rock outcrop	Rock at 2' Static 17 1/2' 1938			80' of casing	200' of casing	Rock at 50' 54' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	10	10	10	10	10	10	10
Owner.....	Celis and Marie Reibel	Arn. Steel & Wire, Scott St.	Acme Brewing Co.	Zero Ice Co., No. 1	Zero Ice Co., No. 2	City of Joliet, Van Buren St.	Joliet Twp. High School
Location.....	2240'S, 290'W NE Cor.	375'S, 475'E NW Cor.	2350'S, 525'E NW Cor.	600'N, 900'E SW Cor.	590'N, 1015'E SW Cor.	780'N, 1400'E SW Cor.	500'N, 1900'E SW Cor.
Driller.....		A. K. Wallen	J. P. Miller Artesian Well Co.		M. Hartong	Ohio Drilling Co.	Ohio Drilling Co.
Date Drilled.....	1900	1886 (?)	1903	1913	1922	1913	1914
Depth.....	40'	2200-1600' +	1575'	225'	228'	1547'	831'
Diameter.....	4"			8"	8"	14"	
Status.....	In use	Abandoned	Available	In use	In use	Not used	In use
S. L. Elevation.....							
Ground.....							
Static Max.....					35'		543'
Static Min.....							
Av. G. P. D.....	30		20,000	45,000	70,000		5000
Yield g. p. m.....	3			75	160		
Drawdown.....					115		
Date.....				1940	1941		
Use.....	Residence			Condensers	Condensers		
Analysis No.....			31686				81637
Remarks.....	Gravel at 10'			Rock at 7' 50' of 8" casing	(474)		

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	10	10	10	10	10	10	10
Owner.....	Joliet Citizens' Brew. Co., No. 1	Joliet Citizens' Brew. Co., No. 2	Barnes Apartment	Moore Corp.	Bowl-era Bowling Alley	W. B. Allen	Barrett Hardware Co.
Location.....	590'N, 2600'E SW Cor.	560'N, 2850'E SW Cor.	560'N, 1875'E SW Cor.	2050'N, 825'E SW Cor.	700'N, 1880'E at SW Cor.	450'N, 860'W SE Cor.	2550'N, 300'W SE Cor.
Driller.....	Gray Well Co.	Sewell Well Co.	J. Otis Heflin		Kramer	Peter Dittmyer	
Date Drilled.....	1905	1938	1916	1910	1940	1940	1885
Depth.....	1350'	1484'	210'	500'	230'	124'	270'
Diameter.....	8"	15" top, 8" bottom	44"		10"	44"	6"
Status.....	In use	In use	In use	In use	In use	In use	Abandoned
S. L. Elevation.....							
Ground.....	543'	543'					
Static Max.....	363'	286' (1938)				15' 1940	
Static Min.....		289' (1938)					
Av. G. P. D.....	30,000	30,000	1,000		5000	400	
Yield g. p. m.....	190	325	6			64	
Drawdown.....	65	103					
Date.....	1934	1938					
Use.....		Brewery	Apartment house		Air-conditioning	House	
Analysis No.....	50818	84225		24246			
Remarks.....	34' to rock			200' of casing S.W.L. can be measured	Rock near surface 53' of 10" casing	(476)	(476)

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	10	10	10	10	10	10	10
Owner.....	Am. Baking Co.	Beatrice M. C. Dairies, Inc.	Flint Sanitary Milk Co.	Zero Ice Co., No. 3	Zero Ice Co., No. 4	L. Purdy	W. E. Pratt Mfg. Co.
Location.....	2050'N, 500'W SE Cor.	1800'N, 2600'W SE Cor.	2475'N, 2100'W SE Cor.	1400'N, 135'W SE Cor.	1300'N, 175'W SE Cor.	2100'N, 300'W SE Cor.	600'N, 400'W SE Cor.
Driller.....	Peter Dittmyer	P. Dittmyer & Sewell Well Co.	J. Otis Heflin	Repaired by Heflin	William Felker	Purdy dug	J. T. Mathews
Date Drilled.....	1936	1938	1929	1899	1930	1890	1916
Depth.....	368'	803'-1460'	430'	1600-1200'	800'	20'	369'
Diameter.....	8" top, 6" bottom		12" top, 8" bottom	10"	8"	4"	6"
Status.....	In use	In use	In use	In use	In use	Abandoned	In use
S. L. Elevation.....							
Ground.....		550'		545'	545'		600'
Static Max.....							11' (1916)
Static Min.....		354 (1938)					37' (1940)
Av. G. P. D.....	1000	50,000		20,000	20,000		18000
Yield g. p. m.....		100					50
Drawdown.....		124					73
Date.....		1938					1941
Use.....							
Analysis No.....		91635					
Remarks.....	(320)	S.W.L. can be measured	Rock at 13' 353' of casing			Rock at 10' Water from drift	

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	10	11	11	11	11	11	11
Owner.....	Lindborg Ice Cream Co.	J. Hurst	Silver Cross Hospital, No. 1	Silver Cross Hospital, No. 2	E. J. & E. Ry., No. 3	E. J. & E. Ry., No. 5	E. J. & E. Ry., No. 6
Location.....	980'N, 300'W SE Cor.	985'S, 2225'W NE Cor.	1200'S, 2525'W NE Cor.	1200'S, 2525'W NE Cor.	10'S, 1500'E NW Cor.	1140'S, 1290'E NW Cor.	425'N, 845'E SW Cor.
Driller.....	J. Otis Heflin	Schorie & Dreher		Peter W. Dittmyer	J. Otis Heflin		John Matthews & Son
Date Drilled.....	1935	1942	1910	1932	1928		1920
Depth.....	1607'	165'	240'	497'	2674'	212'	214'
Diameter.....	12"	4 1/2"		6"	6 1/2"	4"	4"
Status.....	In use	In use	Not used	In use	In use	Abandoned	Abandoned
S. L. Elevation.....							
Ground.....	547.7'	625'		610'	555'	555'	555'
Static Max.....	240' (1941)	563' (1942)		600' (1932)	26' (1928)		538' (1920)
Static Min.....							
Av. G. P. D.....	120,000	50		12,000	45,000		
Yield g. p. m.....	325	5		10	140		
Drawdown.....		3					
Date.....		1942					
Use.....		Home		Hospital	Railroad		
Analysis No.....			21846	72159			
Remarks.....		Rock at 70' 75' of 4 1/2" casing	Old well, discontinued in 1932	Rock at 42' 166 1/2' of 6" casing	Rock at 35' 156 1/2' of 6 1/2" casing	Rock at 17' 17' of 4" casing	Rock at 30' 60' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	11	11	11	11	11	11	11
Owner.....	Farrell Mfg. Co.	Leach Bros Lumber Co.	Standard Oil Co., No. 1	Star-Peerless Wall Paper Mill	Star-Peerless Wall Paper Mill	Burt J. Henion	G. Wadsworth
Location.....	1025'N, 225'E SW Cor.	2100'N, 675'E SW Cor.	1275'N, 450'E SW Cor.	1650'N, 400'E SW Cor.	1660'N, 400'E SW Cor.	2460'N, 1135'W SE Cor.	1880'N, 780'W SE Cor.
Driller.....	John Matthews	Jos. Burky	Anderson			Peter W. Dittmyer	Schorie & Dreher
Date Drilled.....	1916		1927		Before 1920	1939	1942
Depth.....	152'	115'	165'	12' dug	150'	153'	120'
Diameter.....	4"	4"	6"	45" x 48"		5"	4 1/2"
Status.....	In use	In use	In use	In use	Abandoned	In use	In use
S. L. Elevation.....							
Ground.....						650'	620'
Static Max.....	7' (1916)	12' (1940)	30' (1940)			590' (1930)	573' (1942)
Static Min.....							
Av. G. P. D.....	11,000	50	50	60,000	50	50	30
Yield g. p. m.....	29	5	10	50	3		3
Drawdown.....		0					
Date.....		1940					
Use.....		Drinking	Station	Paper plant		Residence	Residence
Analysis No.....					43540		
Remarks.....	60' of 4" casing	Rock at 5' 6' of 4" casing	Rock at 5' 22' of 6" casing			Rock at 40' 5" casing	Rock at 42' 45 1/2' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	11	11	11	12	12	12	12
Owner	A. O. Marshall	Carl Berglund	J. B. McCann	Clarence Meyers	Frank Ulrich	Leonard Alberty	Puracchio
Location	2450'N, 500'W SE Cor.	2275'N, 2300'W SE Cor.	2275'N, 2250'W SE Cor.	1790'S, 750'E NW Cor.	730'S, 150'E NW Cor.	630'S, 1060'E NW Cor.	1000'S, 540'E NW Cor.
Driller		Schorie & Dreher	Schorie & Dreher		Schorie & Dreher	Burke	Puracchio
Date Drilled		1942	1940	1928	1910	1910	1934
Depth	280'	250'	173+		130'	111'	145'
Diameter	8" & 4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	650'						
Static Max	535' (1940)	106' (1942)	119' (1940)				
Static Min							
Av. G. P. D.	4.000	30	30	150	500	30	200
Yield g. p. m.	28	3	3	3	7	3	7
Drawdown							
Date							
Use	School	Residence	Residence	Household	Household & tavern	Household	Household
Analysis No.							
Remarks		Rock at 55' 50' of 4 1/2" casing	Rock at 56' 59' of 4 1/2" casing	4 1/2" casing	4 1/2" casing	4" casing	Rock at 47' 47' of 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	12	12	12	12	12	12	12
Owner	Dr. Copley	Osage Subdivision	Capell	Nelson	Jepson	Charles F. Simon	Mrs. Mable Chal- lander
Location	1750'S, 1590'E NW Cor.	1630'S, 2080'E NW Cor.	2170'S, 1850'E NW Cor.	830'S, 2120'E NW Cor.	1570'S, 2080'E NW Cor.	620'S, 800'E NW Cor.	1183'S, 1500'E NW Cor.
Driller	Wm. Sheems	Burke	Shroba	Peter W. Dittmyer	Peter W. Dittmyer	Steve Shroba	Peter W. Dittmyer
Date Drilled	1890	1936	1942	1939	1936	1936	1942
Depth	130'	135'	268'	132'	124'	140'	155'
Diameter	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status	In use	Abandoned	In use	In use	In use	In use	In use
S. L. Elevation							
Ground				670'			
Static Max				574' (1939)			
Static Min							
Av. G. P. D.	100		100	100	100	100	200
Yield g. p. m.	3		3	5	3	3	3
Drawdown				0			
Date							
Use	Household	Subdivision	Household	Household	Household	Household	Household
Analysis No.							
Remarks	4 1/2" casing	Casing gave out and well abandoned in 1941	Rock at 44' 4 1/2" casing	4 1/2" casing	Rock at 42' 45' of 4 1/2" casing	Rock at 33' 34' of 4 1/2" casing	Rock at 404' 4 1/2" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	12	12	12	12	12	12	12
Owner.....	Wm. Olsen	Fred Myers	Ludwig Mack	Benoni Crapel	Joseph Kovis	Monroe Bros.	Community Well
Location.....	1715'S, 1700'E NW Cor.	1850'S, 775'E NW Cor.	1855'S, 1160'E NW Cor.	2640'S, 2120'E NW Cor.	2600'S, 1250'E NW Cor.	2640'S, 1120'E NW Cor.	1350'S, 2380'E NW Cor.
Driller.....	Steve Shroba	Shroba	Shroba	Shroba	Steve Shroba	Steve Shroba	Steve Shroba
Date Drilled.....	1940	1936	1932	1937-1942	1942	1930	1927
Depth.....	1264'	151'	156'	268'	140'	130'	570'
Diameter.....	4 1/2"	4 1/2"	6"	4 1/2"	4 1/2"	4 1/2"	6"
Status.....	In use	In use	In use	In use	In use	Plugged	Abandoned
S. L. Elevation.....							
Ground.....							
Static Max.....				35' (1938)			
Static Min.....							
Av. G. P. D.....	1,000	200	400	100	30		
Yield g. p. m.....	3	3	5	3	3		
Drawdown.....							
Date.....							
Use.....	40 families carry	Household	Household & store	Household	Household	Subdivision	Subdivision 50 users
Analysis No.....							
Remarks.....	4 1/2" casing	4 1/2" casing	Rock at 30' 31' of 6" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing	Rock at 42' 132' of 6" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	12	12	12	12	12	12	12
Owner.....	Harry Ahrnes	Crumbie	Joe Mahalick	John H. Steen, Jr.	Paul Knapp	Howard Dodge	Lieker
Location.....	1590'S, 2380'E NW Cor.	1860'S, 150'E NW Cor.	450'S, 620'E NW Cor.	795'S, 1115'E NW Cor.	1720'S, 1060'E NW Cor.	2385'S, 1060'E NW Cor.	750'S, 2600'E NW Cor.
Driller.....	Steve Shroba						
Date Drilled.....	1937			1932			
Depth.....	120'	190'			190'	125'	300'
Diameter.....	5"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	670'						
Static Max.....	585' (1937)						
Static Min.....							
Av. G. P. D.....	400	100	30	100	30	100	100
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	4 families	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	Rock at 42' 5" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	12	12	12	12	12	12	12
Owner	Rickey	Edna Bartels	McKee	G. H. Bendell	John Economides	Shawinita Water Co.	King Sales
Location	2435'N, 1700'E SW Cor.	2435'N, 1750'E SW Cor.	1500'N, 260'E SW Cor.	700'N, 1920'E SW Cor.	635'N, 535'E SW Cor.	2120'N, 545'E SW Cor.	1740'N, 1600'E SW Cor.
Driller	Peter Dittmyer	Kramer				Mathews	Roy Anderson
Date Drilled	1936	1940			1919	1929	1926
Depth	153'	109'			78'	183'	120'
Diameter	4½"	4½"	4½"	4½"	4½"	6"	6"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground							590'
Static Max	90' (1936)	60' (1940)			17' (1937)	70' (1937)	574' (1941)
Static Min							
Av. G. P. D.	30	30	100	200	300	2,900	4,000
Yield g. p. m.	3	3	3	3	5	30	10
Drawdown							
Date							
Use	Household	Household	Household	Household	2 families & green-house	10 families	30 families
Analysis No.							
Remarks	4½" casing	40' to rock 41' of 4½" casing	4½" casing	4½" casing	4½" casing	50' to rock 51' of 6" casing	20' to rock 21' of 6" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	12	12	12	12	12	12	12
Owner	Wm. Kellsner	Joliet Lumber & Fuel Co.	Dr. Wolf	Ed. Fuss Gas Station	Judith Westphal, No. 1	Judith Westphal, No. 2	J. M. Higinbotham Estate
Location	1500'N, 500'E SW Cor.	1625'N, 745'E SW Cor.	2535'N, 1750'E SW Cor.	1650'N, 745'E SW Cor.	1750'N, 1760'E SW Cor.	1830'N, 1750'E SW Cor.	SE ¼
Driller	Peter W. Dittmyer	Schoris & Dreher	Kramer				Mathews
Date Drilled	1917	1911-1940	1942				1894
Depth	80'	80'	113'	80'			180'
Diameter	4"	4"	4½"	4½"			4½"
Status	In use	In use	In use	In use	Abandoned	In use	In use
S. L. Elevation							
Ground		600'					
Static Max	46' (1917)	570' (1911)					
Static Min							
Av. G. P. D.	40	30	60	100		50	3,000
Yield g. p. m.	3	3	3	3		3	25
Drawdown							
Date							
Use	Household	Lumber yard	Household	Filling station	Household	Household	Estate
Analysis No.							
Remarks	59' to rock 60' of 4" casing	4" casing	4½" casing	4½" casing	4½" casing	4½" casing	4½" casing to rock

**WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10. EAST—Continued**

Section.....	12	12	13	13	13	13	13
Owner.....	Higinbotham Greenhouse	N. Independence Subdivision	R. Badas	Les Fredricson	Joe Astorino	F. Scarth	Kildare & Melrose Subdivision
Location.....	SE 1/4		1430'S-2250'W NE. Cor.	1050'S-1600'W NE. Cor.	1060'S-1850'W NE. Cor.	1430'S-2100'W NE. Cor.	650'S-500'W NE. Sec.
Driller.....	Matthews	Peter Dittmyer					Peter W. Dittmyer
Date Drilled.....	1916	1925			1941	1930	
Depth.....	190'	128'			165'	140'	
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	Abandoned	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....							
Static Min.....							
Av. G. P. D.....	7,000		100	60	150	1,200	200
Yield g. p. m.....	25		3	3	3	4	3
Drawdown.....							
Date.....							
Use.....	Greenhouse	Subdivision	Household & store	Household	Household	12 families	30 families
Analysis No.....							
Remarks.....	4 1/2" casing to rock	78' of 4 1/2" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing Formerly flowed	4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	13	13	13	13	13	13	13
Owner.....	Eastlawn Subdiv.	Melrose & Argyle Subdiv.	Birkley St. Subdiv.	Kenmore Subdiv.	Circle Dr. & 3rd St. Subdiv.	Roy Hettinger	B. F. Weeks
Location.....	1060'S-950'W NE. Sec.	750'S-960'W NE. Sec.	1060'S-530'W NE. Sec.	1060'S-1500'W NE. Cor.	2030'S-2530'W NE. Cor.	530'S-1800'W NE. Cor.	700'S-900'W NE. Cor.
Driller.....	Peter W. Dittmyer				Peter W. Dittmyer	Peter W. Dittmyer	Peter W. Dittmyer
Date Drilled.....					1924	1925	1940
Depth.....	110'				82'	98'	163'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	Not in use	Not in use	Not used	Not in use	In use	In use
S. L. Elevation.....							
Ground.....							620'
Static Max.....							562' (40)
Static Min.....							
Av. G. P. D.....	30	Not used	150	30	Not used	40	150
Yield g. p. m.....	3		3	3		3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	15 families	Household		Household	Household
Analysis No.....							
Remarks.....	4 1/2" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing	Rock at 32' 4 1/2" casing	4 1/2" casing	Rock at 101' 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	13	13	13	13	13	13	13
Owner	A. Parker	Subdiv. Circle & Third	Community Well	Evans-Ruggles & Evans	A. T. Hays	L. Perino Store	Joe Price
Location	2530'S-1650'W NE. Cor.	2530'S-1750'W NE. Cor.	1050'S-1750'W NE. Cor.	1150'S-2150'W NE. Cor.	1100'S-2150'W NE. Cor.	1310'S-1060'W NE. Cor.	620'S-200'W NE. Cor.
Driller	Peter W. Dittmyer	Peter W. Dittmyer	Peter W. Dittmyer	Peter W. Dittmyer	Schorie & Dreher	Schorie & Dreher	Schorie & Dreher
Date Drilled	1934	1924	1924	1925	1941	1938	1936
Depth	165'	122'	80'	125'	120'	95'	108'
Diameter	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status	In use	In use	Not in use	In use	In use	In use	In use
S. L. Elevation							
Ground	630'	630'	620'	620'			
Static Max	593' (34)	585' ('24)	585' ('24)	578' ('25)			
Static Min							
Av. G. P. D.	100	200	Not used	500	100	150	150
Yield g. p. m.	5	3		10	3	3	3
Drawdown							
Date							
Use	Household	20 families		5 families	Household	Household & store	Household—2
Analysis No.							
Remarks	Rock at 33' 4 1/2" casing	4 1/2" casing	Rock at 84' 4 1/2" casing	Rock at 77' 4 1/2" casing	Rock at 80' 82' of 4 1/2" casing	Rock at 51' 52' of 4 1/2" casing	103' of 4 1/2"

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	13	13	13	13	13	13	13
Owner	Ed Rowswell	H. Emmert	Subdivision	J. A. Anderson	M. G. Kalden	H. Wartenberger	Fred Haney
Location	2230'S-2040'E NW. Cor.	1310'S-1690'E NW. Cor.	1940'S-1590'E NW. Cor.	2300'S-1850'E NW. Cor.	2280'S-900'E NW. Cor.	1600'S-1850'E NW. Cor.	1270'S-1060'E NW. Cor.
Driller	Roy Anderson			Roy Anderson	Schorie & Dreher	Kramer	Kramer
Date Drilled	1936			1941	1932	1941	1939
Depth	102'		231'	112'	100' ±?	97'	95'
Diameter	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	6"	4 1/2"
Status		In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground						620'	630'
Static Max						580' ('41)	593' ('39)
Static Min							
Av. G. P. D.	150	30	300	100	30	250	150
Yield g. p. m.	3	3	3	3	3	5	3
Drawdown						10	13
Date						1941	1939
Use	9 families	Household	30 families	Household	Household	Household	Household
Analysis No.							
Remarks	4 1/2" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing	34' to rock 35' of 4 1/2" casing	45' to rock 46' of 4 1/2" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	13	13	13	13	13	13	13
Owner.....	Nicholson	Eric Miller	Roy Herbert	Francis Oram	James A. Selby	Charles Herbert	J. M. Long
Location.....	2180'S-900'E NW. Cor.	1530'S-1100'E NW. Cor.	1600'S-1850'E NW. Cor.	1375'S-2150'E NW. Cor.	1590'S-1800'E NW. Cor.	830'S-1320'E NW. Cor.	1880'S-1060'E NW. Cor.
Driller.....	Kramer	Kramer	Kramer	Kramer	Peter W. Dittmyer	Peter W. Dittmyer	Peter W. Dittmyer
Date Drilled.....	1942	1942	1941	1941	1937	1933	1937
Depth.....	105'	102'	70'	62'	129'	176'	126'
Diameter.....	4 1/2"	4 1/2"	6"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	620'	620'	620'	620'	620'	610'	620'
Static Max.....	580' ('42)	10 ('42)	594' ('41)	558' ('41)	605' ('37)	570' ('33)	592' ('37)
Static Min.....							
Av. G. P. D.....	150	150	2000	1000	1,200	1000	200
Yield g. p. m.....	3	3	10	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	Household & truck garage	Household	12 families piped to all	5 families	Household
Analysis No.....							
Remarks.....	20' to rock 21' of 4 1/2" casing	20' to rock 21' of 4 1/2" casing	13' to rock 20' of 6" casing	37' to rock 4 1/2" casing	23' to rock 4 1/2" casing	82' to rock 84' of 4 1/2" casing	4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	13	13	13	13	13	13	13
Owner.....	Charles Miller	Barr Community	Subdivision	R. C. Johnson	Richard J. Barr	Community (Schorie & Third)	A. Tonelli
Location.....	1580'S-950'E NW. Cor.	1410'S-950'E NW. Cor.	2540'S-1590'E NW. Cor.	790'S-1700'E NW. Cor.	300'S-1800'E NW. Cor.	2260'S-2360'E NW. Cor.	1380'S-850'E NW. Cor.
Driller.....	Peter W. Dittmyer	Peter W. Dittmyer	Peter W. Dittmyer	Schorie & Dreher	Peter W. Dittmyer	Peter W. Dittmyer	Schorie & Dreher
Date Drilled.....	1938	1922	1923	1934	1924	1924	1932
Depth.....	113'	107'	87'	160'	385'	118'	156'
Diameter.....	4 1/2"	6"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	620'	620'	642'	-----	620'	640'	-----
Static Max.....	588' ('38)	578' ('22)	687' ('23)	-----	581' ('25)	595' ('24)	-----
Static Min.....							
Av. G. P. D.....	200	300	300	50	150	230	300
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	20 families	30 families	3 families	Household	20 families	Household & store
Analysis No.....							
Remarks.....	17 1/2' to rock 27 1/2' of casing	24' to rock 6" of casing	33' to rock 4 1/2" of casing	4 1/2" casing	4 1/2" casing	39' to rock 4 1/2" casing	4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section Owner.....	13 Mrs. Tom Meers	13 P. Moruzzi	13 E. Moreland Water Association	13 Barr Park Water Association	13 A. Baudino	13 Joe Stemack	13 Engles Park Community
Location.....	200°S-530°E NW. Cor.	1590°S-2150°E NW. Cor.	650°S-2450°E NW. Cor.	375°S-2160°E NW. Cor.	2300°S-2150°E NW. Cor.	2150°S-2550°E NW. Cor.	2550°N-500°E SW. Cor.
Driller.....	Peter W. Dittmyer	Schorie & Dreher	J. Otis Heflin	"	"	"	"
Date Drilled.....	1936	1941	1931	1893	"	"	1912
Depth.....	216'	74'	265'	306'	600'	"	600' ?
Diameter.....	4 1/2"	4 1/2"	6"	8"	4 1/2"	"	6"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....			610'	610'			
Static Max.....	63 ('36)		583' ('40)	579' ('41)			
Static Min.....							
Av. G. P. D.....	130	300	5,500	2,500	200	30	38,100
Yield g. p. m.....	3	3	20	100	4	3	
Drawdown.....							
Date.....							
Use.....	Household	3 families	55 families	13 families	2 families	Household	School 320 128 families Factory 50
Analysis No.....							
Remarks.....	73' to rock 73 1/2' of 4 1/2" casing	45' to rock 4 1/2" casing	79' to rock 80' of 6" casing	8" casing	4 1/2" casing		8" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section Owner.....	13 H. Kuhlman	13 R. J. Helbling, Tenant	13 C. Johnson	13 F. Landrey	13 C. D. George	13 Ed Fleishman	13 James A. Harden
Location.....	1090°N-90°E SW. Cor.	2470°N-2150°E SW. Cor.	1560°N-100°E SW. Cor.	2500°N-900°E SW. Cor.	2310°N-1510°E SW. Cor.	2310°N-1750°E SW. Cor.	2630°N-900°E SW. Cor.
Driller.....	"	"	Gray	Schorie & Dreher	Shroba	Shroba	Schorie & Dreher
Date Drilled.....	1925	"	1930	1939	1926	1942	1939
Depth.....	4 1/2"	4 1/2"	198'	125'	136'	102'	160' ?
Diameter.....	4 1/2"	4 1/2"	6"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....					645'	645'	
Static Max.....					600' ('41)	605' ('42)	
Static Min.....							
Av. G. P. D.....	30	250	2000	400	100	100	400
Yield g. p. m.....			17	5	3	3	4
Drawdown.....							
Date.....							
Use.....	Household	3 families	14 families	8 families	Household	Household	2 families & store
Analysis No.....							
Remarks.....	4 1/2" casing	4 1/2" casing	22' to rock 6" casing	4 1/2" casing	32' to rock 4 1/2" casing	32' to rock 4 1/2" of casing	4 1/2" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	13	13	13	13	13	13	14
Owner.....	Mrs. Eliza Rudd	Marie Renner	Richard Barr Community	Winifred Rikken	Thomas Otis	Subdivision	Frederick Cowin Co.
Location.....	130°N-150°E SW. Cor.	2150°N-950°E SW. Cor.	2850°N-950°E SW. Cor.	1350°N-95°E SW. Cor.	600°N-100°E SW. Cor.	2650°N-2150°W SE. Cor.	NW of NE ¼
Driller.....	Schorie & Dreher	Schorie & Dreher	Peter W. Dittmyer	Peter W. Dittmyer	Peter W. Dittmyer	Peter W. Dittmyer	
Date Drilled.....	1912 ?	1936	1924	1940	1914	1924	
Depth.....	63'	120'	81'	132'	72'	104'	300'
Diameter.....	4½"	4½"	4½"	4½"	4½"	4½"	
Status.....	In use	In use	In use	In use	In use	In use	Abandoned
S. L. Elevation.....							
Ground.....			645'	642'	643'	640'	
Static Max.....			615' ('24)	607' ('40)	615' ('14)	600' ('24)	
Static Min.....							
Av. G. P. D.....	70	50	300	200	60	230	
Yield g. p. m.....	3	3	3	3	3	3	
Drawdown.....							
Date.....							
Use.....	Farm	4 families	15 families	Household	Household	19 families	Factory
Analysis No.....							
Remarks.....	4" casing	27' of 4½" casing	4½" casing	40' of 4½" casing	4½" casing	4½" casing	

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	14	14	14	14	14	14	14
Owner.....	Mrs. Spriefzer	Harlow Grose	W. Gibson	F. Theis	Herman Halweg	Alice R. Brown	Earl R. Muhlrig
Location.....	1485°S-845°W NE. Cor.	1320°S-1590°W NE. Cor.	1485°S-1050°W NE. Cor.	2100°S-1050°W NE. Cor.	1600°S-845°W NE. Cor.	1485°S-100°W NE. Cor.	1500°S-490°W NE. Cor.
Driller.....		Birke		Peter W. Dittmyer	Peter W. Dittmyer	Joe Burke	Joe Burke
Date Drilled.....	1922		1900	1937	1942	1927	1922
Depth.....	190' +	190'	160'	125'	137'	165'	125'
Diameter.....	4½"	4½"	4½"	4½"	4½"	4½"	4½"
Status.....	In use	In use	Not in use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....			50 ('28)	38 ('37)	35 ('42)	9 ('39)	34½ ('42)
Static Min.....							
Av. G. P. D.....	50	600		100	50	80	400
Yield g. p. m.....	3	5		4	3	3	5
Drawdown.....							
Date.....							
Use.....	Household	6 families	Household	Household	Household	Household	4 families
Analysis No.....							
Remarks.....	4½" casing	4½" casing		30' to rock 4½" casing	38' to rock 30' of 4½" casing	4½" casing	4½" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	14	14	14	14	14	14	14
Owner.....	Howard McCani	John Hill	G. A. Clark No. 1	Vera Pool	Wm. B. Ritter	Wheeler	Elmhurst Cemetery
Location.....	1500'S-500'W NE. Cor.	1220'S-400'W NE. Cor.	1150'S-900'W NE. Cor.	2200'S-1500'W NE. Cor.	1680'S-1100'W NE. Cor.	1220'S-1750'W NE. Cor.	NE. Cor.
Driller.....	Joe Burke	Joe Burke	Joe Burke	Shroba	Peter W. Dittmyer	Peter W. Dittmyer	Schorie & Dreher
Date Drilled.....	1922	1925	1923	1940	1923	1941	1927
Depth.....	87'	148'	208'	125'	156'	100'	287'
Diameter.....	4 1/2"	4"	4"	4 1/2"	4 1/2"	4 1/2"	287"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....		65' ('25)	70' ('30)	25' ('40)	40' ('28)	50' ('41)	
Static Min.....			78' ('40)				
Av. G. P. D.....	100	150	1,500	60		60	100
Yield g. p. m.....	4	4	10	3		3	3
Drawdown.....							
Date.....							
Use.....	Household	2 families	25 families	5 families	Household	5 families	Office
Analysis No.....							
Remarks.....	4 1/2" casing	70' to rock 4" casing	70' to rock 7 1/2" of 4" casing	35' to rock 4 1/2" casing	34' to rock 38' of 4 1/2" casing	4 1/2" of casing	

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	14	14	14	14	14	14	14
Owner.....	J. M. Thompson	Carl Hoefler	City of Joliet Washington St. No. 1	City of Joliet Washington St. No. 2	Mary Wurtz	Dixon	Willard Subdiv.
Location.....	2280'S-1500'W NE. Cor.	2530'S-800'W NE. Cor.	580'S-1560'E NW. Cor.	850'S-1535'E NW. Cor.	1000'S-2150'E NW. Cor.	1000'S-2250'E NW. Cor.	1200'S-2310'E NW. Cor.
Driller.....	Peter W. Dittmyer	Peter W. Dittmyer	C. W. Varner	C. W. Varner, repaired			Birkey
Date Drilled.....	1917	1937	1937	1937	1920	1919	1907
Depth.....	103'	140'	1608'	1704'			97'
Diameter.....	4 1/2"	4 1/2"	18"	8"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use		In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....	33' ('17)	50' ('37)	563'	560'			25' ('39)
Static Min.....			270' ('37)				
Av. G. P. D.....	360	100	1,250,000	1,250,000	10	20	600
Yield g. p. m.....	4	4	1050		2	2	3
Drawdown.....			125				
Date.....			1938				
Use.....	4 families	Household			Household	Household	30 families carry
Analysis No.....			81613				
Remarks.....	18' to rock 4 1/2" casing	4 1/2" casing			4 1/2" casing	4 1/2" casing	48' to rock 4 1/2" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	14	14	14	14	14	14	14
Owner.....	A. Old	Harry B. McLean	Guy Love	E. H. McDevitt	A. Miller	Richard Barman	George Eibel
Location.....	2150'S-2400'E NW. Cor.	1100'S-2310'E NW. Cor.	1600'S-2310'E NW. Cor.	1600'S-2370'E NW. Cor.	2250'S-2460'E NW. Cor.	1000'S-2410'E NW. Cor.	1000'S-2520'E NW. Cor.
Driller.....	Meyers & Johnson	Peter W. Dittmyer	Schorie	Schorie & Dreher	Schorie & Dreher		Schorie
Date Drilled.....	1929	1939	1922	1940	1926	1924	1910
Depth.....	174'	172'	90'	170'	250'	133'	150'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	20' ('29)	33' ('39)	30' ('39)				
Static Min.....							
Av. G. P. D.....	400	270	20	150	30	20	100
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	23' to rock 49' of 4 1/2" casing	48' to rock 52' of 4 1/2" casing	50' to rock	40' to rock 40' of 4 1/2" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	14	14	14	14	14	14	14
Owner.....	Lemon Wall Paper Company	United Wall Paper Company	Superior Wall Paper Company	Midwest Wall Paper Company	Prairie State Wall Company No. 1	Prairie State Wall Company No. 2	Joliet Wall Paper Company
Location.....	NW. Cor.	NW. Cor.	NW. Cor.	NW. Cor.	2575'S-2100'E NW. Cor.	2460'S-2350'E NW. Cor.	2475'S-1900'E NW. Cor.
Driller.....			Birkey	J. P. Miller Co.	C. Brandt (repaired by Miller)	J. Otis Hehn, repaired	J. Otis Hehn
Date Drilled.....	1919	1924-5	1926	1911-1940	1941	1941	1927
Depth.....	200'	250'	200'	500'	700'	1603'	754'
Diameter.....	6"	8 1/2"	7"	10"	12"	12 1/2"	10"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....					576'	581'	577'
Static Max.....					35' ('41)	35' ('41)	
Static Min.....							
Av. G. P. D.....	8000	10,000	15,000	5,000	430,000	290,000	208,000
Yield g. p. m.....	17	20			300	500	140
Drawdown.....					135		
Date.....					1941		
Use.....	Factory	Factory	Factory	Factory	Factory	Factory	Factory
Analysis No.....					91945	91729	91843
Remarks.....	5" casing	8" casing	7" casing	10" casing	12" casing		10" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	14	14	14	14	14	14	14
Owner.....	Mrs. Wurtz	Fritz	H. E. Givenrod	Michael Sallase	B. Reilli	Oliver Realty Co.	John B. Hollsten
Location.....	900'S-2100'E NW. Cor.	800'S-2150'E SW. Cor.	100'N-1060'E SE. Cor.	900'N-1100'E SE. Cor.	1900'N-1060'E SE. Cor.	2450'N-700'E SE. Cor.	100'N-2200'E SE. Cor.
Driller.....	Schorie & Dreher	Gray of Plainfield					
Date Drilled.....	1942	1935		1925	1921		1929
Depth.....	180'	115'		100'			180'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	37' (42)						
Static Min.....							
Av. G. P. D.....		20	150	100	80	20	100
Yield g. p. m.....	5	3	3	3	3	3	3
Drawdown							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	32' to rock 35 1/2' of 4 1/2" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing	8' to rock 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	14	14	14	14	14	14	14
Owner.....	Frank Herman	L. Dunn	Glen Krista	G. A. Clark No. 2	Robert Hanson	Victor Demeyer	Fred Drew
Location.....	100'N-1850'E SE. Cor.	700'N-1500'E SE. Cor.	1230'N-1060'E SE. Cor.	2575'N-500'E SE. Cor.	100'N-1650'E SE. Cor.	955'N-1550'E	1900'N-1430'E
Driller.....	Gray (of Plainfield)			Kramer	Gray	Shroba	Peter W. Dittmyer
Date Drilled.....	1928	1922	1914	1941	1900	1942	1923
Depth.....	100'	105'	100'	200'	95'	103'	99'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....				32' (41)		80' (42)	73' (22)
Static Min.....							
Av. G. P. D.....	150	200	20	1,500	50	30	30
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown							
Date.....							
Use.....	Household	2 families	Household	25 families	Farm	Household	Household
Analysis No.....							
Remarks.....	4 1/2" casing	4 1/2" casing	4 1/2" casing	20' to rock 4 1/2" casing	10' to rock 4 1/2" casing	30' to rock 4 1/2" casing	4 1/2" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	14	15	15	15	15	15	15
Owner	Wm. Davis	City of Joliet	Swift Packing Co.	Grueswald Bottling Works	Frank Eicholzer	Schoney	L. Berro
Location	75°N-1600°E	Spruce Step 2325°S-255°E NW. Cor.	150°S-120°E NW. Cor.	2250°S-150°E NW. Cor.	1250°N-610°E SW. Cor.	1230°N-600°E SW. Cor.	120°N-1320°E SW. Cor.
Driller	Schorie & Dreher	Ohio Drilling Co.	Anderson		Schorie & Dreher	Schorie & Dreher	Roy Anderson
Date Drilled	1933	1912	1928		1926	1925	1929
Depth	200'	1565'	150'	125'	32'	33'	
Diameter	4 1/2"	14"	6"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status	In use	Not used	In use	In use	In use	In use	In use
S. L. Elevation							
Ground		525'					
Static Max			8' ('28)	8' ('40)	22' ('26)	22' ('25)	
Static Min							
Av. G. P. D.	150		15,000	8,000	20	20	100
Yield g. p. m.	3				3	3	3
Drawdown							
Date							
Use	Household	Abandoned	Plant	Plant	Household	Household	Household
Analysis No.							
Remarks	105' to rock 106' of 4 1/2" casing	Equipped with Water Level Recorder	Rock at 3' 20' of 8" casing 40' of 6" casing	Rock near surface	Hand pump 31 1/2" of 4 1/2" casing	32' of 4 1/2" casing	4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	15	15	15	15	15	15	15
Owner	Bittner	Mrs. M. C. Redden	Clem Schorie	Fred Kraplin	LaVerne Johnson	Roy Anderson	B. Hessrick
Location	250°N-1200°E SW. Cor.	20°N-1160°E SW. Cor.	20°N-2300°E SW. Cor.	630°N-1960°E SW. Cor.	150°N-1500°E SW. Cor.	150°N-1740°E SW. Cor.	100°N-2150°E SW. Cor.
Driller	Schorie & Dreher	Schorie & Dreher	Schorie & Dreher	Schorie & Dreher	Schorie & Dreher	Roy Anderson	Schorie
Date Drilled	1930	1930	1941	1912	1914	1913	1899
Depth	92'	100'	190'	190'	90'	90'	120'
Diameter	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground							
Static Max							30' ('40)
Static Min							
Av. G. P. D.	40	150	30	30	100	100	30
Yield g. p. m.	3	3	3	3	3	3	3
Drawdown							
Date							
Use	Household	Household & 2 families	Household	Household	Household	Household	Household
Analysis No.							
Remarks	4 1/2" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing	4 1/2" casing	3' to rock 120' of 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	15	15	15	15	15	15	15
Owner.....	John J. Johnson	E. Anera	Kahlert	Gentile	Asterino	Wm. Carlson	Ed Williams
Location.....	150°N-1450°E SW. Cor.	50°N-2575°E SW. Cor.	200°N-2650°E SW. Cor.	100°N-2465°E SW. Cor.	250°N-2485°E SW. Cor.	450°N-2650°E SW. Cor.	420°N-2420°E SW. Cor.
Driller.....	Roy Anderson	Louis Schorie	Roy Anderson	Schorie	Louis Schorie	Louis Schorie	Matthews
Date Drilled.....	1936	1922	1930	1920	1910	1912	1917
Depth.....	110'	225'	125'	126'	128'	90'	175'
Diameter.....	4 1/2"	4"	4 1/2"	4"	4 1/2"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	22' ('36)	80' ('42)	65' ('35)	65' ('39)	66' ('29)	65' ('41)	10' ('17)
Static Min.....							30' ('41)
Av. G. P. D.....	2000	30	60	30	50	60	1000
Yield g. p. m.....	6	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household & dairy	Household	3 families	Household	2 families	4 families	7 families
Analysis No.....							
Remarks.....	18' to rock 20' of 4 1/2" casing	3' to rock 10' of 4" casing	3' to rock 4 1/2" casing	3' to rock 10' of 4" casing	4' to rock 9' of 4 1/2" casing	3' to rock 12' of 4" casing	6' to rock 25' of 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	15	15	15	15	15	15	15
Owner.....	Anton Belush	Mrs. John Bud- zinski	Fred Azzi	Fred Barro	Neilson	Alexander Hamilton Tavern	Roy J. Voight
Location.....	150°N-2000°E SW. Cor.	300°N-1300°E SW. Cor.	500°N-2200°E SW. Cor.	530°N-2130°E SW. Cor.	200°N-2100°E SW. Cor.	450°N-2030°E SW. Cor.	75°N-2260°E SW. Cor.
Driller.....	Matthews	Schorie & Dreher	Schorie & Dreher	Roy Anderson	Roy Anderson		Louis Schorie
Date Drilled.....	1939		1916	1933	1929	1899	1900
Depth.....	160'	103'	65'	80'	114'	80'	83'
Diameter.....	4 1/2"	4 1/2"	4"	4"	4 1/2"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	25' ('41)		35' ('38)	40' ('41)	35' ('40)	38' ('42)	20' ('40)
Static Min.....							
Av. G. P. D.....	30	200	400	150	300	500	50
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown.....							
Date.....							
Use.....	2 families	Household	3 families	Household	Household & gas station	2 families & tavern	3 families carry
Analysis No.....							
Remarks.....	5' to rock 20' of 4" casing	4 1/2" casing	6" to rock 28' of 4" casing	6' to rock 18' of 4" casing	4' to rock 15' of 4 1/2" casing	5' to rock 10' of 4" casing	3' to rock 18' of 4" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	15	15	15	15	15	15	15
Owner.....	A. Zanelli	M. Anderson	John Anselman	H. Strolman	Mrs. Anna Hacke	Alex Garbin	V. Bambasaro
Location.....	10°N-2060'E SW. Cor.	85°N-1890'E SW. Cor.	10°N-1890'E SW. Cor.	20°N-1890'E SW. Cor.	25°N-2060'E SW. Cor.	530°N-200°E SW. Cor.	300°N-1030°E SW. Cor.
Driller.....	Fred Schorie	Carl Anderson	Fred Schorie	Fred Schorie	Fred Schorie	Fred Schorie	Fred Schorie
Date Drilled.....	1919	1915	1800	1902	1837	1927	1897
Depth.....	80'	60'	80'	70'	50'	115'	110'
Diameter.....	4"	4"	4 1/2"	4"	4"	4 1/2"	4"
Status.....	In use	In use	In use	Not in use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	25' ('41)	12' ('15)	15' ('00)	Not used	12' ('87)	10' ('41)	10' ('41)
Static Min.....							
Av. G. P. D.....	70	150	120		30	30	100
Yield g. p. m.....	3	3	3		3	3	3
Drawdown							
Date.....							
Use.....	5 families carry	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	5' to rock 15' of 4" casing	5' to rock 20' of 4" casing	6' to rock 15' of 4 1/2" casing	6' to rock 20' of 4" casing	5' to rock 20' of 4" casing	6' to rock 20' of 4 1/2" casing	5' to rock 15' of 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	15	15	15	15	15	15	15
Owner.....	Fred Marasso	George Cerani	L. Kimpke	Arron Larson	Vail Cummings	Elmer Johnson	John Rodin
Location.....	300°N-1800°E SW. Cor.	300°N-1750°E SW. Cor.	300°N-1700°E SW. Cor.	300°N-1600°E SW. Cor.	300°N-1550°E SW. Cor.	300°N-1500°E SW. Cor.	300°N-140°E SW. Cor.
Driller.....	Schorie & Dreher	Roy Anderson	Fred Schorie	Louis Schorie	Ralph Paulson	Ralph Paulson	Fred Schorie
Date Drilled.....	1941	1927	1910	1920	1929	1907	1888
Depth.....	100'	92'	40'	73'	50'	90'	64'
Diameter.....	4 1/2"	4 1/2"	4"	4"	4"	4"	4"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....		15' ('41)	15' ('41)	2' ('20)	15' ('40)	15' ('41)	12' ('30)
Static Min.....							
Av. G. P. D.....	150	150	20	30	30	30	30
Yield g. p. m.....	3	3	3	3	3	3	3
Drawdown							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	4 1/2" casing	6' to rock 17' of 4 1/2" casing	4' to rock 20' of 4" casing	5' to rock 18' of 4" casing	4' to rock 15' of 4" casing	6' to rock 16' of 4" casing	18' to rock 20' of 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	15	16	16	16	16	16	16
Owner.....	Mrs. Hacke	Humphrey & Sons	City of Joliet	U. S. War Dept.	City of Joliet	Molawchi	E. E. Schindler Co.
Location.....	20°N-2360'E SW. Cor.	410°S-475°W NE. Cor.	369°S-1240°W NE. Cor.	710°N-1430°E SW. Cor.	2000°N-2630°E SW. Cor.	2440°N-1840°E SW. Cor.	1500°N-2100°E SW. Cor.
Driller.....	Fred Schorie		Ohio Drilling Co.	F. M. Gray, Jr.	Wm. Cater	Burke	
Date Drilled.....	1900	1899	1913	1936	1924	1921	
Depth.....	95'	80'	1575'	855'	1585'	350'	400' +
Diameter.....	4"	4 1/2"	14"	8"	17"	4 1/2"	
Status.....	In use	In use	Not used	In use	Stand-by	In use	In use
S. L. Elevation							
Ground.....			628'	539'	534'		
Static Max.....	20' ('40)	20' ('41)				40' ('41)	180' ('41)
Static Min.....							
Av. G. P. D.....	100	400	5	5000	1,000,000	300	6000
Yield g. p. m.....	3			28	1250	6	9
Drawdown.....				3.6			
Date.....				1936			
Use.....	Household	Foundry	Observation	Station	City supply	4 families	Mfg. plant
Analysis No.....				79738	73620		
Remarks.....	6' to rock 4 1/2" casing	4 1/2" casing	Water level recorder installed	9' to rock 353' of 8" casing	341' of 17" casing	0' to rock 60' of 4 1/2" casing	

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	15	16	17	17	17	17	17
Owner.....	Vinoent Moroni	Riverside Foundry	H. J. Brown	Joseph Bick	John L. Jasinek	George Barras	Walter Koenig
Location.....	1575°N-1360°E SW. Cor.	2400°N-2430°W SE. Cor.	2710°S-1040°W NE. Cor.	2450°S-1450°W NE. Cor.	2200°S-875°W NE. Cor.	2540°S-1200°W NE. Cor.	2025°S-1230°E NW. Cor.
Driller.....	Schorie & Dreher		Peter Dittmyer	Joseph Burkey	Peter Dittmyer	Steve Shroba	Peter W. Dittmyer
Date Drilled.....	1942	1910	1935	1920	1939	1940	1937
Depth.....	191'	80'	189'	177'	175'	129'	151'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	Not used	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....							
Static Max.....	30' ('42)		20' ('35)		64' ('39)		51' ('37)
Static Min.....							
Av. G. P. D.....			100	60	100	100	100
Yield g. p. m.....	5		4	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Abandoned	Household	5 families	Household	Household	Household
Analysis No.....							
Remarks.....	2' to rock 4 1/2" of 4 1/2" casing		22' to rock 24' of 4 1/2" casing	4" casing	35' to rock 37' of 4 1/2" casing	4 1/2" casing	63' to rock 63 1/2" of 4 1/2" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	17	17	17	17	17	17	17
Owner	Oliver Flint	J. A. Larson No. 2	I. Kapellas	C. M. Eggman	F. Biddle	Joe Korst	Dr. Wm. B. Welsh
Location	1420'S-1340'E NW. Cor.	150'S-260'E NW. Cor.	1550'S-1200'E NW. Cor.	1160'S-1210'E NW. Cor.	1355'S-1245'E NW. Cor.	1030'S-1140'E NW. Cor.	210'S-1230'E NW. Cor.
Driller	Schorie & Dreher	J. Otis Hedlin	Joseph Birkey	Shroba	Shroba	Peter W. Dittmyer	Peter W. Dittmyer
Date Drilled	1941	1906	1906	1934	1929	1939	1929
Depth	200'	230'	95'	140'	125'	183'	183'
Diameter	4 1/2"	4"	4"	4 1/2"	4 1/2"	4 1/2"	5"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground							
Static Max.	70' ('41)		50' ('06)	55' ('34)		75' ('39)	60' ('29)
Static Min.							
Av. G. P. D.	100	200	100	200	200	200	200
Yield g. p. m.	3	3	3	3	3	3	5
Drawdown							
Date							
Use	Household	Household & farm	Household	Household & farm	Household	Household	Household
Analysis No.							
Remarks	4 1/2" casing	4 1/2" casing	4" casing	4 1/2" casing	4 1/2" casing	61' to rock 62 1/2' of 4 1/2" casing	57 1/2" to rock 58 1/2" of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	17	17	17	17	17	17	17
Owner	Frank Lumley, Sr.	Richard O. Lumley	Max Boestrow	John Dembinsky	H. V. Givens	H. B. Beck	Andrew Wafjus
Location	810'S-1170'E NW. Cor.	970'S-1140'E NW. Cor.	830'N-2225'E SW. Cor.	2100'N-1240'E SW. Cor.	2490'N-165'E SW. Cor.	1686'N-300'W SE. Cor.	2460'N-1300'W SE. Cor.
Driller	Peter W. Dittmyer	Peter W. Dittmyer	Burke		Peter W. Dittmyer	Peter Dittmyer	Matthews
Date Drilled	1927	1927	1919	1927	1924	1933	1906
Depth	119'	120'	105'	287'	163'	142'	125'
Diameter	4 1/2"	4 1/2"	4"	4 1/2"	4 1/2"	4 1/2"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground							
Static Max.	62' ('27)	30' ('27)	40' ('19)		62' ('24)	30' ('33)	40' ('06)
Static Min.			60' ('40)				
Av. G. P. D.	400	100	150	200	400	150	300
Yield g. p. m.	5	3	3	3	5	3	4
Drawdown							
Date							
Use	2 families	Household	Household	Household	2 families	10 houses	2 houses
Analysis No.							
Remarks	57' to rock 57' of 4 1/2" casing	4 1/2" casing	80' to rock 85' of 4" casing	4 1/2" casing	64' to rock 4 1/2" casing	14' to rock 23' of 4 1/2" casing	98' to rock 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	17	17	17	17	17	17	17
Owner	Harvey W. Brown	Roscoe Carey	May Gible	Chester L. Barnes	H. E. Seeley	Fred Gimpel	L. Jordan
Location	2715'N-950'W SE. Cor.	1835'N-1200'W SE. Cor.	2460'N-850'W SE. Cor.	830'N-330'W SE. Cor.	2350'N-540'W SE. Cor.	680'N-950'W SE. Cor.	250'N-1260'W SE. Cor.
Driller	Peter Dittmyer	Mathews	Birkey	Peter Dittmyer	Peter Dittmyer	Anderson	Sherman Simpson
Date Drilled	1935	1926	1916	1920	1940	1925	1941
Depth	165'	243'	140'	180'	147'	137 1/2'	110'
Diameter	4 1/2"	4"	4"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground							
Static Max.	20' ('35)	48' ('28)	50' ('20)	40' ('25)	47' ('40)	60' ('25)	38' ('41)
Static Min.							
Av. G. P. D.	150	1,500	30	500	100	200	50
Yield g. p. m.	6	8	3	7	5	3	3
Drawdown							
Date							
Use	Household	12 houses connected 5 carry	Household	5 houses	Household	13 houses carry	Household
Analysis No.							
Remarks	22' to rock 4 1/2" casing	46' to rock 4" of casing	4" of casing	12' to rock 20' of 4 1/2" casing	20' to rock 21' of 4 1/2" casing	20' to rock 4 1/2" casing	42' to rock 43' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	17	17	17	17	17	17	17
Owner	Charles Chermely	Carter Abrahamson	Georgantas	Russell A. Brooker	George Gray	E. Capas	Milborough Subdiv.
Location	675'N-1075'W SE. Cor.	450'N-430'W SE. Cor.	450'N-1265'W SE. Cor.	2225'N-310'W SE. Cor.	2465'N-450'W SE. Cor.	2500'N-365'W SE. Cor.	1575'N-825'W SE. Cor.
Driller	Peter Dittmyer	Peter Dittmyer	Peter Dittmyer	Schorie	Burke		
Date Drilled	1939	1938	1937	1913	1930	1911	1890
Depth	183'	177'	121'	115'	110'	120'	112'
Diameter	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground							
Static Max.	72' ('30)	67' ('38)	54' ('37)	60' ('18)	60' ('30)	60' ('11)	60' ('90)
Static Min.							
Av. G. P. D.	300	90	300	120	100	150	300
Yield g. p. m.	3	3	5	5	4	4	3
Drawdown							
Date							
Use	2 houses	6 houses carry	3 houses	9 houses	Household	Household	5 or 7 houses
Analysis No.							
Remarks	36' to rock 3 3/4" of 4 1/2" casing	14' to rock 28' of 4 1/2" casing	43' to rock 44' of 4 1/2" casing	30' to rock 31' of 4 1/2" casing	28' to rock 30' of 4 1/2" casing	4" casing	25' to rock 37' of 4" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	17	17	17	17	17	17	17
Owner.....	H. Weber	Mary S. Wurta	J. J. Keeley	F. J. Cooper	Mrs. Elizabeth Nicholson	Mrs. Alice Freeman	Neison's Dairy
Location.....	215°N-320°W SE. Cor.	2100°N-740°W SE. Cor.	2000°N-925°W SE. Cor.	1870°N-755°W SE. Cor.	2120°N-310°W SE. Cor.	1100°N-525°W SE. Cor.	1300°N-100°W SE. Cor.
Driller.....	Burke	Anderson	J. Otis Heflin	Peter Dittmyer	Peter Dittmyer	Burke	Schorie & Dreher
Date Drilled.....	1920	1923	1918	1920	1941	1911	1936
Depth.....	112'	148'	203'	182'	165'	175'	242'
Diameter.....	4 1/2"	4 1/2"	4"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....	60' ('29)	60' ('26)	14' ('18)	50' ('20)	60' ('41)		90' ('36)
Static Min.....							
Av. G. P. D.....	40	150	150	50	50	150	2000
Yield g. p. m.....	3	3	7	5	5	3	3 1/2
Drawdown.....							
Date.....				9-21-20	9-26-41		
Use.....	3 houses	2 houses	2 houses	Household	4 houses	Grocery store 20 families	Dairy
Analysis No.....			88268				
Remarks.....	27' to rock 29' of 4 1/2" casing	30' to rock 31' of 4 1/2" casing	35' to rock 35' of 4" casing	30' to rock 31' of 4 1/2" casing	29' to rock 37' of 4 1/2" casing	4" casing	8' to rock 27 1/2' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	17	17	17	17	17	17	17
Owner.....	Mrs. A. Ring	C. Kaatz	Roswell Carleton	C. A. VanFleet	Samuel Jarvie	Mrs. Himes	John Kennick
Location.....	2100°N-840°W SE. Cor.	700°N-76°W SE. Cor.	775°N-1275°W SE. Cor.	1425°N-1125°W SE. Cor.	475°N-150°W SE. Cor.	1825°N-80°W SE. Cor.	2400°N-1475°W SE. Cor.
Driller.....	Anderson	Burke	J. Otis Heflin	Burke	Wheeler		Roy Anderson
Date Drilled.....	1926	1927	1920	1927	1890		
Depth.....	130'	150'	135'	300'	440'		
Diameter.....	4 1/2"	4"	4 1/2"	4"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....	38' ('26)	20' ('27)	60' ('29)	65' ('21)			
Static Min.....							
Av. G. P. D.....	100	60	300	2,900	150	30	50
Yield g. p. m.....	3	3	3	6	3	3	3
Drawdown.....		70'					
Date.....							
Use.....	Household	6 houses	6 houses	Small subdiv. Household	3 houses	Household	Household
Analysis No.....	88285						
Remarks.....	28' to rock 30' of 4 1/2" casing	3' to rock 20' of 4" casing	4 1/2" casing	35' to rock 4" casing some H ₂ S	4 1/2" casing	4 1/2" casing	4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	17	17	17	17	17	18	18
Owner.....	C. M. Heath	Matt Novak	E. R. Steele	Eugene O. Walsh	Michael Moffett	J. A. Rooney	W. M. Connor
Location.....	2365'N-900'W SE. Cor.	2100'N-800'W SE. Cor.	80'N-1475'W SE. Cor.	2600'N-825'W SE. Cor.	2580'N-1230'W SE. Cor.	320'S-1100'W NE. Cor.	555'S-780'W NE. Cor.
Driller.....	Schorie & Dreher	Schorie & Dreher	Sherman Simpson	Steve Shroba	Steve Shroba	Joseph Birkey	Roy Anderson
Date Drilled.....	1941	1941	1939	1940	1940	1920	1937
Depth.....	179'	130'	118'	173'	125'	120'	124'
Diameter.....	4½"	4½"	4½"	4½"	4½"	4½"	4½"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....						642'	
Static Max.....		74' ('41)	40' ('40)			622' ('41)	60' ('37)
Static Min.....							
Av. G. P. D.....	200	300	150	200	150	100	100
Yield g. p. m.....	3	3	4	4	3	5	5
Drawdown							
Date.....							
Use.....	Household	3 families	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	50' of 4½" casing	40' to rock 50' of 4½" casing	52' to rock 52' of 4½" casing	70' to rock 4½" casing	4½" casing	4½" casing	96' to rock 97' of 4½" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	18	18	18	18	18	18	18
Owner.....	Rehn School No. 1	Rehn School No. 2	Henry Pelton No. 1	Henry Pelton No. 2	W. H. Shoefelt	O. Anders	Frank Deluca
Location.....	1230'S-665'W NE. Cor.	1225'S-600'W NE. Cor.	1000'S-330'W NE. Cor.	950'S-255'W NE. Cor.	630'S-950'W NE. Cor.	2300'S-300'W NE. Cor.	2375'S-1165'W NE. Cor.
Driller.....	Gray (of Plainfield)	Roy Anderson	Birkey	Peter W. Dittmeyer	Roy Anderson		Schorie & Dreher
Date Drilled.....		1931	1895	1937	1937	1926	1937
Depth.....	80'	245'	95'	91'	100'	185'	146'
Diameter.....	4"	4½"	4"	4½"	4½"	4½"	4½"
Status.....	In use—but not much	In use	Not used	In use	In use	Not used	In use
S. L. Elevation							
Ground.....							
Static Max.....			30' ('20)	54' ('37)	50' ('37)		
Static Min.....							
Av. G. P. D.....	100	500		100	100		100
Yield g. p. m.....	5	10		3	3½		3
Drawdown							
Date.....							
Use.....	School & neighboring homes	School	Choked with sand	3 families	Household	Abandoned	Household
Analysis No.....							
Remarks.....	4½" casing	4½" casing	4" casing	68' to rock 4½" casing	90' to rock 91' of 4½" casing	4½" casing	4½" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	18	18	18	18	19	19	19
Owner.....	Angelo Strappazon	Florie Selsaie	Mrs. Horschler	Chicago Dist. Pipe Line Co.	Fred B. Rothblat-berger	Am. Can Co.	Am. Can Co.
Location.....	90°S-60°W NE. Cor.	75°S-60°W NE. Cor.	262½°S-60°W NE. Cor.	160°N-500°E SW. Cor.	250°S-1110°W NE. Cor.	1650°S-150°W NE. Cor.	
Driller.....		Sherman Simpson deepened	Steve Shroba	Peter W. Dittmyer		S. B. Geiger & Co.	
Date Drilled.....		1941	1929	1940	1910	1921	1942
Depth.....	120'	127'	80'	238'	120'	1372'	
Diameter.....	4½"	4½"	4½"	6"	6"	10"	
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....		645'		620'		559'	
Static Max.....		585' ('41)		578' ('40)		465' (1921)	
Static Min.....						171' (1934)	
Av. G. P. D.....	100	100	30	24,000	400	250,000	
Yield g. p. m.....	3	3	7	15	3	200	
Drawdown.....				4			
Date.....				1940			
Use.....	Household	Household	Household	Gas pump station	2 families	Factory	
Analysis No.....						91471	
Remarks.....	4½" casing	4½" casing	4½" casing	32' of 6" casing	4" casing	347' of 10" casing	

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	19	19	20	20	20	20	20
Owner.....	General Refractories	General Refractories	Louis Simonich	J. Edward Robinson	Brandon Lock	Lloyd Oleson	Joliet Wrought Washer Co.
Location.....	1808 Moon Ave.	1303 Moon Ave.	90°S, 1265°W. NE. Cor.	90°S, 880°W. NE. Cor.	1725°S, 1275°W. NE. Cor.	90°S, 1640°W. NE. Cor.	1650°S, 300°E. NW. Cor.
Driller.....			Sherman Simpson	Burke	J. Otis Hofin		
Date Drilled.....			1941	1927	1925		1921
Depth.....	80'	80'	120'	132'	384'	100+	55'
Diameter.....			4½"		6"	4½"	4½"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground.....					520'		
Static Max.....			45' (1941)		90' (1937)		27' (1941)
Static Min.....							
Av. G. P. D.....	20,000	20,000	100	150	2000	20	5000
Yield g. p. m.....			3	3	40	3	5
Drawdown.....							12
Date.....							1941
Use.....	Factory	Factory	Household	10 houses carry water	River lock	Household	Factory
Analysis No.....					91687		
Remarks.....			Rock at 37' 37' of 4½" casing				10' to rock 4½" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	20	20	20	20	21	21	21
Owner.....	Franklin McAllister Steel Company	R. C. Allen	Rockdale Village	Am. Steel & Wire	McKinley Park School	National Stone Company	American Cyanamid & Chemical Co.
Location.....	1625'S, 1200'E. NW Cor.	220'S, 2610'E. NW Cor.	1000'S, 1200'E. NW Cor.	1500'S, 2100'E. NW Cor.	600'S, 2230'W. NE Cor.	30'N, 620'W SE Cor. NE 1/4	1500'N, 2300'W. SE Cor.
Driller.....	Jas. Shorely	Burke	Ohio Drilling Co.	W. H. Gray & Bro.		National Stone Company	J. P. Miller Artesian Well Co.
Date Drilled.....	1906	1926	1914-15	1919		1925	1920
Depth.....	111'	180'	660'	950'		143'	1604'
Diameter.....	5"	4 1/2"	10"	12"		9"	10"
Status.....	In use	In use	In use	In use		In use	In use
S. L. Elevation							
Ground.....			553'	547'			586'
Static Max.....	Flowed (1906)	32' (1940)	50' (1938)	96' (1922)		30' (1925)	2174' (1932)
Static Min.....				210' (1941)			2314' (1941)
Av. G. P. D.....	6000	100	60,000	20,000	2000	50	375,000
Yield g. p. m.....	12	3	150	50			250
Drawdown							
Date.....							
Use.....	Factory	Household	Village	Factory	School	Factory	
Analysis No.....			83245	91641			91634
Remarks.....	12' to rock 5" casing	35' to rock 50' of 4 1/2" casing	5' to rock 10' of casing	15' to rock 12" of casing	21' 9" and 23' 6" casing	Rock at surface 65' of 6" casing	Rock at surface

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	22	22	22	22	22	22	22
Owner.....	F. F. Schundler	Will Co. T. B. Sanatorium	Norman L. Pickett	Paul Trezino	Yoneke	Seeman	Clearview Sub'n.
Location.....	2775'S, 900'W. NE Cor.	1875'S, 1940'W. NE Cor.	1260'S, 850'E. NW Cor.	100'S, 2300'E. NW Cor.	150'S, 2150'E. NW Cor.	1225'S, 875'E. NW Cor.	2475'S, 2075'E. NW Cor.
Driller.....	Roy Anderson	Kramer			Schorie	Schorie & Dreher	Gray
Date Drilled.....	1930	1939	1937		1898	1935	1929
Depth.....	40'	144'	60'	100+	120'	176'	240'
Diameter.....	6"					4 1/2"	6"
Status.....	In use	In use	In use		In use	In use	In use
S. L. Elevation							
Ground.....	610'						
Static Max.....	587' (1940)					16' (1935)	40' (1939)
Static Min.....							
Av. G. P. D.....	40,000	5,000	30			40	3000
Yield g. p. m.....	30	15	3			3	75
Drawdown							
Date.....							
Use.....	Factory	Hospital	Household	Household	Household	Household	32 houses
Analysis No.....							
Remarks.....	Rock at 30' 40' of 6" casing		2' to rock 4 1/2" casing			4' to rock 50' of 4 1/2" casing	12' to rock 6" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	22	22	22	22	22	22	22
Owner.....	Denton-Kennedy Co.	James Jackson	Welsch Concrete Block	M. Bogetts	Wm. Donnley	Am. Inst. of Laundrying	Theodore Oesterich
Location.....	1390'S, 570'E. NW Cor.	1470'S, 850'E. NW Cor.	250'S, 1250'E. NW Cor.	860'S, 835'E. NW Cor.	1075'S, 2650'E. NW Cor.	1200'S, 900'E. NW Cor.	2335'N, 810'E. SW Cor.
Driller.....	Roy Anderson	Roy Anderson	Schorie & Dreher	J. Otis Heflin	Schorie & Dreher	Wm. H. Cater	Burke
Date Drilled.....	1928	1937	1929	1930	1942	1929	1910
Depth.....	85'	126'	204'	87'	202'	1603'	60'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	8"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....						568'	
Static Max.....	15' (1928)	8' (1937)	40' (1929)	3' (1930)	27' (1941)	227' (1929)	15' (1910)
Static Min.....							
Av. G. P. D.....	2000	100	4000	100	40	138,000	150
Yield g. p. m.....	15	7	8	7	3	430	3
Drawdown.....							
Date.....							
Use.....	Factory	Tavern	Concrete products	Store & house	Household	Laundry	Household
Analysis No.....			89522			65583	
Remarks.....	0' to rock (surface) 10' of 4 1/2" casing	8' to rock 21' of 4 1/2" casing	0' to rock 130' of 4 1/2" casing	3' to rock 4 1/2" casing	11' to rock 25' of 4 1/2" casing	5' to rock 720' of 8" casing	10' to rock 20' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	22	22	22	22	22	22	22
Owner.....	Mrs. Gregorich	Mrs. Georgia Johnson	Joe Hamill	J. Nemanich	Mrs. Nilsons Johnson	Raymond Maccani	Ted Willard
Location.....	2535'N, 930'E. SW Cor.	2535'N, 1050'E. SW Cor.	1935'N, 90'E. SW Cor.	1875'N, 90'E. SW Cor.	2540'N, 150'E. SW Cor.	2475'N, 50'W. SE Cor.	1150'N, 1085'W. SE Cor.
Driller.....	Joe Gregorich	Thursten	Peter Dittmyer	Peter Dittmyer	National Stone Co.	Peter W. Dittmyer	
Date Drilled.....		1906	1929	1929	1925	1939	1919
Depth.....	160'	53'	85'	90'	150'	116'	150'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	6"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....			15' (1940)	15' (1940)	15' (1940)	40' (1939)	18' (1920)
Static Min.....							
Av. G. P. D.....	50	30	100	30	30	40	30
Yield g. p. m.....	10	3	5	3	3	3	3
Drawdown.....							High
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	10' to rock 4 1/2" casing	10' to rock 4 1/2" casing	0' to rock 4 1/2" casing	0' to rock 4 1/2" casing	0' to rock 6" casing	48' to rock 45' of 4 1/2" casing	10' to rock 27' of 4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	22	22	22	22	22	22	22
Owner	Fred Firk	Victor Bartell	James Greenberg, No. 1	James Greenberg, No. 2	James Greenberg, No. 3	Wm. A. Davis	W. H. Keltie
Location	630'N, 150'W, SE Cor.	1615'N, 1800'W, SE Cor.	1163'N, 1690'W, SE Cor.	1650'N, 1550'W, SE Cor.	1125'N, 1580'W, SE Cor.	925'N, 230'W, SE Cor.	730'N, 600'W, SE Cor.
Driller	Schorie & Dreher		Roy Anderson	Peter Dittmyer	Peter Dittmyer	Peter Dittmyer	J. Otis Heflin
Date Drilled	1940	1910	1936	1925	1927	1936	1910
Depth	120'	90'	220'	90'	90'	161'	90'
Diameter	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	5'	4 1/2"
Status	In use	In use	In use	Not used	Not used	In use	In use
S. L. Elevation							
Ground							
Static Max	8' (1940)	20' (1910)	17' (1940)	16' (1940)	17' (1940)	25' (1936)	
Static Min							
Av. G. P. D.	30	100	300			1,800	100
Yield g. p. m.	3	3	3			9	3
Drawdown							
Date							
Use	Household	Household	2 houses	Abandoned	Abandoned	12 houses	Household
Analysis No.							
Remarks	8' to rock 27' of 4 1/2" casing		28' to rock 37' of 4 1/2" casing	28' to rock 30' of 4 1/2" casing	28' to rock 30' of 4 1/2" casing	99' to rock 101' of 5" casing	4 1/2" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	22	22	22	22	22	22	22
Owner	The Maples Sub- division	Ira D. Yaggy	Charles Weitting	Augusta Uhde	Joliet Creamery	John Smith	L. J. Henderson
Location	475'N, 583'W, SE Cor.	2000'N, 2450'W, SE Cor.	800'N, 640'W, SE Cor.	1675'N, 2560'W, SE Cor.	1320'N, 1370'W.	920'N, 200'W.	1820'N, 2130'W.
Driller	J. Otis Heflin	J. Otis Heflin	Schorie & Dreher	J. Otis Heflin	Schorie & Dreher	J. Otis Heflin	J. Otis Heflin
Date Drilled	1918	1915	1920	1890	1924	1918	1911
Depth	300'	50'	138'	50'	140'	150'	60'
Diameter	10"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground							
Static Max		600'	610'	605'			600'
Static Min		585' (1940)	530' (1940)	539' (1940)			584' (1911)
Av. G. P. D.	500	300	70	20	5000	150	150
Yield g. p. m.	10	3	3	3	15	3	3
Drawdown							
Date							
Use	6 houses	3 houses	7 houses	Household	Creamery	Household	Household
Analysis No.							
Remarks	10" casing	4 1/2" casing	42' to rock 45' of 4 1/2" casing	4 1/2" casing	25' to rock 4 1/2" casing	4 1/2" casing	4 1/2" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	22	23	23	23	23	23	23
Owner.....	Swedish O. & H. for Aged	Margaret Hols- worth	Regani	Gigliette	J. C. Macklin	James M. Thomp- son School	Metzelberg
Location.....	100°S, 550°W. NE Cor.	100°S, 550°W. NE Cor.	100°S, 2650°W., NE Cor.	100°S, 1850°W. NE Cor.	100°S, 1650°W. NE Cor.	2085°S, 180°E. NW Cor. Peter W. Dittmyer	500°S, 250°E. NW Cor.
Driller.....				Gray	Gray		
Date Drilled.....				1920	1900	1936	
Depth.....	100+	100+		110'	82'	212'	100+
Diameter.....	4½"	4½"	4½"	4½"	4½"	4½"	4½"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....						46' (1936)	
Static Min.....							
Av. G. P. D.....	30	40	30	30	30	3,000	1100
Yield g. p. m.....	3	3	3	3	3	8	8
Drawdown.....							
Date.....							
Use.....		Household	Household	Household	Household	School	11 families
Analysis No.....							
Remarks.....		4½" casing	4½" casing	4½" casing	8' to rock 4½" casing	41' to rock 42' of 5" casing	4½" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	23	23	23	23	23	23	23
Owner.....	Decitis	Walsh Community	John Walsh Com- munity	Walsh Subdivision	Walsh Subdivision	Thomas Cacia	James Circosta
Location.....	850°S, 100°E. NW Cor.	500°S, 300°E. NW Cor. Mathews	550°S, 550°E NW Cor. Mathews	510°S, 1000°E NW Cor. Mathews	1000°S, 1000°E NW Cor. Schorie & Dreher	1900°S, 100°E NW Cor. Schorie & Dreher	1160°S, 50°E NW Cor. Schorie & Dreher
Driller.....							
Date Drilled.....		1927	1927	1920		1935	1935
Depth.....	100+	97'	97'	110'	118'	125'	100
Diameter.....	4½"	4½"	4½"	4½"	4½"	4½"	4½"
Status.....	In use	Abandoned	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....							
Static Max.....			60' (1927)	20' (1920)			
Static Min.....							
Av. G. P. D.....	30		1,200	80	50	20	100
Yield g. p. m.....	3		7	3	3	3	3
Drawdown.....							
Date.....							
Use.....	Household	Abandoned	12 families	10 families	Subdivision	Household	Household
Analysis No.....							
Remarks.....	4½" casing	40' to rock	40' to rock 4½" of casing	4½" of casing	4½" of casing	45' of 4½" of casing	47' of 4½" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	23	23	23	23	23	23	23
Owner	John Bada	Bertani	Richards	Joliet Country Club	George Kaiser	Philip Simpson	Erin Hart
Location	740'S-100'E NW Cor.	100'S, 550'E. NW Cor.	2750'N, 580'E. SW Cor.	2485'N, 2150'E. SW Cor.	1485'N, 1270'E. SW Cor.	1700'N, 1310'E. SW Cor.	2410'N, 945'E. SW Cor.
Driller	Schorie & Dreher	Peter W. Dittmyer	Gray	Gray	Gray	Schorie & Dreher	Gray
Date Drilled	1924	1942	1910	1910	1910	1940	1920
Depth	96'	116'	100+	208'	225'	83'	89'
Diameter	4 1/2"	4 1/2"	4 1/2"	8"	4"	4 1/2"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground							
Static Max.		40' (1942)		42' (1940)	65' (1940)	68' (1940)	60' (1920)
Static Min.							
Av. G. P. D.	40	150	20	39,000	40	30	20
Yield g. p. m.	3	3	3	80	3	3	3
Drawdown							
Date							
Use	3 families	Household	Household	Country Club	2 families	Household	Household
Analysis No.							
Remarks	4 1/2" casing	38' to rock 4 1/2" casing	4 1/2" casing	38' to rock 36 1/2' of 8" casing	35' to rock 36' of 4" casing	38' to rock 36 1/2' of 4 1/2" casing	37' to rock 38' of 4" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section	23	23	23	23	23	23
Owner	Ruby Davis	Kinley Smith	Howston Cole	Richard Green	Ford	McGowen
Location	2575'N, 1310'E. SW Cor.	2410'N, 955'E. SW Cor.	2150'N, 955'E. SW Cor.	1590'N, 1220'E. SW Cor.	1690'N, 955'E. SW Cor.	1570'N, 650'E. SW Cor.
Driller	Gray	Gray	Roy Anderson	Roy Anderson	Gray	Gray
Date Drilled	1916	1920	1914	1916	1897	1924
Depth	85'	80'	95'	115'	90'	85'
Diameter	4"	4 1/2"	4"	4"	4"	4 1/2"
Status	Not used	In use	In use	In use	In use	In use
S. L. Elevation						
Ground						
Static Max.	64' (1925)	65' (1937)	75' (1941)	65' (1925)	60' (1897)	65' (1925)
Static Min.						
Av. G. P. D.		30	30	50	30	20
Yield g. p. m.		3	3	3	3	3
Drawdown						
Date						
Use	Household	Household	Household	3 families	Household	Household
Analysis No.						
Remarks	35' to rock 36' of 4" casing	36' to rock 37' of 4 1/2" casing	36' to rock 37' of 4 1/2" casing	37' to rock 38' of 4" casing	40' to rock 41' of 4" casing	36 1/2' to rock 37' of 4 1/2" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 10 EAST—Continued

Section.....	23	23	23	23	23	23
Owner.....	Silas L. Meyers	S. Hayward	Moses Jones	Sam Alage	John Ditsch	Nathan Simms
Location.....	2100'N, 630'E. SW Cor.	2100'N, 930'E. SW Cor.	2520'N, 850'E. SW Cor.	2250'N, 630'E. SW Cor.	2750'N, 780'E. SW Cor.	2250'N, 540'E. SW Cor.
Driller.....	Gray	Gray	Gray	Roy Anderson	Peter W. Dittmeyer	Peter W. Dittmeyer
Date Drilled.....	1923	1923	1924	1924	1941	1936
Depth.....	87 1/2'	87'	90'	250'	125'	98'
Diameter.....	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Status.....	In use	In use	In use	In use	In use	In use
S. L. Elevation						
Ground.....						
Static Max.....	67 1/2' (1923)	65' (1932)	50' (1923)	70' (1924)	56' (1941)	50' (1936)
Static Min.....						
Av. G. P. D.....	20	20	50	30	30	60
Yield g. p. m.....	3	3	3	3	3	3
Drawdown						
Date.....						
Use.....	Household	Household	4 families	2 families	Household	4 families
Analysis No.....						
Remarks.....	37 1/2' to rock 39' of 4 1/2" casing	37 1/2' to rock 38' of 4 1/2" casing	38' to rock 38 1/2' of 4 1/2" casing	30' to rock 39' of 4 1/2" casing	51' to rock 53' of 4 1/2" casing	48' to rock 44" casing

TOWNSHIP 35 NORTH; RANGE 10 EAST—Concluded

Section.....	23	23	23	29	30	30
Owner.....	Robert Booker	John Shaw	Babylon School	Public Service Co. of Northern Ill.	Blockson Chem. Co., No. 1	Blockson Chem. Co., No. 2
Location.....	1600'N, 950'E. SW Cor.	2310'N, 1270'E. SW Cor.	SW Cor.	4700'N, 600'E. SW Cor.	188'N, 580'W. SE Cor. NE 1/4	15'N, 520'W. SE Cor. NE 1/4
Driller.....	Peter W. Dittmeyer	Schorie & Dreher		S. B. Geiger & Co.	J. P. Miller Artesian Well Co.	S. B. Geiger & Co.
Date Drilled.....	1939	1917		1941	1923	1941
Depth.....	152'	90'		1508'	1520'	1510'
Diameter.....	4 1/2"	4 1/2"		12"	10"	12"
Status.....	In use	In use		In use	In use	In use
S. L. Elevation						
Ground.....						
Static Max.....	52' (1939)			515'	547'	547'
Static Min.....				353' (1941)		336'
Av. G. P. D.....	30	20		200,000	350,000	350,000
Yield g. p. m.....	3	3		350	300	480
Drawdown						140
Date.....						1941
Use.....	2 families	Household		Power station	Factory	Factory
Analysis No.....				91246	91686	90765
Remarks.....	36' to rock 44" casing	4 1/2" casing				

TOWNSHIP 35 NORTH; RANGE 11 EAST

Section	1	1	1	1	1	1	1
Owner	Thomson	Clark	C. F. Hayleys	Miss Josie Shark	Crane	Low Nelson	Storms
Location	2500'S-2260'E NW. Cor.	2140'S-980'E NW. Cor.	2650'S-550'E NW. Cor.	2660'S-300'E NW. Cor.	2450'S-450'E NW. Cor.	325'N-980'E SW. Cor.	2360'N-600'E SW. Cor.
Driller	Wannemacher	Lester Mangum	John Mathews	Lester Mangum	Lester Mangum	Lester Mangum	John Mathews
Date Drilled			1913			1934	1913
Depth	124'	76'	76'		67'	71'	112'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	710'	683'	687'	679'	678'	693'	700'
Static Max			662' ('34)			660'	650' (1913)
Static Min							
Av. G. P. D.							
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks	Rock at 78'	Rock at 56'	Rock at 58'	Rock at 46'	Rock at 47'	Rock at 63'	Rock at 73'

TOWNSHIP 35 NORTH; RANGE 11 EAST—Continued

Section	1	2	2	3	6	6	6
Owner	Ed Nig	Marley School	Jim Bowen	Ed Werner	A. T. McIntosh Subdivision Pitcher Park Farms Lot 4	Pitcher Park Farms Lot 17	Pitcher Park Farms Lot 1
Location	2640'N-225'E SW. Cor.	2780'S-1560'W NE. Cor.	2220'N-1500'E SW. Cor.	2500'N-950'E SW. Cor.	NW-NW-SE	SW-SE	
Driller	John Mathews	Lester Mangum	John Mathews	John Mathews	Herbert Foyle	Herbert Foyle	Herbert Foyle
Date Drilled	1913	1933	1912	1910	1942	1942	1942
Depth	78'	55'	96'	150'	118'	139'	111'
Diameter					4"	4"	4"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	675'	670'	720'	730'	682'	630'	
Static Max	657' (1913)		650' (1912)	660' (1940)			
Static Min							
Av. G. P. D.							
Yield g. p. m.					6	10	10
Drawdown							
Date							
Use							
Analysis No.							
Remarks	Rock at 66'	Rock at 38'	Rock at 78'	Rock at 134'	Rock at 60' 90' of 4" casing	Rock at 93' 93' of 4" casing	Rock at 65' 65' of 4" casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 11 EAST—Continued

Section	10	10	10	10	10	10	10
Owner	Specking	Swanson	McIntosh Sub.	Groves	Brooks	Moore	Yapp
Location	100°N-144°E SW. Cor.	350°N-146°E SW. Cor.	760°N-146°E SW. Cor.	200°N-116°E SW. Cor.	225°N-125°E	75°N-125°E	200°N-125°E
Driller	Lester Mangum	Lester Mangum	S. Tyler	Lester Mangum	Lester Mangum	Lester Mangum	Lester Mangum
Date Drilled			1934		1929		
Depth	74'	91'	115'	78'	72'	84'	80'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	674'	689'	689'	683'	670'		689'
Static Max.							
Static Min.							
Av. G. P. D.							
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks		Rock at 89'	Rock at 105'		Rock at 65'		

TOWNSHIP 35 NORTH; RANGE 11 EAST—Continued

Section	10	10	10	12	12	13	13
Owner	Mrs. Hany	Mrs. Christians Anderson	George Francis	Marrity	Edith Shields	Brooders	Oil Test
Location	750°N-125°E	1560°N-150°E SW. Cor.	1500°N-1810°W SE. Cor.	830°N-750°W SE. Cor.	1530°S-1650°E NW. Cor.	150°S-75°W NE. Cor.	630°N-1360°E SW. Cor.
Driller	S. Tyler	Lester Mangum	John Mathews	John Mathews	Lester Mangum	John Mathews	
Date Drilled	1934	1933	1913	1911	1934		1922
Depth	112'	78'	136'	140'	991'	145'	1085'
Diameter							
Status	In use	In use	In use	In use	In use	In use	Not used
S. L. Elevation							
Ground	690'	683'	702'	722'	703'	725'	666'
Static Max.			636' (1918)	656' (1911)	638' (1934)	660'	
Static Min.							
Av. G. P. D.				100	100	100	
Yield g. p. m.					68		
Drawdown							
Date							
Use							
Analysis No.							
Remarks	Rock at 105'	Rock at 78' Water from gravel on top of rock	Rock at 76'	Rock at 113'		Rock at 110'	Rock at 56' Sandstone 725' to 945'

TOWNSHIP 35 NORTH; RANGE 11 EAST—Continued

Section	14	15	15	15	15	15	15
Owner	Gonger	Jacob Hahn	Hillary			Geo. Valy	John Houck
Location	450°N-2220°W SE. Cor.	780°W-1430°E NW. Cor.	1330°S-1760°E NW. Cor.	1480°S-1380°E NW. Cor.	1560°S-1700°E NW. Cor.	572°S-175°E NW. Cor.	2080°N-350°E SW. Cor.
Driller	John Mathews	Lester Mangum	S. Tyler	Lester Mangum	Lester Mangum	Leo Mangum	Lester Mangum
Date Drilled	1912					1939	1931
Depth	130'	65'	78'	38'	52'	484'	504'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	696'	675'	680'	642'	660'	636'	634'
Static Max	668' (1912)					627' (1939)	
Static Min							
Av. G. P. D.							
Yield g. p. m.	100					60	
Drawdown							
Date							
Use							
Analysis No.							
Remarks	Rock at 100'		Rock at 61' 61' of 41" casing			Rock at 244'	Rock at 36'

TOWNSHIP 35 NORTH; RANGE 11 EAST—Continued

Section	15	15	15	15	15	15	15
Owner	Boreman	Wm. Clark	Meyers	New Lenox Hard- ware Co.		Rex Peping	James Orask
Location	2040°N-100°E SW. Cor.	1910°N-500°E SW. Cor.	1760°N-300°E SW. Cor.	1400°N-100°E SW. Cor.	1410°N-530°E SW. Cor.	2080°N-350°E SW. Cor.	1560°N-800°E SW. Cor.
Driller	Lester Mangum	Lester Mangum	Lester Mangum	Lester Mangum		Lester Mangum	Lester Mangum
Date Drilled	1930			1934	1934		
Depth	36'	54'	55'	50'		45'	71'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	634'	636'	637'	625'	623'	637'	650'
Static Max	628' (1930)						
Static Min							
Av. G. P. D.							
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks	Rock at 20'	Rock at 23'	Rock at 16'	Rock at 18'		Rock at 36'	Rock at 40'

**WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 11 EAST—Continued**

Section	15	15	15	15	16	16	16
Owner			Seward Baisou, Jr.	Foreshoni	Olie Store	Wimp	Summers
Location	2820'N-1200'E SW. Cor.	1760'N-400'E SW. Cor.	1930'N-780'E SW. Cor.	2960'N-1480'E SW. Cor.	2100'S-2560'W NE. Cor.	1630'S-2560'W NE. Cor.	2360'S-1430'W NE. Cor.
Driller	Lester Mangum	Lester Mangum	Lester Mangum	Lester Mangum	Lester Mangum	Lester Mangum	John Mathews
Date Drilled		1926					1915
Depth	47'	43'	52'	41'	56'	63'	92'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	640'	639'	639'	631'	628'	645'	641'
Static Max							626' (1915)
Static Min							
Av. G. P. D.							
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks	Rock at 35'		Rock at 18'	Rock at 26'	Rock at 6'	Rock at 20'	Rock at 23'

TOWNSHIP 35 NORTH; RANGE 11 EAST—Continued

Section	16	16	16	16	16	16	16
Owner	Corp.	Holslein	Charles Schaffer	Hyden	Redman	Stonehouse	Ruthledge
Location	2540'S-100'W NE. Cor.	1860'S-75'W NE. Cor.	930'S-100'W NE. Cor.	275'S-125'W NE. Cor.	75'S-1380'E NW. Cor.	250'S-2270'E NW. Cor.	1230'N-730'E NW. Cor.
Driller	Lester Mangum	Lester Mangum	Lester Mangum	Lester Mangum		Lester Mangum	John Mathews
Date Drilled						1934	1920
Depth	54'	52'	72'	120'		49½'	54'
Diameter							
Status	In use	In use	In use	In use		In use	In use
S. L. Elevation							
Ground	656'	660'	666'	679'	663'	660'	626'
Static Max				614'			
Static Min							
Av. G. P. D.							
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks	Rock at 24'	Rock at 38'		Rock at 89'	Rock at 40'		Rock at 24'

TOWNSHIP 35 NORTH; RANGE 11 EAST—Continued

Section.....	16	16	16	16	21	21	21
Owner.....	Dorothy Oamus	Ross Bradley	Mrs. Pugh	Sass	McIntosh Subdiv.	McIntosh Subdiv.	Charles Fetters
Location.....	400°N-52½°E SW. Cor.	SW of SE	400°N-75°W SE. Cor.	250°N-75°W SE. Cor.	250°S-330°W NE. Cor.	2420°S-300°W NE. Cor.	1530°S-280°W NE. Cor.
Driller.....	Lester Mangum	Schorie & Dreher	Lester Mangum	John Mathews	Lester Mangum	Henry Boysen, Jr.	Lester Mangum
Date Drilled.....	1942	1942	1911	1911	1931	1931	1931
Depth.....	276'	120'	75'	66'	191'	320'	77'
Diameter.....	4½"	4½"	4½"	4½"	12"	12"	12"
Status.....	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation.....							
Ground.....	652'		650'	657'	703'	703'	690'
Static Max.....				640' (1911)		663'	
Static Min.....							
Av. G. P. D.....						30,060	
Yield g. p. m.....		10					
Drawdown.....							
Date.....							
Use.....					Household	Subdiv.	
Analysis No.....							
Remarks.....	Rock at surface 50' of casing	Rock at 52' 58½' at 4½" casing	Rock at 10'	Rock at 35' 35' of casing	Finished in 4' of chert	Rock at 60' 60' of 12" casing	Rock at 40'

TOWNSHIP 35 NORTH; RANGE 11 EAST—Continued

Section.....	21	21	21	21	21	21
Owner.....	Ed Cooper	Ray Oamus	DeLong	Frank Roblin	Heins	Penrose
Location.....	430°S-100°W NE. Cor.	1150°S-75°W NE. Cor.	500°S-75°W NE. Cor.	590°S-75°W NE. Cor.	900°S-1180°W NE. Cor.	1090°S-900°W NE. Cor.
Driller.....	Lester Mangum	Lester Mangum	John Mathews	Lester Mangum	Lester Mangum	Lester Mangum
Date Drilled.....	1930	1930	1920	1920	1920	1920
Depth.....	78'	80'	77'	72'	53½'	52½'
Diameter.....	4½"	4½"	4½"	4½"	4½"	4½"
Status.....	In use	In use	In use	In use	In use	In use
S. L. Elevation.....						
Ground.....	686'	686'	678'	678'	686'	676'
Static Max.....			637' ('20)			
Static Min.....						
Av. G. P. D.....						
Yield g. p. m.....						
Drawdown.....						
Date.....						
Use.....						
Analysis No.....						
Remarks.....	Rock at 42'	Rock at 60'	Rock at 47'	Rock at 41'	Rock at 46'	Rock at 42'

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 11 EAST—Continued

Section	21	21	21	21	21	22
Owner	Lester Mangum	Wm. Preston	Wm. Wemer No. 2	School House	Bob Nelson	Eugene Carter
Location	600'S-680'W NE. Cor.	450'S-750'W NE. Cor.		200'S-123'E NW. Cor.	126'N-130'E SW. Cor.	
Driller	Lester Mangum	Lester Mangum	Schorie & Dreher	Lester Mangum	John Mathews	Schorie & Dreher
Date Drilled	1929		1942	1933	1911	1942
Depth	70'	48'	85'	85'	110'	82'
Diameter			4 1/2"			4 1/2" & 3 1/2"
Status	In use	In use	In use	In use	In use	
S. L. Elevation						
Ground	673'	670'		668'	671'	
Static Max	683' ('29)			628' ('33)	659' ('11)	
Static Min	652' ('34)					
Av. G. P. D.						
Yield g. p. m.			10			5
Drawdown						
Date						
Use						
Analysis No.						
Remarks	Rock at 31' Blue clay 38 1/2' to 70'	Rock at 35'	Rock at 23' 29' of 4 1/2" casing	Rock at 41'	Rock at 57' 57' of casing	Rock at 44', 52' & 70'

TOWNSHIP 35 NORTH; RANGE 11 EAST—Continued

Section	22	23	24	24	24	25
Owner	George Osmus	Gould	Chris Waring	Wm. Schmuhl	Schmul School	Henry Pieper
Location	75'N-750'W SE. Cor.	4300'S-100'W NE. Cor.	2300'S-2210'W NE. Cor.	880'S-800'E NW. Cor.	900'S-100'E NW. Cor.	1840'N-125'E SW. Cor.
Driller	Lester Mangum	John Mathews	S. Tyler	Lester Mangum	Lester Mangum	Lester Mangum
Date Drilled		1911				
Depth		131'	98'	87'	82'	110'
Diameter			3"			
Status			In use	In use	In use	In use
S. L. Elevation						
Ground	721'	721'	733'	723'	708'	737'
Static Max						
Static Min						
Av. G. P. D.						
Yield g. p. m.						
Drawdown						
Date						
Use						
Analysis No.						
Remarks	Rock at 118' 118' of casing	Rock at 100'	Rock at 96' 96' of 3" casing		Rock at 80'	Rock at 63' 63' of casing

TOWNSHIP 35 NORTH; RANGE 11 EAST—Continued

Section	26	27	28	29	29	
Owner	George Fox	E. J. & E. R. R. (Brisbane)	Ernest Crum	Charles Nelson	Souchi	M. Kestal
Location	2660'N-1125'E SW. Cor.	3310'N-1830'E SW. Cor.	125'S-1830'E NW. Cor.	1200'N-100'W SE. Cor.	375'N-2300'W SE. Cor.	
Driller	Lester Mangum	John Mathews	John Mathews	John Mathews	Gray	Wm. Falke
Date Drilled	1934	1915	1911	1911	1934	
Depth	128'	108'	112'		139'	
Diameter		4"				
Status	In use	In use	In use			
S. L. Elevation						
Ground	721'	691'	675'	680'	716'	675'
Static Max.	650' (34)	639' ('15)	642' ('11)			
Static Min.						
Av. G. P. D.		5,000				
Yield g. p. m.						
Drawdown						
Date						
Use						
Analysis No.						
Remarks	Rock at 99½' 99½' of casing	Rock at 44' 44' of 4" casing	Rock at 65' 65' of casing		Rock at 83'	Rock at 15'-20'

TOWNSHIP 35 NORTH; RANGE 11 EAST—Concluded

Section	31	32	33	35	36	36
Owner	Carl Fosnaugh	Dennis Murphy	G. F. D. Starman	Henry L. Stien	Fred Heika	Andrew Hobbs
Location	Cor. Wisconsin & Woodlawn— Lot 193	630'S-100'W NE. Cor.	200'N-2160'E SW. Cor.		2330'N-175'W SE. Cor.	125'N-1630'W SE. Cor.
Driller	John Wieting	Wm. Falke	Wm. Falke	Schorie & Dreher	John Mathews	Lester Mangum
Date Drilled	1931			1942		
Depth	135'		51'	121'	132'	
Diameter				4"		
Status	In use	In use	In use	In use	In use	In use
S. L. Elevation						
Ground		680'	693'		740'	733'
Static Max.					710'	
Static Min.						
Av. G. P. D.						
Yield g. p. m.				10		
Drawdown						
Date						
Use						
Analysis No.						
Remarks	Rock at 85'	Rock at 30 to 35' Casing 30 to 35'	50' casing	Rock at 61' 65' of 4" casing	Rock at 73' 73' of casing	Rock at 48' 48' of casing

**WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 12 EAST**

Section	1	1	1	2	3	4	5
Owner	H. Wannemacher	Wm. Banke	H. Hanby	Wm. Menke	WLS Radio Station	Ed. Maue	John Everett
Location	1460'S-2500'W NE. Cor.	1780'N-180'W SE. Cor.	1400'N-300'W SE. Cor.	1075'S-175'W NE. Cor.	200'S-250'E NW. Cor.	125'S-100'E NW. Cor.	1000'N-100'E SW. Cor.
Driller	H. Wannemacher	Wannemacher	Wannemacher	Wannemacher	Gray Well Co.	Wannemacher	Lester Mangum
Date Drilled							
Depth	108'	128'	152'	154'	1938 325'	171'	76'
Diameter	4 1/2"						
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	701'	697'	697'	705'	745'	717'	690'
Static Max					30' ('38)		
Static Min							
Av. G. P. D.					30,000		
Yield g. p. m.	3				26		
Drawdown							
Date							
Use	Household	Household	Household	Household	Radio Station	Household	
Analysis No.					84399		
Remarks	90 1/2' to rock 90 1/2' of 4 1/2" casing	98' to rock 98' of casing	98 7/8" to rock 99' of casing	94' to rock 94' casing	130' to rock 130' of 8" casing	104' to rock 104' of casing	46' to rock

TOWNSHIP 35 NORTH; RANGE 12 EAST—Continued

Section	5	5	6	6	7	8	8
Owner	Marske	MacPherson		Geo. Wannemacher		Abbey	Schears
Location	1400'N-100'E SW. Cor.	1900'N-160'E SW. Cor.	1000'S-175'W NE. Cor.	2480'S-1380'E NW. Cor.	60'N-2400'E SW. Cor.	1560'S-2520'W NE. Cor.	2280'N-325'E SW. Cor.
Driller	Lester Mangum	Lester Mangum	Lester Mangum	Wannemacher	Wannemacher	Lester Mangum	John Mathews
Date Drilled							1913
Depth	82'	88'	130'+	140'	141'	126'	121'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	700'	696'	735'	724'	728'	712'	715'
Static Max							647' ('18)
Static Min							
Av. G. P. D.							
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks	57' to rock	68' to rock	120' to rock	140' to rock	104' to rock	88' to rock	100' to rock

TOWNSHIP 35 NORTH; RANGE 12 EAST—Continued

Section	8	9	10	12	17	17	17
Owner	Old School— Mokena	Beckstein Farm— Nelson	Cooper	August Schneak- peper	F. Story	Rauffauf	Ed. McGovney
Location	2350'N-2520'W SE. Cor.	1000'S-225'W NE. Cor.	930'N-150'E SW. Cor.	380'N-600'W SE. Cor.	2330'S-2600'W NE. Cor.	375'S-450'E NW. Cor.	630'S-850'E NW. Cor.
Driller	John Matthews	Wm. E. Jahns	John Matthews	Wannemacher	J. Wieting	J. Wieting	Wannemacher
Date Drilled	1915	192	1911	1911	109'	112'	138'
Depth	134'	154'	160'	85'	109'	112'	138'
Diameter	44"	44"	44"	44"	44"	44"	44"
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	723'	735'	695'	713'		710'	718'
Static Max.	663' ('15)	65'	60' ('11)				
Static Min.							
Av. G. P. D.	300						
Yield g. p. m.							
Drawdown							
Date							
Use		Household	Household	Household	Household	Household	Household
Analysis No.							
Remarks	98' to rock	(387)	100' to rock	51' to rock 51' of casing	80' to rock	80' to rock	90' to rock

TOWNSHIP 35 NORTH; RANGE 12 EAST—Continued

Section	17	18	18	19	20	21	21
Owner	St. John's Cemetery	Louis Sandrock	Hills	Cleveland	Christ Warning		John Larsen
Location	2590'S-530'E NW. Cor.	2350'S-1900'E NW. Cor.	2240'N-630'W SE. Cor.	1530'N-326'W SE. Cor.	1580'N-1000'E SW. Cor.	1900'S-125'W NE. Cor.	350'S-2350'W NE. Cor.
Driller	John Matthews	John Matthews	John Matthews	John Matthews	Wm. F. Jahns	Wannemacher	Wannemacher
Date Drilled		1913	1921	1911			
Depth	140'	102'	138'	136'	89'	100'	144'
Diameter							
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	721'	697'	713'	731'	715'	713'	727'
Static Max.			666' (1921)	683' ('11)	665' when new		
Static Min.							
Av. G. P. D.							
Yield g. p. m.							
Drawdown							
Date							
Use	Cemetery	Household	Household	Household	Household	Household	Household
Analysis No.							
Remarks	103' to rock	73' to rock	80' to rock	95' to rock	80' to rock	70' to rock 70' of casing	90' to rock 90' of casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 12 EAST—Continued

Section.....	23	22	22	22	22	22	23
Owner.....	Knipple	Fred Pile	Vincent Marie	Wm. Pile		Andrews	Earl W. Dimick
Location.....	1630'S-100'E NW. Cor.	880'N-530'E SW. Cor.	1380'N-780'E SW. Cor.	880'N-780'E SW. Cor.	2520'N-1430'E SW. Cor.	820'N-1900'E SW. Cor.	2520'N-2600'E SW. Cor.
Driller.....	S. Tyler	Wm. F. Jahns	John Wieting	Wm. F. Jahns	Lester Mangum	S. Tyler	Lester Mangum
Date Drilled.....	1931					1934	1930
Depth.....	100'	97½'	106'	111'	72'	91'	97'
Diameter.....							
Status.....							
S. L. Elevation.....							
Ground.....	728'	751'		750'			
Static Max.....	710' ('31)	703' new		695' new			
Static Min.....							
Av. G. P. D.....							
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....	Household	Household	Household	Household	Household	Household	Household
Analysis No.....							
Remarks.....	79' of 4½" casing	95' to rock 96' of casing	75' to rock 75' of casing	107' to rock 107' of casing	72' of casing	85' to rock 85' of casing	56' of casing

TOWNSHIP 35 NORTH; RANGE 12 EAST—Continued

Section.....	23	23	23	23	23	23	23
Owner.....	Mrs. F. Neff Lot 207		Mrs. Stapleton	Gatter School	John Jones	A. J. Reese (Lincoln Est.)	Ray Wright (Lincoln Est.)
Location.....	2400'S-1560'W NE. Cor.	2540'S-50'W NE. Cor.	2120'S-2440'W NE. Cor.	125'S-2580'E NW. Cor.	2500'S-1360'E NW. Cor.	150'N-830'W SE. Cor.	300'N-2330'W SE. Cor.
Driller.....		John Wieting	Lester Mangum	Wannemacher	Lester Mangum	S. Tyler	S. Tyler
Date Drilled.....	1931				1931	1932	1932
Depth.....	77'	104'	77½'		77'	96'	65'
Diameter.....						4½"	4½"
Status.....		Not used					
S. L. Elevation.....							
Ground.....	713'			714'	714'	720'	687'
Static Max.....						684' ('31)	Flowed 1932
Static Min.....							No flow 1937
Av. G. P. D.....							
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....							
Analysis No.....							
Remarks.....	50' to gravel 76' of casing	75' to rock 75' of casing	77½' of casing	62' of casing	77' of casing	78' to rock 78' of 4½" casing	54' of 4½" casing

TOWNSHIP 35 NORTH; RANGE 12 EAST—Continued

Section	23	23	23	23	23	24	24
Owner	Charles Care	J. W. Savender	John Olson	Flora Grieves	Charles Bane— Garage	Lindholm	James A. Muroe
Location	1230'N-200'W SE. Cor.	630'N-175'W SE. Cor.	2130'N-1210'W SE. Cor.	1920'N-150'W SE. Cor.	1130'N-225'W SE. Cor.	2420'S-2340'W NE. Cor.	630'S-100'E NW. Cor.
Driller	S. Tyler	S. Tyler	John Wieting	John Wieting	S. Tyler	Wm. F. Jahns	John Wieting
Date Drilled	1931	1931			1931	1926	
Depth	90'	92'	90'	89'	90'	123'	105'
Diameter					3"	4 1/2"	
Status							
S. L. Elevation							
Ground	722	722			725	740'	
Static Max	638' ('31)	636' ('31)			659' ('31)	697' ('26)	
Static Min							
Av. G. P. D.							
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks	76' of casing	73' of casing	60' to rock 60' of casing	73' to rock 75' of casing	72' to rock 76' of 3" casing	105' to rock 105' of 4 1/2" casing	83' to rock 83' of casing

TOWNSHIP 35 NORTH; RANGE 12 EAST—Continued

Section	24	24	24	24	24	24	24
Owner	Lot 17	James Krhounek	Neederighaus	Anna Krezemka	Gill	Gustav Kluth	School
Location	1250'S-75'E NW. Cor.	2620'S-400'E NW. Cor.	1830'S-1210'E NW. Cor.	2660'S-1200'E NW. Cor.	2640'S-900'E NW. Cor.	2500'S-930'E NW. Cor.	1850'N-100'E SW. Cor.
Driller	S. Tyler	John Wieting	S. Tyler	John Wieting	John Wieting	John Wieting	S. Tyler
Date Drilled			1931				1882
Depth	77'	110'	98'	120'	110'	108'	78'
Diameter							
Status							
S. L. Elevation							
Ground	705'		725'				
Static Max	694' ('31)		639' ('31)				
Static Min							
Av. G. P. D.							
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks	54' of casing	83' to rock 83' of casing	80' to rock 93' of casing	120' shale 95' of casing	85' to rock 85' of casing	77' to rock 77' of casing	63' to rock 68' of casing

WILL COUNTY
TOWNSHIP 35 NORTH; RANGE 12 EAST—Continued

Section.....	24	24	24	24	24	28	28
Owner.....	R. J. MacDonald	Goering	Hibbard	Geo. W. Walker	Mrs. Lily McGrath	Paul Heisner	Carl Hornick
Location.....	1280'N-100'E SW. Cor.	350'N-200'E SW. Cor.	1380'N-700'E SW. Cor.	780'N-1280'E SW. Cor.	200'N-900'E SW. Cor.	500'S-1210'W NE. Cor.	380'S-1350'W NE. Cor.
Driller.....	John Wisting	S. Tyler	S. Tyler	S. Tyler	John Wisting	E. C. Sass	E. C. Sass
Date Drilled.....		1932	1931	1932		1913	1913
Depth.....	110'	98'	92'	92'	92'	1021'	103'
Diameter.....		4½"		3"	4½"		
Status.....							
S. L. Elevation.....							
Ground.....			725'		733'	756'	755'
Static Max.....			689' ('31)				
Static Min.....							
Av. G. P. D.....							
Yield g. p. m.....							
Drawdown.....							
Date.....							
Use.....							
Analysis No.....							
Remarks.....	67' to rock 67' of casing	82' of 4½" casing	80' of casing	81' to rock 81' of 3" casing	75' to rock 75' of 4½" casing	100' to rock 100' of casing	100' to rock 100' of casing

TOWNSHIP 35 NORTH; RANGE 12 EAST—Continued

Section.....	28	28	28	28	28	28
Owner.....	Chas. Rohm	Village of Frankfort	John Schier	Charles Schier	Wm. Andre	Walter Baumgartner
Location.....	1100'S-1560'W NE. Cor.	150'S-1140'W NE. Cor.	1240'S-430'W NE. Cor.	1580'S-580'W NE. Cor.	1560'S-1080'W NE. Cor.	2070'S-1000'W NE. Cor.
Driller.....	E. C. Sass	John E. Sass	Wm. F. Jahns	E. C. Sass	E. C. Sass	E. C. Sass
Date Drilled.....			1920	1913	1913	1913
Depth.....	119'	165'	117½'	114'	109'	120'
Diameter.....	3"		4½"	3"		
Status.....						
S. L. Elevation.....						
Ground.....	753'	762'	762'	764'	758'	764'
Static Max.....			692' ('20)		708' ('13)	
Static Min.....						
Av. G. P. D.....		50,000				
Yield g. p. m.....						
Drawdown.....						
Date.....						
Use.....						
Analysis No.....						
Remarks.....	97' to rock 97' of 6" casing	102' to rock 102' of casing	112' to rock 112' of 4½" casing	112' to rock 112' of 8" casing	105' to rock 105' of casing	114' to rock 114' of casing

TOWNSHIP 35 NORTH; RANGE 12 EAST—Continued

Section	28	28	28	28	30	30
Owner	Conrad Bettenhausen	E. J. & E. R. R.	Folker Bros. Mushroom Pt.	Wm. Minger	Hans Peter	Hinspeter School
Location	1400'S-260'W NE. Cor.	2430'S-200'W NE. Cor.	2350'S-2000'E NW. Cor.	2470'N-1480'W SE. Cor.	150'N-450'E SW. Cor.	100'N-125'W SE. Cor.
Driller	Wannemacher	W. L. Thorne	John Wieting	Wm. F. Jahna	Peter W. Dittmyer	Lester Mangum
Date Drilled	1934	1929	1930	141'	1919	1931
Depth	148'	315'	150'	43"	146'	80' Gr.
Diameter	4 1/2"	16"	6"			
Status						
S. L. Elevation						
Ground	765'	767'	766'	775'	747'	770'
Static Max		693' ('20)			649' ('19)	
Static Min						
Av. G. P. D.		75,000				
Yield g. p. m.						
Drawdown						
Date						
Use		Railroad				
Analysis No.						
Remarks	120' to rock 120' of 4 1/2" casing	120' to rock 125' of 16" casing	125' to rock 125' of 6" casing	133' to rock 133' of 4 1/2" casing	81' to rock 81' of casing	80' gravel 78' of casing

TOWNSHIP 35 NORTH; RANGE 12 EAST—Concluded

Section	31	32	32	34	35	35
Owner	J. B. Bauch	Mrs. Block	Hinspeter & Co.	Wishschafer	Fred Block	Herman Taves
Location	1180'N-2440'E SW. Cor.	1180'S-180'W NE. Cor.	125'S-2560'E NW. Cor.	750'N-75'W SE. Cor.	75'N-2050'E SW. Cor.	2500'N-125'E SW. Cor.
Driller	John Matthews	Wm. F. Jahna	Wm. F. Jahna	E. C. Sass	E. C. Sass	E. C. Sass
Date Drilled	1917	1921	1920	1913	1915	1913
Depth	121'	115'	146'	135'	115'	117'
Diameter		4 1/2"	4 1/2"			
Status						
S. L. Elevation						
Ground	746'	768'	770'	783'	774'	762'
Static Max	713' ('17)	713' ('21)	709' ('20)			
Static Min						
Av. G. P. D.						
Yield g. p. m.						
Drawdown						
Date						
Use						
Analysis No.						
Remarks	70' to rock 70' of casing	103' to rock 105' of 4 1/2" casing	138' to rock 135' of 4 1/2" casing	128' to rock 128' of casing	90' to rock 80' of casing	111' to rock 111' of casing

WILL COUNTY
TOWNSHIP 36 NORTH; RANGE 9 EAST

Section	9	9	9	10	10	16
Owner	City of Plainfield, No. 1	City of Plainfield, No. 2	E. J. & E. R. R.	E. J. & E. R. R.	Louis Booth	Anderson Theatre
Location	SE Cor. NE NE		660'N, 720'W SE Cor. NE ¼	935'N, 845'W SE Cor. SW ¼		Plainfield
Driller	Layne-Bowler				Wm. Breitzke	Wm. Breitzke
Date Drilled	1929	1929			1941	1941
Depth	200'	200'	256'	182'	101'	205'
Diameter	24"	15"	4"	4"	4"	8"
Status	In use	In use	In use	Abandoned	In use	
S. L. Elevation						
Ground	612'	612'				610'
Static Max.			40' when new		204' (1941)	592' (1941)
Static Min.						
Av. G. P. D.	39, 500	33, 500	50		50	
Yield g. p. m.	140	140	3		3	50
Drawdown						
Date						
Use	City supply	City supply	Station	Abandoned		
Analysis No.	65584					
Remarks	30' to rock 40' of 28" O. D. casing	29' to rock 43 1/2' of 16" O. D. casing	40' to rock 40' of 4" casing	42 1/2' of 4" casing	32' to rock 36' of 4" casing	22 1/2' to rock 22 1/2' of 8" casing

TOWNSHIP 36 NORTH; RANGE 10 EAST

Section	14	14	14	14	14	14
Owner	A. T. McIntosh Co. Subdivision	George Singletary	School Ho. 92	William Corke	Catherine Powers	Runyan Subdivision
Location	460'S, 500'W. NE Cor. SE ¼	SE ¼	SE ¼	SE ¼	SE ¼	2100'N, 175'W. SE Cor. Peter W. Dittmeyer
Driller	Simpson					
Date Drilled	1930					
Depth	385'	64'	200'	46'	104'	205'
Diameter	6"	4"	6"	13"	4"	3 1/2"
Status	In use	In use	In use	In use	In use	In use
S. L. Elevation						
Ground	645'					645'
Static Max.	629' (1942)	19'		18'		630'
Static Min.						600' new
Av. G. P. D.	50	30	50	30	30	30
Yield g. p. m.		Tested 18		Tested 15		
Drawdown						
Date						
Use	Household	Household	School	Household	Household	Household
Analysis No.						88671
Remarks	6" casing	10' to rock 4" casing	55' to rock 56' of 8" casing	13' to rock 17 1/2' of 4" casing	19' to rock	32' to rock

TOWNSHIP 36 NORTH; RANGE 10 EAST—Continued

Section	23	23	23	23	23	23	26
Owner	City of Lockport, No. 1	City of Lockport, No. 2	City of Lockport, No. 3	Northern Illinois Cereal	Sprague Dairy	Lockport Twp. High School	Taft School
Location	2820'N, 625'E. SW Cor.	2420'N, 1650'E. SW Cor.	50'N, 2500'E. SW Cor.	2200'N, 1350'E. SW Cor.	2370'N, 1440'W. SE Cor.	690'N, 2500'W. SE Cor.	560'S, 1400'E. NW Cor.
Driller	J. P. Miller Artesian Well Co.	J. P. Miller Artesian Well Co.	S. B. Geiger & Co.			Peter W. Dittmyer	
Date Drilled	1895	1927	1940	1880	1924	1924	
Depth	1650' (1922)	1475'	1571'	875'	250'	325'	
Diameter	10"	16"	14"	6"	4 1/2"	8"	4"
Status	Abandoned	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	563'	587.5'	661.5'	583'			
Static Max		380' (1935)	340' (1940)	567' (1922)			
Static Min					6' (1939)	51' (1940)	
Av. G. P. D.		250,000	250,000	24,000	18,000	1,500	500
Yield g. p. m.		375	340	50	40	80	
Drawdown		90	127				
Date		1935	1940				
Use					Dairy	School	School
Analysis No.	48280	89524	89776	91733			
Remarks	3' to rock	7' to rock	60' to rock	50' to rock	4 1/2" casing	54 1/2' to rock 70' of 6" casing	4" casing

TOWNSHIP 36 NORTH; RANGE 10 EAST—Continued

Section	26	27	27	28	28	28	28	28
Owner	Sisters of St. Joseph	Sanitary Dist. of Chicago	U. S. W. D. Lock	Stateville, No. 1 (Center)	Stateville, No. 2 (South)	Stateville, No. 3 (North)	Stateville, No. 4 (Outside)	Stateville Feeder Well
Location	2000'N, 200'E. SW Cor.	800'N, 800'E. SW Cor.	400'N, 1700'E. SW Cor.	965'S, 1565'E. NW Cor.	1500'S, 1565'E. NW Cor.	445'S, 1565'E. NW Cor.	1780'S, 1565'E. NW Cor.	1520'S, 1565'E. NW Cor.
Driller	John Mathews	C. W. Varner	Wm. Cater	J. P. Miller Artesian Well Co.	J. P. Miller Artesian Well Co.	Gray Well Drilling Co.	W. L. Thorne Co.	J. P. Miller Artesian Well Co.
Date Drilled	1907	1935	1932	1920-1941	1921	1928	1937	
Depth	1365'	852'	815'	1095-1599	1577'	1527'	2007'	
Diameter		6"	6"	10"	16"	16"	12"	6"
Status	Not used	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation								
Ground	632'	547.5'	585'	644'	642'	644'	641'	642'
Static Max		362' (1935)	348' (1932)	604' (1923)	587' (1921)	320' (1941)		561' (1941)
Static Min				354' ('41)	554' (8-'41)			
Av. G. P. D.		200	200	290,000	100,000	100,000	390,000	
Yield g. p. m.		60	7	270				
Drawdown		11		50				
Date		1935		2-'41				
Use		General	General					
Analysis No.		86429	86430	65382 & 89950	50815	65384	79972 & 89025	91724
Remarks								

**WILL COUNTY
TOWNSHIP 36 NORTH; RANGE 10 EAST—Concluded**

Section	28	33	33	34	34	34	35	36
Owner	Western United Gas & Elec.	Public Service Co. of Northern Ill., Sta. 55	Chaney School Dist. 88	Carnegie Ill. Steel Corp.	Carnegie Ill. Steel Corp.	Ruberoid Co.	Liberio Beneventi	J. Maslan
Location	750'N, 525'W, SE Cor.	94'S, 793'W, NE Cor. NW 4	2100'N, 2350'E, SW Cor.	665'S, 250'W, NE Cor. SW 4	300'S, 300'W, NE Cor. SW 4	660'N, 220'E, SW Cor.	50'N, 1320'E, SW Cor.	150'N, SW Cor.
Driller	F. M. Gray, Jr.	J. P. Miller	J. A. Kramer	F. M. Gray, Jr. & J. P. Miller	F. M. Gray, Jr. & J. P. Miller	C. W. Varner & J. P. Miller	Steve Shroba	
Date Drilled	1919	1932	1937	1917-1941	1917	1937-1941	1927	1920
Depth	1505'	1558'	952'	784'-830'	1800'	796'-550'	128'	110'
Diameter	12"	15"	8"	12"		10"	4 1/2"	4"
Status	In use	Not used	In use	In use	Not used	In use	In use	In use
S. L. Elevation								
Ground	562'	595'	636'	562'		550'	620'	
Static Max.	518' (1920)		294' (1941)	318' (1941)		344' (1937)	560' (1927)	
Static Min.	98' (1921)		288' (1937)					
Av. G. P. D.	8,000		2,000	860,000		400,000	30	300
Yield g. p. m.			150	600				
Drawdown								
Date								
Use		S.W.S. recorder	School	Factory	Abandoned	Factory	Household	Farm
Analysis No.	91736	70274		91472		79587		
Remarks	400' of casing	S.W.S. recorder installed					38' to rock 99' of 4 1/2" casing	4' casing

TOWNSHIP 36 NORTH; RANGE 11 EAST

Section	2	2	3	8	21	22	24	24
Owner	B. S. Petralis	B. S. Petralis	Grey Hill	James Marovitch	Schwab & Bulbun	Geo. Bump	Wagner	Donald Hasibar
Location	250'N-2200'E SW Cor.	200'N-2500'E SW Cor.	650'N-700'W SE Cor.	2540'S-1560'W NE Cor.	125'S-300'W NE Cor.	325'N-2260'W SE Cor.	800'S-200'W NE Cor.	1200'S-2100'W NE Cor.
Driller	Wannemacher	Wannemacher		Sherman Simpson	Sherman Simpson	John Matthews	Thomas Kramer	J. Wieting
Date Drilled			1920			1915	1932	1932
Depth	178'	191'	208'	161'	168'	158'	200' +	216'
Diameter								
Status	In use	In use	In use		In use	In use	In use	In use
S. L. Elevation								
Ground	735'	740'	736'	772'	795'	727'	732'	717'
Static Max.			861' ('20)			668' ('15)		
Static Min.								
Av. G. P. D.								
Yield g. p. m.								
Drawdown								
Date								
Use								
Analysis No.								
Remarks	120' to rock	126' to rock	120' to rock	154' to rock	137' to rock	131' to rock	200' to rock Boulders at 173'	190' to rock

TOWNSHIP 36 NORTH; RANGE 11 EAST—Concluded

Section	25	28	26	26	26	34	35
Owner	Casen	Gorams	Chris Seanners	Louffler	E. E. Frohlich	Hadley School	Lohmano
Location	1280'S-1500'E NW Cor.	150'N-730'E SW Cor.	150'N-1630'E SW Cor.	850'N-730'W SE Cor.	2300'N-900'W SE Cor.	1400'S-2560'E NW Cor.	2550'N-1180'W SE Cor.
Driller	John Matthews	John Matthews	John Matthews	John Matthews	W. J. Fulton	Lester Mangum	Lester Mangum
Date Drilled	1921	1909	1911	1909	1933		
Depth	61'	210'	93'	195'	187'	75'	52'
Diameter					4 1/2"		
Status	In use	In use	In use	In use	In use	In use	In use
S. L. Elevation							
Ground	717'	741'	740'	748'	730'	688'	711'
Static Max.				667' ('09)			
Static Min.							
Av. G. P. D.							
Yield g. p. m.							
Drawdown							
Date							
Use							
Analysis No.							
Remarks		176' to rock		158' to rock	165' to rock 185' of 4 1/2" casing		

TOWNSHIP 37 NORTH; RANGE 9 EAST

Section	29	29
Owner	E. J. & E. R. R.	E. J. & E. R. R.
Location	390'S, 160'W NE Cor. SW 1/4	408'S, 190'W NE Cor. SW 1/4
Driller		Peter W. Dittmyer
Date Drilled		1942
Depth	75'	160'
Diameter	4"	5"
Status	Abandoned	In use.
S. L. Elevation		
Ground	671'	671'
Static Max.	646' (1940)	661' (1942)
Static Min.		
Av. G. P. D.		30
Yield g. p. m.		3
Drawdown		
Date		
Use		
Analysis No.		
Remarks	40' of 4" casing	46' to rock 51 1/2' of 5" casing

TABLE III
**Mineral Qualities of Ground Water in the Chicago-Joliet-
Chicago Heights Area**

Analysis Number	Date	Depth (Feet)	Casing (Feet)	Temperature °F.	Iron p.p.m. Fe	Chloride p.p.m. Cl	Alkalinity p.p.m. (as CaCO ₃)	Hardness p.p.m. (as CaCO ₃)	Residue
15475	1906	2024			0.2	12	440	510	610
17718	1908	357				47	317		638
17804	1808				2.2	200	220	380	800
17805	1906	1705			2.2	280	203	400	925
18078	1808	368				46	340		626
18533	1909	531				127			649
21846	1911	340				5	232		583
22966	1912	1950	1783			330	285	350	1770
24246	1912	500			0.6	115	358	1160	1212
25308	1913	350				9	380	710	925
26713	1913	1600			0.0	250	228	520	1253
26714	1913	2187			0.0	620	240	796	2135
26715	1913	1590			1.6	130	210	570	1217
26716	1913	1631			0.0	250	216	536	1368
26717	1913	1700	32		1.6	39	153	188	375
26719	1913	1600			2.0	120	222	606	1289
26720	1913	1967	to rock		0.4	230	214	696	1607
26721	1913	1632			0.4	120	214	486	1085
26722	1913	1816			0.4	140	212	574	1222
26723	1913	1658			0.4	440	226	598	1781
26724	1913	1366	42		0.8	250	212	574	1456
26827	1914	1302			0.0	184	220	538	1424
26832	1914	2154			0.8	290	212	364	2019
26834	1914	1410			1.2	550	224	584	1640
26835	1914	1240			0.0	62	226	125	560
26837	1914	1627			1.4	135	208	364	1293
26838	1914	2100			0.8	780	216	512	2544
26865	1914	1679			0.8	82	214	602	1134
26886	1914	1738	300		0.4	210	218	562	1389
26887	1914	1350			1.0	42	150	252	426
26888	1914	1650			0.4	160	212	652	1364
26889	1914	1290			0.4	98	202	514	1028
26890	1914	1603			0.6	160	228	572	1218
26891	1914	1809			1.2	64	130	388	758
26892	1914	650			1.8	36	242	298	504
26895	1914	1300			1.4	500	228	372	2146
27250	1914	1785	1338			8	368	620	801
27379	1914	2046	1785	51		250	330	350	932
27379	1914	2100	26			570	300	288	1506
27381	1914	1648			0.1	200	206	656	1518
27382	1914	1849	69		0.0	160	222	368	1164
27383	1914	1800			0.2	21	364	260	438
27385	1914	1900			2.0	11	284	332	510
27386	1914	850	20		0.2	160	238	526	1234
27390	1914	1246			0.4	280	230	466	1131
27390	1914	1868	853			190	224	552	1248
27391	1914	1110	69		0.4	190	216	452	1082
27392	1914	1700	to rock		0.0	140	216	368	524
27393	1914	2000			0.8	15	256	360	1060
27394	1914	1449	48		0.4	142	348	440	572
27395	1914	1990			0.4	36	226	628	1247
27399	1914	1280			0.7	130	268	380	546
28011	1914	1585	87		1.0	6	139	81	208
28028	1914	300			0.0	30	226	492	1037
28029	1914	1690			0.2	18	262	20	247
28030	1914	867	95		0.1	240	213	642	1646
28032	1914	1582			0.4	240	206	588	1448
28035	1914	1615	811		0.7	206	270	282	1890
28037	1914	2080	81		3.0	140	231	515	1060
28038	1914	1622			0.7	46	148	230	450
28133	1914	1554	84		0.7	18	127	309	589
28134	1914	1640	80		0.2	37	163	291	552
28135	1914	1611	100		0.6	57	280	473	806
28136	1914	1638	45		0.2	120	270	466	891
28137	1914	1507	79		0.2	62	243	471	692
28138	1914	1597	70		0.1	120	248	596	1158
28139	1914	1635	67		0.1	110	284	320	735
28140	1914	1870	44		0.7	83	238	470	829
28144	1914	1590	61		1.3	280	252	750	1504
28145	1914	1600	1303		1.5	1500	303	1265	3390
28146	1914	1521			0.1	100	288	264	672
28205	1914	1550	60		2.8	330	225	345	2068
28207	1914	2008			6.0	53	565	579	807
28208	1914	1135	90		0.2	130	206	536	1294
28209	1914	1641			1.1	94	234	540	1090
28213	1914	1750			0.5	17	245	103	433
28215	1914	430							

Analysis Number	Date	Depth (Feet)	Casing (Feet)	Temperature °F.	Iron p.p.m. Fe	Chloride p.p.m. Cl	Alkalinity p.p.m. (as CaCO ₃)	Hardness p.p.m. (as CaCO ₃)	Residue
28216	1914	1815			0.3	115	209	579	1164
28294	1914	1600			0.0	180	216	582	1366
28285	1914	1600			0.2	155	221	619	1284
28296	1914	1328			0.3	220	225	659	1664
28297	1914				0.1	145	270	608	1268
28347	1914	340	93		0.2	18	209	48	287
28368	1914	491			0.3	30	162	56	257
28369	1914	365	67		0.4	30	181	9	372
28370	1914	495	72		0.2	24	202	56	292
28374	1914	926	79		0.2	36	217	141	324
28375	1914	363			0.8	26	174	56	255
28376	1914	340			0.2	22	167	64	232
28377	1914	788			1.2	58	232	322	691
28378	1914	1628			0.2	196	157	603	1387
28379	1914	1706	65		1.0	255	221	751	1839
28380	1914	1250			0.2	180	174	474	1291
28381	1914	350			0.1	24	160	92	320
28382	1914	502	6		0.2	18	199	13	253
28384	1914	1650	517		0.2	46	171	357	648
28530	1914	1660			0.3	90	230	546	1103
28531	1914	239	103		0.0	33	180	128	316
28532	1914	346	85		0.2	30	199	29	295
28533	1914	400			0.6	15	161	109	212
28534	1914	255	77		0.2	17	187	36	255
28535	1914	347			0.1	38	200	52	294
28536	1914	200			0.2	10	146	120	209
28537	1914	350			0.2	19	180	128	266
28538	1914	400			0.4	20	244	200	327
28583	1914	1050			0.8	97	179	530	1196
28584	1914	350			0.4	15	212	532	840
28585	1914	290	107		0.6	27	180	118	271
28586	1914	415			0.4	24	169	119	250
28587	1914	250	107		0.6	12	204	168	270
28588	1914	235			32.0	50	232	100	443
28590	1914	250			0.4	15	261	203	467
28592	1914	505			0.2	14	262	274	423
28614	1914	312			0.0	4	126	133	183
28615	1914	336			0.0	33	154	82	221
28616	1914	300	60		0.2	11	244	422	601
28617	1914	156			0.0	5	128	134	179
28618	1914	1300			0.0	155	207	581	1310
28619	1914	300			0.0	16	140	98	228
28620	1914	1607	990	55	0.0	69	195	427	899
28621	1914	1650	50		0.5	210	219	673	1343
28623	1914	1625			0.0	37	178	130	512
28652	1914	1620			0.4	135	263	498	1030
28666	1914	490			0.4	21	110	76	178
28667	1914	200			2.6	26	137	103	228
28699	1914	185			0.1	19	101	77	155
28670	1914	800			0.6	27	132	106	199
28672	1914	450			0.4	23	113	63	180
28673	1914	1605			6.0	270	145	233	1503
28674	1914	1596			0.6	170	200	361	1260
28718	1914	1307			0.1	95	307	467	860
28719	1914	1683			0.2	425	267	745	1691
28720	1914	1745			0.1	165	215	487	1142
28723	1914	1592			0.4	155	209	673	1436
28724	1914	165			0.6	15	116	102	208
28725	1914	1595			0.2	130	204	648	1393
28726	1914	286			0.1	31	154	138	290
28727	1914	2188			1.5	1809	197	765	3717
28728	1914	1593			0.2	180	202	172	1518
28748	1914	1979			0.3	720	234	586	1908
28749	1914	2010	72		0.6	1500	208	816	3244
28751	1914	1600	36		0.4	100	252	382	727
28752	1914	1643			0.6	690	217	393	2127
28757	1914	2008			0.8	510	229	531	1626
28758	1914	1643			0.3	360	232	766	1362
29065	1914	1659			1.3	90	216	658	1130
29269	1914	322	90		0.8	13	290	317	410
30619	1915	1375	118		0.1	9	285	400	500
30698	1915	2046		51		7	380	1080	1175
30837	1915	1942			0.4	405	235	455	1841
30853	1915	430	200		0.3	16	243	87	418
30855	1915	192			0.9	2	414	400	432
31689	1915	1575			0.0	107	355	859	1379

Analysis Number	Date	Depth (Feet)	Casing (Feet)	Temperature °F.	Iron p.p.m. Fe	Chloride p.p.m. Cl	Alkalinity p.p.m. (as CaCO ₃)	Hardness p.p.m. (as CaCO ₃)	Residue
31688	1915	357			0.2	50	330	530	761
31812	1915	200			1.3	2	382	462	644
31820	1915	1623	92		0.5	255	200	463	1160
31842	1915	1689			1.0	184	235	535	1177
30030	1916	1300			1.8	86	300	260	1199
30031	1916	2200	600		trace	570	200	275	1337
30601	1916	1864			0.5	96	286	303	699
38536	1917	194	80		0.5	3	234	471	995
38895	1917	93	84		1.6	4	340	335	445
39919	1918				1.4	23	356	566	737
39932	1918	316			0.4	3	393	383	471
43291	1920	710	21		trace	275	212	420	1167
43321	1920	125			0.4	3	320	300	430
43322	1920	958			0.6	4	332	372	429
43323	1920	2222	185		0.6	7	342	350	447
43540	1920	150				42	326		1077
44728	1921	2021			0.1	6	366	431	563
45512	1921	329	299		0.3	2	412	487	379
47066	1922	2012	95	82	0.1	88	256	327	672
47369	1922	885	90	51	1.2	8	286	338	399
47754	1922	Quarry			0.0	12	184	291	361
47785	1922	1535		52	0.6	6	320	480	364
47787	1922	65	87		1.6	3	324	355	599
47798	1922	1632			0.0	17	299	20	404
48230	1922	1650			0.0	560	234	629	386
49182	1923	1509		52	1.8	11	434	353	1453
50199	1923	1980			1.2	14	156	353	679
50404	1923	1740	1000	52	1.8	45	322	500	423
50405	1923	2037	760		0.0	290	310	300	809
50694	1923	915	92		0.4	4	420	442	392
50674	1923	2200+	600	66	0.4	500	244	238	511
50815	1923	1577		53	0.6	3	318	327	1180
50865	1924	310	114		0.3	5	264	180	405
51277	1924	20			0.0	12	144	388	421
52578	1924	2150			0.2	90	300	303	457
52716	1924	101			0.2	19	332	397	636
53074	1925	690	152		1.6	9	360	490	469
53266	1925	114			0.2	6	376	446	627
57161	1926	477			0.2	16	362	359	478
57924	1927	2056	473		0.1	18	230	231	542
57928	1927	401	76		2.4	8	342	346	403
58357	1927	1557			0.3	7	288	463	400
58437	1927	2192	81	62	0.2	130	274	246	632
60337	1927	44			0.1	5	330	750	659
60570	1927	2222	195		0.1	25	316	385	890
60571	1927	2004	41		0.0	29	334	480	554
60572	1928	1700			0.4	327	264	255	610
61710	1928	2028	1200		0.6	38	300	181	911
62476	1928	70			0.0	7	300	171	451
63159	1928	2219		64	1.4	500	250	379	419
63757	1929	1937			0.6	26	232	409	1205
63940	1929	1950	75		0.0	13	299	462	719
65362	1929	360			2.6	11	358	463	653
65370	1929	1902			4.0	12	364	508	745
65382	1929	1993			3.6	3	372	483	703
65384	1929	1527		56	0.2	23	268	325	422
65584	1929	200	30		0.3	8	378	206	427
65593	1930	1603			0.6	34	284	243	460
66484	1930				7.0	22	354	277	495
67110	1930	2020			0.4	180	302	863	1182
67574	1930	1832			1.6	8	422	294	787
68015	1930	2082	1000		0.4	3	300	555	636
68016	1930	230			0.6	1	276	312	363
68022	1930	352	116		0.4	7	276	316	375
68158	1930	184	113		0.2	1	276	299	464
68708	1931	30			0.6	8	158	362	358
68712	1931	Quarry			0.0	14	146	255	291
68713	1931	360			0.0	22	206	424	317
68714	1931	206			trace	23	148	94	764
68715	1931	256			trace	17	180	278	769
68986	1931	291			0.8	5	352	493	577
68994	1931	2008			0.4	58	350	557	831
89008	1931	178			5.0	6	308	446	504
89011	1931	189			0.4	6	284	377	399
89295	1931	134			0.8	4	290	319	376
89431	1931	1946	1282		0.6	588	330	225	1416

Analysis Number	Date	Depth (Feet)	Casing (Feet)	Temperature °F.	Iron p.p.m. Fe	Chloride p.p.m. Cl	Alkalinity p.p.m. (as CaCO ₃)	Hardness p.p.m. (as CaCO ₃)	Residue
70204	1932	184			5.6	3	548	1285	1550
70211	1932	1632			3.0	120	606	226	823
70214	1932	252			0.8	4	346	521	667
70274	1932	1558	359		0.8	23	270	225	423
70378	1932	178			1.4	3	326	389	432
70457	1932	1800			0.0	15	282	81	368
70809	1932	329			1.8	0	406	405	590
71988	1932	2072	1315		0.6	162	302	203	769
72159	1932	497	166		0.0	15	396	877	1066
72283	1933	200		53	0.4	12	404	794	993
72547	1933	209	68		0.7	8	322	441	517
72548	1933	209	28		0.4	42	358	792	993
72549	1933	958	72		0.2	10	350	506	623
73252	1933	1360			0.6	8	332	595	808
73620	1933	1565	341		0.1	34	270	239	477
73709	1933	250	145		1.0	1	366	531	645
73768	1933	76		52	0.3	17	670	10	926
74793	1934	1960			3.2	4	380	613	797
75861	1935	1946	1252		2.0	523	330	213	1375
75890	1935	1950	75		0.2	75	274	293	641
75891	1935	252			0.2	4	340	503	721
76000	1935	1982		62	0.4	397	602	1509	1509
76001	1935	1938		62	0.2	184	244	513	1038
76213	1935	1959			0.2	345	238	585	1570
76214	1935	376	140		4.0	19	152	111	210
76215	1935	1700			0.2	561	238	599	1594
76341	1935	220			0.5	0	290	308	312
76386	1935	231	180		0.3	20	318	621	838
76388	1935	1208			0.5	5	296	352	380
76433	1935	202			2.2	6	320	532	664
76482	1935	266		60	1.0	0	358	446	576
76497	1935	386	61		0.0	14	248	532	761
76504	1935	245	90		1.0	5	28	359	411
76805	1935	1600			0.4	518	222	758	1914
77035	1935	spring			1.1	6	396	659	865
77220	1935	2090	110		1.4	170	244	606	1267
77510	1936	168	110			30	170	142	245
77681	1936	2061	55		trace	100	328	362	696
77682	1936	1605	504		0.4	8	304	509	606
77752	1936	2125			5.6	21	268	294	467
77755	1936	2000			2.0	46	320	531	819
77759	1936	118	69		0.7	17	300	751	935
78319	1936	77			0.4	21	306	446	545
78322	1936	1147			0.3	34	130	148	243
78401	1936	302	162		0.8	6	372	503	640
78428	1936	148			0.8	10	310	289	371
78499	1936	300	100		0.2	12	300	282	433
78498	1936	958			0.9	13	342	513	659
78499	1936	2223	195		0.0	124	300	351	681
78500	1936	2221	473		0.2	149	276	273	635
78501	1936	2219		64	0.7	637	256	389	1428
78636	1936	38			0.0	5	272	326	413
78906	1936	325	144		1.6	13	458	44	823
79001	1936	200			1.8	9	394	614	795
79121	1936	200			0.7	12	394	668	884
79209	1936	393		51	1.6	18	126	354	623
79396	1937	233		51	0.7	16	116	444	745
79587	1937	796	385		5.3	37	298	280	622
79758	1937	855	353		56	70.0	252	248	546
79909	1937	419			51	0.6	7	340	91
79942	1937	1621			1.2	32	276	244	479
79972	1937	2007	1413		17.5	502	324	119	1256
80222	1934	42		56	1.0	4	380	388	445
80229	1934	200	78		0.8	6	292	669	689
80240	1934	60		64	0.5	4	316	303	392
80284	1934	38		58	0.5	16	310	654	902
80286	1934	100			1.5	1	368	445	521
80294	1934	120		56	trace	13	520	0	584
80301	1934	39		50	0.1	7	386	206	494
80302	1934	877	27		0.2	16	370	184	737
80321	1934	58			0.7	6	218	324	347
80322	1934	142	121		0.9	3	368	470	476
80341	1934	535		51		25	314		471
80354	1934				1.2	3	316		371
80355	1934	119			1.0	3	114	1457	2308
80788	1934	80	20	62	1.8	23	364	287	422

Analysis Number	Date	Depth (Feet)	Casing (Feet)	Temperature °F.	Iron p.p.m. Fe	Chloride p.p.m. Cl	Alkalinity p.p.m. (as CaCO ₃)	Hardness p.p.m. (as CaCO ₃)	Residue
80780	1934	166	20	50	0.1	26	455	157	532
80818	1934	1350	to rock	50	0.0	52	308	545	781
81013	1937	1608		50	0.0	25	288	392	554
82305	1937	1600	68	61	0.2	34	218	445	742
82395	1937	322	90		24.9	340	240	578	752
82400	1937	127			5.3	5	360	393	406
82401	1937	202			trace	3	282	392	405
82402	1937	271			0.8	3	240	428	542
82402	1937	210			0.2	4	242	408	516
82435	1937	1700			0.3	63	294	261	456
82463	1937	180	140	H ₂ S	1.1	3	348	434	569
82464	1937	205			3.1	3	280	330	493
82465	1937	151	650		0.4	3	355	405	481
82466	1937	1000	1252		2.8	532	294	104	1391
82516	1937	477			0.2	22	388	474	704
82517	1937	405			0.2	17	304	580	756
82518	1937	370			trace	6	270	720	1052
82578	1937	335	60		1.0	9	398	1018	1857
82579	1937	312			2.0	9	404	920	1293
83067	1938	1600			0.4	575	223	659	1911
83435	1938	1556	23		1.1	279	244	423	1101
83495	1938	1623			0.8	140	221	157	609
83344	1938				0.4	2	252	238	959
83548	1938	600		54	0.2	0	376	436	653
83930	1938	2030	504	04	0.3	378	332	252	1094
84044	1938	1570			1.5	1170	265	681	2341
84049	1938	146			2.5	3	312	398	517
84050	1938	160			3.4	3	360	463	539
84225	1938	1484	310	56	trace	52	284	439	749
84250	1938	1905			1.6	17	294	553	723
84253	1938	1560			0.5	33	260		553
84254	1938	2018			0.1	77	282		656
84255	1938	2076			0.2	280	276		1025
84309	1938	325			3.0	2	270	1258	1533
84397	1938	246		55	3.0	50	312	777	
85851	1939	198			0.2	4	318	406	472
85852	1939	1096			0.8	11	326	709	854
85854	1939	155	90	53	trace	2	354	62	654
86007	1939	110	77		1.6	0	428	506	580
86008	1939	237	177		9.5	0	452	454	494
86009	1939	303	76		1	1	426	503	508
86010	1939	150			1.9	21	318	475	571
86011	1939	202	60		1.3	14	334	468	550
86242	1939	1586	1250	58-60	1.7	35	274	218	473
86321	1939	1620	50		0.2	180	220	601	1306
86322	1939	560	112	55	3.2	33	162	625	1494
86429	1939	852	377		2.1	32	270	201	465
86430	1939	815			3.0	34	274	205	468
86529	1939	2047	800		0.2	195	324	208	853
86991	1940	374	52	H ₂ S	2.6	17	128	179	300
86985	1940	1980	129		0.2	116	306	352	744
87002	1940	299			6.0	55	410	352	1412
87016	1940	152	85		1.9	0	356	436	708
87017	1940	331			3.8	2	330	542	340
87753	1940	95	55		0.1	0	294	301	317
87755	1940	123	118		2.6	5	364	508	560
87758	1940	102	45		0.0	3	316	408	427
87790	1940	150	67		2.8	0	280	304	348
87794	1940	108			0.4	3	296	271	320
87795	1940	145			1.0	2	364	500	660
87796	1940	90	55		0.2	2	262	241	311
87911	1940	150	72		0.4	0	196	278	338
87916	1940	148	75		0.2	0	314	274	340
87917	1940	108	74		0.7	1	308	315	331
87918	1940	113	66		0.5	2	292	278	313
88181	1940	137			1.3	3	402	477	545
88182	1940				0.7	2	394	428	461
88183	1940	127			1.1	2	396	400	542
88185	1940	138			0.1	3	480	400	427
88187	1940	160			1.7	1	320	555	620
88235	1940	330			0.2	131	554	882	1080
88239	1940	203			1.3	76	488	916	1065
88671	1940	110			trace	13	358	550	650
88718	1940	1797	1200		0.1	93	304	740	1324
88719	1940	1532			1.0	12	422	530	655

Analysis Number	Date	Depth (Feet)	Casing (Feet)	Temperature °F.	Iron p.p.m. Fe	Chloride p.p.m. Cl	Alkalinity p.p.m. (as CaCO ₃)	Hardness p.p.m. (as CaCO ₃)	Residue
88720	1940	400	360		0.9	26	400	952	1281
88721	1940	382			0.0	21	376	674	650
88722	1940	200		53	0.7	9	396	635	816
88723	1940	1774	40		0.0	15	368	930	1274
88794	1940	150			0.1	14	386	28	479
88852	1940	141	120		1.9	5	350	426	456
88853	1940	1947	458		1.0	5	350	470	598
88953	1940	295			1.6	13	126	99	228
88954	1940	spring			1.6	5	366	461	491
89025	1940	2007	1413	63	1.3	119	254	237	627
89071	1940	133			0.4	6	422	903	1010
89262	1940	531		48	0.2	45	314	233	629
89263	1940	160			0.7	106	862	27	1176
89264	1940	20			0.0	3	246	302	357
89265	1940	474			0.1	4	336	245	463
89266	1940	78			0.2	42	242	501	619
89267	1940	140			1.0	2	306	272	364
89268	1940	15			0.4	0	212	296	344
89269	1940	877		56	0.2	21	850	110	763
89270	1940	350			0.2	14	398	387	666
89271	1940	120			0.1	28	394	556	1018
89272	1940	141			0.0	6	296	339	526
89273	1940	232			0.0	0	214	268	332
89274	1940	136			0.5	0	340	304	413
89275	1940	94			0.0	7	404	572	757
89276	1940	140			0.5	0	222	319	378
89277	1940	96			0.0	5	332	481	664
89278	1940	185			0.0	33	664	28	807
89279	1940	110			0.0	5	272	398	467
89280	1940	600		H ₂ S	0.7	47	406	481	777
89281	1940	238			3.5	4	312	655	865
89282	1940	110			0.5	2	356	316	398
89344	1940	100+			0.5	2	342	319	366
89345	1940	140			1.3	11	250	411	448
89346	1940	67			0.3	3	352	281	428
89347	1940	148			trace	2	342	315	498
89348	1940	130			0.1	5	348	414	425
89349	1940	140			0.2	5	342	331	384
89350	1940	80			0.5	3	338	320	371
89351	1940	86			trace	2	318	253	352
89352	1940	112			0.0	19	436	142	533
89353	1940	144			2.3	25	334	469	574
89354	1940	58			1.1	47	378	760	1152
89355	1940	100+			0.5	1	348	288	333
89356	1940	110			trace	9	356	462	537
89357	1940	72			0.3	2	328	359	391
89358	1940	67			0.2	11	258	383	431
89359	1940	87			0.4	3	238	264	334
89322	1940	204			trace	18	294	572	695
89324	1940	1475	384	57	0.1	80	270	272	537
89567	1940	250	59	53	0.1	9	330	488	609
89575	1940	52			0.4	1	300	309	343
89576	1940	57		54	1.1	0	280	300	328
89577	1940	80			2.0	0	324	183	373
89578	1940	90			2.6	13	334	434	542
89579	1940	90			0.2	1	304	264	379
89580	1940	100			2.1	8	318	351	498
89616	1940	203			1.6	0	344	319	453
89776	1941	1671	442	59	0.3	34	284	219	487
89959	1941	424			0.4	4	402	431	660
89960	1941	534	332	53	0.5	3	338	320	371
90021	1941	50			0.6	35	170	446	684
90022	1941	109			12.5	34	188	383	455
90124	1941	1960	1538		0.5	76	270	211	577
90130	1941	500			12.9	1	214	565	799
90230	1941	1611	277	60	0.5	86	270	281	655
90231	1941	1690	112	57	0.7	132	198	510	1081
90232	1941	1500	555		0.1	121	236	434	830
90235	1941	1518	102		0.6	213	226	376	889
90284	1941	1094	370	58	0.1	34	278	469	587
90329	1941	212			0.0	16	184	130	250
90375	1941	187	61	52	1.6	2	348	353	426
90431	1941	803			1.2	175	280	126	846

Analysis Number	Date	Depth (Feet)	Casing (Feet)	Temperature °F.	Iron p.p.m. Fe	Chloride p.p.m. Cl	Alkalinity p.p.m. (as CaCO ₃)	Hardness p.p.m. (as CaCO ₃)	Residue
90434	1941	1597	378	60	0.2	94	253	288	648
90436	1941	1693	299	60	0.6	99	260	265	657
90630	1941	100			0.9	4	314	350	427
90631	1941	388	83	53	4.2	2	390	242	485
90766	1941	1510	1291	60	0.6	32	296	285	540
90882	1941	65			1.2	8	296	430	436
90944	1941		to rock	53	0.9	2	366	389	491
90946	1941	139	80		trace	97	252	1002	1303
90946	1941	117	96		1.0	5	312	430	667
90947	1941	106		53	14.4	2	350	407	451
90948	1941	76			0.2	136	240	1024	1501
90949	1941	146	102		trace	4	332	419	634
90950	1941	124	85		1.3	2	350	381	411
90951	1941	30			0.0	19	318	628	800
90952	1941	130			1.9	2	370	609	680
90953	1941	165			0.3	2	338	587	716
90954	1941	130	103		1.1	4	354	501	548
90955	1941	151			trace	7	280	456	716
90956	1941	462			1.0	6	322	665	848
90957	1941	192			4.1	2	242	321	430
90958	1941	347			0.1	5	288	677	807
90959	1941	101	86		1.8	3	368	456	529
91056	1941	251	55		0.2	3	370	519	605
91158	1941	1649	329	60.5	0.2	105	278	298	688
91159	1941	1639	331	60	0.1	71	278	241	660
91180	1941	1602	310	61	0.1	49	278	280	582
91183	1941	1645	326	53	0.6	11	336	321	462
91188	1941	112	92		2.1	2	344	561	601
91189	1941	205	05		1.9	2	344	553	693
91170	1941	90			0.8	2	376	505	579
91171	1941	68	63		1.2	2	318	561	683
91172	1941	200			0.8	2	356	520	643
91173	1941	58	40		2.3	4	372	419	459
91175	1941	102			1.4	3	310	538	664
91176	1941	85	80		1.1	3	339	578	691
91177	1941	120			1.8	2	392	523	610
91180	1941	86	79		0.7	4	300	407	436
91181	1941	90	55		4.8	2	312	307	345
91182	1941	90	78		1.2	2	386	579	663
91183	1941	129	59		1.7	2	348	583	696
91184	1941	94	83		1.2	3	348	434	456
91185	1941	119	85		2.0	2	342	576	698
91186	1941	62	44		1.5	2	436	460	483
91187	1941	82	54		0.9	12	374	445	432
91189	1941	115	87		3.7	1	388	620	611
91189	1941				0.7	3	350	576	714
91180	1941	86	76		5.8	2	370	445	504
91228	1941	467	83		0.2	5	318	740	919
91245	1941	1648	300	60	0.2	87	276	267	689
91246	1941	1809	1325		0.1	27	306	314	528
91201	1941			52.5	0.8	4	400	437	486
91262	1941	275	36	55.5	4.3	32	356	1159	1700
91291	1941	1672	327	59	0.4	137	370	246	770
91332	1941	309			0.9	19	324	645	795
91333	1941	172	100	52	1.7	4	396	632	754
91334	1941	433	37	57	4.4	31	374	1071	1580
91359	1941	140			1.4	3	356	428	520
91360	1941	600			4.1	5	370	546	670
91362	1941	132			5.6	5	360	498	613
91363	1941	80	64		1.6	4	362	472	560
91364	1941	130			0.6	4	276	746	1090
91365	1941	122	106		5.2	6	298	584	733
91366	1941	160			1.4	5	372	462	579
91367	1941	82.5	80	50	1.0	6	370	433	520
91368	1941	97	89		2.5	5	354	451	544
91369	1941	282	100		1.0	4	354	455	543
91370	1941	160			2.1	6	386	451	563
91371	1941	128	118		8.6	4	278	732	885
91372	1941	127	71		1.2	7	358	536	663
91373	1941	66			2.0	4	370	477	545
91374	1941	130			1.5	5	354	426	508
91401	1941	935	294	59.5	4.8	84	294	217	677
91402	1941	135	49	53	1.4	4	348	351	414
91471	1941	1372	347		0.1	27	332	381	624
91472	1941	830		57	0.9	44	396	318	710
91634	1941	1604		60	0.3	41	276	246	619

Analysis Number	Date	Depth (Feet)	Casing (Feet)	Temperature °F.	Iron p.p.m. Fe	Chloride p.p.m. Cl	Alkalinity p.p.m. (as CaCO ₃)	Hardness p.p.m. (as CaCO ₃)	Residue
91635	1941	1460	to rock	61.5	0.5	32	230	269	439
91636	1941	1574	539	60.5	0.7	153	254	348	814
91637	1941	881	-----	-----	0.2	60	284	314	656
91638	1941	946	350	53	1.6	48	234	193	545
91639	1941	1602	327	-----	0.3	55	276	248	520
91640	1941	724	61	53.5	0.4	8	332	481	516
91641	1941	950	-----	55	0.1	44	276	239	536
91642	1941	970	-----	59	0.6	75	310	350	723
91643	1941	754	350	-----	0.1	30	306	806	1068
91644	1941	1030	60	-----	0.2	40	284	277	547
91645	1941	700	to rock	55	0.2	15	320	532	641
91686	1941	1520	1296	61	0.9	33	264	244	456
91687	1941	864	-----	52	1.4	44	262	232	511
91724	1941	-----	-----	51	8.3	3	312	367	441
91729	1941	1603	620	56	9.7	20	322	531	681
91731	1941	855	465	58	0.4	45	260	206	557
91733	1941	876	50	-----	0.1	75	382	564	778
91734	1941	1500	-----	-----	1.0	33	346	900	956
91736	1941	1505	400	57	2.8	20	268	618	658
91817	1941	1569	302	59.5	0.5	76	268	263	610
91935	1941	422	137	-----	0.7	6	266	320	425
91966	1941	1557	-----	58	0.2	28	278	566	778
92222	1942	298	86	51	1.0	10	156	371	564
92401	1942	1797	corroded	57	1.6	44	362	673	1254
92605	1942	291	48	51	1.0	29	348	684	896
92700	1942	325	108	53.5	0.3	1	378	405	443
92701	1942	130	to lime	55.7	0.8	25	288	644	762
92821	1942	1794	260	54-58	1.1	113	334	780	1347
92822	1942	-----	-----	58	0.2	34	288	350	562
92992	1942	269	-----	53	0.3	11	424	107	470
93037	1942	1701	68	62	1.1	840	238	769	2249
93218	1942	266	-----	54	1.1	59	286	252	565
93219	1942	600	130	55	0.0	87	294	202	678
93359	1942	1543	499	-----	1.0	119	262	336	713
93448	1942	1663	-----	56.9	0.1	53	290	241	630
93643	1942	125	-----	52	1.2	12	298	340	390
93644	1942	885	90	51	0.9	18	306	403	526
93749	1942	1680	-----	-----	0.1	336	236	735	1720
93750	1942	1660	-----	-----	0.9	207	222	802	1626
93752	1942	1937	35	63	0.9	280	236	586	1624
93753	1942	1680	-----	-----	3.6	354	234	528	1778
93754	1942	1500	550	58.5	0.4	90	246	394	734
93755	1942	1690	-----	-----	1.1	200	232	709	1581
93788	1942	8	-----	-----	3.7	8	174	361	461
94269	1942	2014	-----	-----	0.2	16	400	904	1108
94270	1942	1982	-----	-----	3.0	15	396	890	1080
94299	1942	129	-----	-----	0.1	36	292	1070	1170
94536	1942	1650	-----	61	trace	185	236	668	1499
94537	1942	1801	-----	61.5	1.4	210	266	821	1630
94565	1942	300	-----	-----	1.2	4	380	486	578
94755	1942	222	48	-----	1.4	3	364	471	590
94982	1943	1652	28	-----	0.3	148	262	578	1318
95091	1943	1711	103 ^{7/8}	55	trace	4	404	385	558
95097	1943	1400	100	52.5	.6	15	270	598	862
95098	1943	350	100	53	6.0	7	248	299	435

REMARKS

1. Well is 20' N. of Power Station. 95' of casing 10". .
2. Well abandoned after losing tools at 1000'.
3. Rock outcrop in roadside ditch on Cicero Ave. N. of 111th St.
4. Not used since 1920. In 1934 report states "well is open, can be used."
5. Sealed and capped; not used since 1923. Rock at 90'.
6. City water from Chicago since about 1921.
7. 85' of casing. (4½") Rock at 85'.
8. Known as Original Well—200' W. of S. Well. 81' of casing (4"). Rock at 80'.
9. S.W.L. can be measured if head is removed. *Filtered.
10. 100' of casing. Pump 300 g.p.m. for 24 hrs. per day.
11. *20' N. of Slip-end 93rd St. in "D" house. 95' of casing (6"). Rock at 95'.
12. *On Slip at foot 93rd St. in "C" house. 95' of casing (6"). Rock at 95'.
13. Sealed and capped, 1925. Well was shot but could not produce 22 g.p.m.
14. S.W.L. cannot be measured. 85' of casing (6"). Rock at 85'.
15. Building torn down 77' of casing (10"). Rock at 77'.
16. S.W.L. cannot be measured. Well is 350' E. of Slip No. 2. Rock at 80'.
17. Dry well since 1928. Well is 150' N. of Slip No. 2. . Rock at 60'.
18. *Greatly reduced in 1934. S.W.L. cannot be measured. Rock at 75'.
19. S.W.L. can be measured if cap is removed. Well in boiler room. Rock at 45'.
20. S.W.L. can be measured if plug is removed. Well in boiler room. Rock at 100'.
21. S.W.L. can be measured. Well in SW. corner of kiln room. Rock at 100'.
22. S.W.L. can be measured. Well outside W. wall of pump room. 10" casing to rock at 93'.
23. S.W.L. can be measured if head is removed. 12" casing to rock at 100'.
24. Top can be removed and S.W.L. measured. 93' of casing to rock.
25. Well is at SE. corner of Power House in the open. 90' of casing to rock.
26. Condemned for drinking 1934. *Originally 305' depth, deepened in 1913.
27. S.W.L. can be measured if head is removed. Condemned.
28. Sealed and capped; last used in 1919.
29. Casing cemented over. 42' of casing (7"). Rock at 42'.
30. *Repaired in 1911. History of drilling available in J. P. Miller files.
31. *Out of service 1918 to 1933. Difficult to measure S.W.L.
32. *Not used since 1926. 50' casing to rock.
33. Went dry in 1929. 40' drift to rock.
34. Well in blacksmith shop, north center of building. 52' of casing (6") to rock.
35. *Repaired in 1916 and 1917. Original owner was Independent Packing Co. Rock at 75'.
36. *Note rise in S.W.L. Cannot measure S.W.L. 600' of 20" casing.
37. In April, 1935 there was no pump and well was capped.
38. S.W.L. can be measured. 72' of casing. Rock at 69'.
39. S.W.L. can be measured. Last used in 1925.
40. S.W.L. can be measured. 70' of casing.
41. S.W.L. can be measured. Rock at 60'. Recorder.
42. In Engine House No. 8. Rock at 73'.
43. Glue House No. 20. Rock at 68'.
44. *Formerly J. C. Hately—probably Armour & Co. now. Rock at 58'.
45. *Well is on E. side of engine room. S.W.L. can be measured.
46. Miller files indicate this well was at Union Stock Yards.
47. Abandoned and covered over; caved in. Rock at 66'.
48. Abandoned and covered over; caved in.
49. S.W.L. can be measured; weir box in place; NE. corner of Bldg. No. 16.
50. Well may be property of Armour & Co. Rock at 28'.
51. S.W.L. can be measured. Rock at 45'.
52. Formerly Sulzbarger & Sons. 65' of casing.
53. S.W.L. can be measured. Leake in casing at 60' (1931).
54. Formerly Illinois Vinegar Works. S.W.L. can be measured. Rock at 56'.
55. Deep well, but location indefinite. 300' of casing.
56. S.W.L. can be measured. *Sample 22966 at original depth of 1960' and 1788' casing. Sample 27950 taken after plugging well at 1868' and with casing removed between 853' and 1547'.
57. Geiger has analysis by Dearborn Chemical Co. Rock at 75'.
58. Used City water since 1923. Rock at 50'.
59. 32' casing. Went dry in 1915.
60. S.W.L. can be measured if airline is disconnected.
61. Exact location of well not known. 90' to rock.
62. Casing has been capped; American Malting Co.
63. High content sulphur for bottling purpose. 113' to rock.
64. S.W.L. can be measured if pump head is removed. 100' to rock.
65. Well went dry when Fulton Market well was constructed.
66. Well went dry when Wacker Drive was constructed.
67. Used occasionally. Unit ready for service. 103' of casing.
68. Sealed and capped. Deepened from 1290' in 1914. Sample collected at 1290' depth.
70. Well covered up when building was **remodeled in 1918 or 1919.**
71. Discontinued on account of scarcity of water.
72. Formerly brewing plant; new warehouse; wells abandoned.
73. Formerly brewing plant; new warehouse; wells abandoned.
74. Formerly brewing plant; new warehouse; wells abandoned.
75. Sealed and capped; formerly Crane Co.
76. Too expensive to return to service.; dismantled; sealed and capped.
77. Well undoubtedly covered by Halsted Street bridge. 32' of casing.
78. Use City water. Cased 57' to rock.
79. Use City water. S.W.L. can be measured if top is removed.

80. *Depth in 1934; original depth 1408' (1891) and deepened to 2051' (1901).
 41' of casing. *Sample collected at 1595' depth.
81. Originally I. C. R. R. well No. 2. 85' of casing (10") to rock.
82. Originally I. C. R. R. well No. 3. Casing 88' of 16" ; 379' of 13".
83. 86' of casing (4"). Rock at 86'.
84. Pump about 6 hrs. per day during summer.
85. 96' of casing (4"). Rock at 96'.
86. 90' of casing (4"). Rock at 90'.
87. 100' of casing (4½"). Rock at 100'.
88. 81' of casing. Rock at 81'. Sulphur at 150'.
89. 85' of casing (6"). Rock at 85'.
90. 100' of casing (4½"). Rock at 100'.
91. 103' of casing (4"). Rock at 103'.
92. *Average pumping period of 5 months per year.
93. *Average pumping period of 5 months per year.
94. 86' of casing (3"). Rock at 86'.
95. 80' of casing (4½"). Rock at 80'.
96. 70' of casing (4½"). Rock at 70'.
97. 87' of casing (4½"). Rock at 87'.
98. 78' of casing (4½"). Rock at 78'.
99. 44' of casing (4½"). Rock at 44'.
100. 55' of casing (4½"). Rock at 55'.
101. 34' of casing (4½"). Rock at 52'.
102. 34' of casing in 7½" pit. Rock at 34'.
103. 79½' of casing (4½"). Rock at 79'.
104. 81' of casing (4½"). Rock at 80'.
105. 40' of casing (4½"). Rock at 40'.
106. 89' of casing (4½"). Rock at 88'.
107. 85' of casing (4½"). Rock at 83'.
108. 65.5' of casing (8"). Rock at 64'8".
109. 92' of casing (4½"). Rock at 91'.
110. 85.5' of casing (4½"). Rock at 84'.
111. 85' of casing (4½"). Rock at 85'.
112. *When drilled—63.5' of casing (6"). Rock at 63'.
113. 91' of casing (4½"). Rock at 90'.
114. 74' of casing (4½"). Rock at 73'.
115. 83' of casing (4½"). Rock at 82'.
116. 88' of casing (4½"). Rock at 88'.
117. Casing 4.5" in rock. Rock at 70'.
118. 100' of casing (6"). Rock at 100'.
119. 46' of casing (4½"). Rock at 45'.
120. 100' of casing (8"). Rock at 98'.
121. 70' of casing (6"). Rock at 68.5'.
122. 71' of casing (10" in 13" pit.) Rock at 70'.
123. 80' of casing (4½"). Rock at 78.5'.
124. 79' of casing (4½"). Rock at 78.5'. 3 houses on 1 well.
125. 64' of casing (4½"). Rock at 63.5'.
126. 94' of casing (4½"). Rock at 93.5'.
127. *When drilled—98' of casing (4½"). Rock at 97.5'.
128. 80' of casing (4½"). Rock at 79.5'.
129. 78' of casing (4½"). Rock at 77.5'.
130. 115' of casing (4½"). Rock at 114.5'.
131. 106' of casing (4½"). Rock at 105'.
132. 87' of casing (4½"). Rock at 87'.
133. 95' of casing (4½"). Rock at 94.5'.
134. 40' of casing (6"). Rock at 45'.
135. 53' of casing (4½"). Rock at 53'.
136. 120' of casing (4½"). Rock at 119'.
137. 110' of casing (4½"). Rock at 109.5'.
138. 93' of casing (4½"). Rock at 92.5'.
139. 95' of casing (4½"). Rock at 94.5'.
140. 86' of casing (4½"). Rock at 85'.
141. 73' of casing (12"). Rock at 73'.
142. 34' of casing. Gray rock, fairly soft at bottom.
143. 34' of casing. Hard rock at base; "blamed hard."
144. Cased to 488" very hard rock at base.
145. 43' of 4½" casing. Rock soft at 30'. Rock hard at 70'.
146. 61' of 4½" casing. 4½" diameter at bottom. Soft blue rock at base.
147. Cased to 53'10". Very hard, light gray rock at base.
148. Casing record. 8' of 8". 12' of 6". 20' of drift overlying limestone.
149. 6" casing through drift. Pumping either well influences the other.
150. 63'4" of 12" casing. Drift 63'4". Limestone 282'
151. 48' of casing. Rock at 48'. No water; casing pulled.
152. This well provided Flossmoor water supply until well No. 2 was deepened in
153. Rock at 65'. This is well nearest clubhouse and in a cistern.
154. Rock at 38'. 38' of casing. Artesian flow in wet season.
155. 23' of casing (4½"). Rock at 23'.
156. 22' of casing (4½"). Rock at 23'.
157. 25' of casing (4½"). Rock at 21'.
158. 21' of casing (4½"). Rock at 24'.
159. 22' of casing (4½"). Rock at 23'.
160. 22' of casing (4½"). Rock at 23'.
161. 23' of casing (4½"). Rock at 23'.
162. 21' of casing (4½"). Rock at 21'.

163. 22' of casing (4½"). Rock at 22'.
 164. 23' of casing (4½"). Rock at 23'.
 165. 39' of casing (4½"). Bock at 39'.
 166. 28' of casing (4½"). Bock at 28'.
 167. 38' of casing (4½"). Bock at 38'.
 168. 28' of casing (4½"). Bock at 28'.
 169. 25' of casing (4½"). Bock at 25'.
 170. 40' of casing (4½"). Rock at 40'.
 171. 26' casing from 2' above to 55' below ground surface. This well flows.
 172. 12th & Wilson. 3 wells in this group.
 173. 93' of casing (4½"). Rock at 93'.
 174. City storm sewer in rock at depth from 14-17th Streets.
 175. Records indicate rise in static water level in deep wells.
 176. Due lowering water table. All wells were abandoned after 1910 and replaced by deeper wells. Other Chicago Heights city wells in section 28 & 29.
 177. This well was originally drilled for an oil test
 178. 77' of casing (4½"). *Hand pump (3"x6"). 34' to cylinder.
 179. *Water level when drilled; 38' of casing. Bock at 38'.
 180. Purchased from E. J. & E. Ry. about 1940. Other Chicago Heights city wells in section 21 and 28.
 181. *Water level when drilled. 97' of casing (4½"). Rock at 97'.
 182. *Water level when drilled. 62' of casing (4½"). Rock at 62'.
 183. *Water level when drilled. 63' of casing (4½"). Rock at 63'.
 184. *Water level when drilled. 73' of casing (4½"). Rock at 73'.
 185. *Water level when drilled. 80' of casing. Rock at 80'.
 186. 72' of casing. "Nice white rock" at 72'.
 187. *Water level when drilled. 111' of casing (4½").
 188. *10 bbl. per day maximum pumping rate.
 189. 16" casing to 103 7/8" depth. 12" casing between depths of 483' to 873'. 12" casing between depths of 1115' to 1121'. 8" casing between depths of 1504' to 1670'.
 190. 170' of casing (4½"). Limestone at 170'.
 191. 123' of casing; very hard, but no rock encountered.
 192. *Memory. 150' of casing. Rock at 150'.
 193. 209' of casing (6"). Well is 120' in limestone.
 194. *Water level when drilled. 140' of casing. Rock at 140'.
 195. 23' of casing. 12' to water. Rock at 23'.
 196. 7 wells closely spaced; exact location indefinite.
 197. 60' of casing. Rock at 60'. Well flowed at 66'.
 198. 54' of casing (4½"). Rock at 84'.
 199. 45' of casing; clay boulders at 45'; limestone at 80'.
 200. 65' of casing; clay at 65'; limestone at 60'.
 201. 60' of casing; clay at 60'; limestone at 115'.
 202. 32' of casing (4½"). Bock at 32'.
 203. 30' of casing. *When drilled rock at 30'.
 204. 30' of casing (4½"). *When drilled, rock at 30'.
 205. *W. L. when drilled. 70' of casing. Rock at 70'.
 206. *Water level when drilled. 82' of casing. Rock at 82'.
 207. *Harvey is supplied with water from Chicago since 1921.
 208. Harvey is supplied with water from Chicago since 1921.
 209. Harvey is supplied with water from Chicago since 1921.
 210. 12" casing 0-28'; 10"-287' to 538'; 8"-1325' to 1400'.
 211. Abandoned because of failure to supply sufficient water for stock.
 212. *Water level when drilled. 30' of casing. Bock at 30'.
 213. *Water level when drilled. 36' of casing. Bock at 36'.
 214. *Water level when drilled. 41' of casing. Bock at 41'.
 215. *Drilled to 2100', plugged at 1600' because of salty water.
 216. *Water level when drilled. 35' of casing. Bock at 35'.
 217. Sulphur water; flowing well. Rock at 38'.
 218. *Water level when drilled. 39' of casing. Rock at 39'.
 219. *Water level when drilled. 17' of casing. Rock at 17'.
 220. *Water level when drilled. 30' of casing. Rock at 30'.
 221. *Water level when drilled. 35' of casing. Rock at 35'.
 222. *Water level when drilled. 33' of casing. Rock at 33'.
 223. 42.5' of casing (12"). Rock at 42.5'.
 224. No information since March, 1941 when plans were progressing for replacement of water supply system.
 225. *When drilled. 80' of casing. Rock at 76'.
 226. *Water level when drilled. 128' of casing (5"). Rock at 128'.
 227. Original depth 132'. 112' of casing. Rock at 145'.
 228. *Water level when drilled. 63' of casing. Rock at 63'.
 229. Rock outcrop on W. bank of Mill Creek at undercut bluff.
 230. 115th St. at 86th Ave. 20' of casing. Rock at 20'.
 231. Gravel 60'. 60' of casing. Rock at 60'.
 232. *Water level when drilled. 125' of casing. Rock at 117'.
 233. *Water level when drilled. 89' of casing. Rock at 89'.
 234. *Water level when drilled. 190' of casing. Rock at 185'.
 235. Water from gravel. Rock below 202'.
 236. Water from gravel. 148' of casing. Rock below 148'.
 237. *Water level when drilled. 75' of casing. Bock at 75'.
 238. 75' from cemetery. 76' of casing. Rock at 76'.
 239. For other Oaklawn Wells see Sec. 5-37-13. *Original depth 1946'. Plugged to 1600' in 1937. Rock at 65'.
 240. *Water level when drilled. 76' of casing (4½"). Rock at 76'.
 241. *Water level when drilled. 73' of casing (4V). Rock at 73'.

242. For other Oak Lawn wells, see Sec. 4-37-13.
 243. 54' of casing (4½"). Rock at 54'.
 244. 45' of casing (4½"). Rock at 45'.
 245. 30' of casing (4½"). Rock at 30'.
 246. *Water level when drilled, 29' of casing (4½"). Rock at 29'.
 247. *Water level when drilled, 50' of casing. Rock at 50'.
 248. *Water level when drilled, 33' of casing. Rock at 33'.
 249. *Water level when drilled, 78' of casing. Rock at 78'.
 250. *Water level when drilled, 82' of casing. Rock at 82'.
 251. *Water level when drilled, 44' of casing. Rock at 44'.
 252. 23' of casing (4½"). Rock at 23'.
 253. Covered over; cannot measure water levels. Rock at 62'.
 254. Covered over; cannot measure water levels. Rock at 62'.
 255. Water levels can be measured. Blue Island has used Chicago water since 1915.
 256. *Water level when drilled, 61' of casing. Rock at 61'.
 257. Water supply from Chicago since 1921. 200' of casing (12" top—10" bottom). Rock at 50'.
 258. *See column 4, page 295, S. G. S. No. 34. Cased to rock at 1 foot.
 259. *In 1928, Lyons was purchasing water from Berwyn.
 260. LaGrange City Wells owned by Public Service Co. of N. Illinois.
 261. *Samples taken at 350', 1338', 1785' and 2046' depths respectively. 60' of casing (16"). Rock at 73'.
 262. *Prior to 1915 recession averaged 6' per annum for several years.
 263. Well in house basement. 63' of casing to rock at 63'.
 264. *S. W. L. when drilled, 45' of casing to rock at 45'.
 265. *Total daily production for 10 wells in 1933 was 2.9 million gallon per day.
 274. *Total daily production for 10 wells in 1933 was 2.9 million gallon per day.
 275. *S. W. L. when drilled, 40' of casing. Rock at 40'.
 276. *When drilled, Water rose 5' above surface. 12' of casing to rock at 12'.
 277. *Rises 3' above surface. 50' of casing to rock at 50'.
 278. *Sand and silt in water. 90' of casing to rock at 90'.
 279. *Sample collected at 560' depth. 112' of casing (12"). Rock at 85'.
 280. *Drop of 33' in S. W. L. in 45 days due to continuous pumping Well No. 2.
 281. *Raw water satisfactory for drinking but not for boilers without aeration and filter. Cased 0-97' with 16"; 360' to ? = 12"; Rock at 90'.
 282. *When yield dropped to 70 gpm Well No. 2 was drilled. No. 1 yield became 120 gpm.
 283. *S. W. L. and yield as of 10-17-1940 and checked 3-27-1941. The production tests showed specific capacity of 120 gpm/ft. drawdown.
 284. Pumping level approximate elevation = 565.
 285. *Deepened in 1923. *Sample collected, at depth of 1980'.
 286. *Drilled 2117 but later sealed at 1937' due to 1256 ppm. chloride. Wells No. 1 and 2 in Sec. 10-39-12.
 287. 1338' of casing. S. W. L. dropped 65' when casing was set.
 288. For Berkeley Well No. 2, see Sec. 18-39-12. 103' of casing to rock.
 289. *This well was in use in 1927, but was plugged sometime later.
 290. Melrose Park well No. 3 in Sec. 3-39-12.
 291. For other Maywood wells, see Sec. 15-39-12.
 292. *Sample collected after well was plugged at 1560' depth.
 293. *Sample collected after well was plugged at 2018' depth. Rock at 52'.
 294. For other Maywood wells see Sec. 14-39-12. Rock at 74'.
 295. Berkeley Well No. 1, see Sec. 7-39-12; 65' of casing (10") to rock.
 296. Original Mater Dolorosa Seminary Well. 140' of casing.
 297. For other Riverside Wells, see Sec. 36-39-13.
 298. Flowing well; 11' of casing to rock.
 299. Flowing well; 18' of casing to rock.
 300. *A 1938 report indicates water supply was to be obtained from Chicago.
 301. West well repaired in 1921; 1000' of casing.
 302. 800' of casing. Well repaired in 1932. For other Riverside Wells see Sec. 25-39-12.
 303. *Samples collected in 1908 for Oak Park City Wells Nos. 1 and 11 respectively. Oak Park has used Chicago water since 1912.
 304. *F. M. Gray reconditioned and deepened well in 1941.
 305. *Berwyn started using Chicago water in 1915.
 306. S. W. S. has equipped well with Water Level Recorder.
 307. *Deepening. Drilling at 560' as of 9-30-1942. 36' of 6" casing. 120' of 4½" casing, cemented in.
 308. Rock at 53'. 59' of 4½" casing. Village of Symerton.
 309. Rock at 53'. 53' of 4½" casing. Village of Symerton.
 310. Limestone at 59'. Stone curb—50"—4" casing—29'. Static 20' 1934.
 311. Rock at 72'. Hole dry to 80'. 37' of 4½" casing.
 312. Rock at 72'. No water in Niagaran. 72' of 40½" casing.
 313. Elevation pump base = 1.6' above ground. Elevation pump base 5926.
 314. Elevation pump base = 1.23' above ground. Elevation pump base 590.23.
 315. Elevation pump base = 2.00' above ground. Elevation pump base 608.00.
 316. Rock at 33'. 33' of 4½" casing. Water at 103'.
 317. Original 54½" of 4" casing. New 71' of 3½" casing.
 318. Sand and gravel at 33'. Rock at 37'. 40' of 4½" casing.
 319. Log 9" cement platform. 1.25 cinders. 7' clay. 3' cobblestones.
 320. 11 gravel. 162' Niagaran limestone. 39' of 4" casing.
 321. Gravel to 40'. Tile curb 3' and well point 40' to 44'.
 322. Rock at 42'. 45' of 4½" casing. No water till 80'.
 323. Rock at 48'. Stone curb 24'. 12" tile to 48' rock hole.

324. Rock at 10'. 20' of 6" casing. Static water level can be measured. Static 16' 1940.
325. 390' of 6" casing. Static water level can be measured. Static 280' 1941.
326. Rock at 24'. 70' of 8" casing. Static water level can be measured.
327. 90' to rock. 118' of 4½" casing, 3" liner. 140-145 quicksand.
328. Water was obtained first at 80' depth. Water level dropped to 118' when well was deepened to 126'. 73' of casing.
329. Well became clogged at 700' (1915). 118" of casing. Rock at 20'.
330. *For other Naperville wells (5-6) see Section 18-38-10.
331. *In 1932, drawdown was 48' at 250 g.p.m. (44' of casing (30"). Rock at 44'.
332. Naperville water supply for 4 months period (1923).
333. 107' of quicksand. 4" casing to rock at 107'.
334. 30' dug—15' driven. Bottom in sand and gravel.
335. 10" and 8" casing at 256'. Limestone 90-235'; blue clay 235-256'; rock 256-303'.
336. (*This well supplies water to 8 houses through a 600' pipe line). 6" casing to rock at 90'.
337. Static Water Level can be measured. 4" casing to rock at 35'.
338. Static Water Level can be measured. 4" casing to rock at 42'.
339. Static Water Level can be measured. Gravel 0-9'.
340. In Sections 10 and 15 there are a number of wells—30 to 40 feet deep which went dry prior to 1933 due to dredging of DuPage River.
341. *Water supply for 9 houses. 4" casing to rock at 98'.
342. *This well with 8000' pipe line supplies water to 30 homes. 5" casing to rock at 58½'.
343. *Water supply is piped to 11 families. 4" casing to rock at 122'.
344. Static water level can be measured. 6" casing to rock at 100'.
345. Formerly supplied water to subdivision. 4" casing to rock at 125'.
346. Formerly supplied water to subdivision. 6" casing to rock at 130'.
347. Static-water level can be measured. Bottom of well in gravel.
348. Bottom of well is in gravel. No water in this well in dry weather.
349. Bottom of well is in gravel. 4" casing to bottom.
350. 6" casing to rock at 94'. 5" casing through clay at 230'-246'.
351. Pump head enclosed and discharge into pressure tank. No data obtained.
352. *For other Naperville wells (1-2-3-4) see Section 13-38-9.
353. Dug to 30'—drilled 30' to 100'. 3" casing to rock at 30'.
354. Static water level can be measured. 4" casing to rock at 9'.
355. *Along the easterly bank of the DuPage River and extending from the north line of Section 30 thence south to center line of the section are a number of springs with varying rates of flow. Temperature 49°F. (This memo made in 1934.)
356. Static water level can be measured (1934). Bottom of well is in gravel.
357. Log showed blue clay passing to yellow clay, thence to blue clay.
358. 120' of 16" casing to rock. Last report (1939) indicated this well alternates every other week with the well at 55th & Wilmette.
359. 162½' of 17" casing; slotted between 145' and 160'.
360. 140' of 8" casing to first rock; 202' of 6" casing through shale.
361. *Static water level when well was drilled. 104' of casing to rock.
362. Alternates weekly with well No. 3. 110' to rock.
363. 38" curbing to 55'. 24" and 20" casing to rock at 113'.
364. Note: For other City wells, see Secs. 2, 10 and 12.
365. *Deepened in 1940. All samples collected at depth of 958'. 72' of casing (17") to rock.
366. From 1890-1919 the City of Elmhurst obtained its public water supply from Mammoth Spring 3 miles south of the city. The daily demand in 1914 amounted to 200,000 gallons.
367. *Sample 57924 for 2086' depth. Sample 78500 for 2221' depth. *Deepened in 1933 by W. L. Thorne. 473' of casing 18" top—10" bottom.
368. Originally supplied north part of town. For other Village Park Village wells see Sec. 9 and 10.
369. For other Village Park wells see Secs. 4 and 10.
370. *For other Elmhurst City wells see Secs. 1, 2 and 12.
371. *With simultaneous pumping of well No. 9 (800' distant), the Drawdown became 204.5'.
372. Camp abandoned in 1939. 90' of casing (5") to rock.
373. 75' of casing. Rock at 75'. Filled and plugged.
374. 76.5' of casing 10". Rock at 74'. Filled and plugged.
375. Rock at 39'. 44' of 4½" casing. Static 12" 1942.
376. Rock at 40'. 48' of 48" casing. Static 40' 1942.
377. Rock at 20'. 21' of 4½" casing. Static 12'.
378. Limestone at 50'. 65' of 4½" casing. Static 50' 1934.
379. Limestone at 61'. Stone Curbing. Static 50' 1934.
380. Limestone at 62'. Stone curbing. Static 50' 1934.
381. Limestone at 61½'. 62' 4" casing. Static 50' 1934.
382. Limestone at 70'. Stone curbing to 44'—4" to 70'. Static 40' 1934.
383. Limestone at 50'. 50' of 4" casing. Static 50' 1934.
384. Limestone at 75'. 75' of 6" casing. Static 16' 1934.
385. Limestone at 70'. 70' of 4" casing. Static 20' 1934.
386. Limestone at 75'. 75' of 4" casing. Static 25' 1934.
387. Limestone at 70'. 95' of 4" casing. Static 27' 1934.
388. Limestone at 70'. 75' of 4" casing. Static 35' 1934.
389. Stone curbing. Goes dry in summer. Static 32' 1934.
390. Limestone at 70'. 110' of 4½" casing. Static 1934 35'.
391. Limestone at 65'. 65' of 4" casing. Static 25' 1934.

392.	Limestone	at 70'.	75' of 4" casing.	Static 25'	1934.
393.	Limestone	at 75'.	75' of 4" casing.	Static 30'	1934.
394.	Limestone	to 70'.	70' of 4" casing.	Static 20'	1934.
395.	Limestone	at 78'.	78' of 4" casing.	Static 40'	1934.
396.	Limestone	at 80'.	80' of 4" casing.	Static 10'	1834.
397.	Limestone	at 75'.	75' of 4" casing.	Static 20'	1934.
398.	Limestone	at 75'.	75' of 4" casing.	Static 30'	1934.
399.	Limestone	at 75'.	100' of 4" casing.	Static 15'	1934.
400.	Limestone	at 40'.	40' of 4" casing (?).	Static ?	1934.
401.	Limestone	at 70'.	70' of 4" casing.	Static 20'	1934.
402.	Limestone	at 70'.	70' of 4" casing.	Static 20'	1934.
403.	Limestone	at 45'.	12" stones. 33' of 8" casing.	Static 25'	1934.
404.	Limestone	at 75'.	75' of 4" casing.	Static 20'	1934.
405.	Limestone	at 75'.	75' of 4" casing.	Static 20'	1934.
406.	Limestone	at 75'.	75' of 4" casing.	Static 20'	1934.
407.	Limestone	at 60'.	60' of 4" casing.	Static 55'	1934.
408.	Limestone	at 70'.	70' of 4" casing.	Static 35'	1934.
409.	Limestone	at 90'.	(90'—4")?	Static 28'	1934.
410.	Ends in limestone.		4" casing.	Static 20'	1934.
411.	Limestone	at 75'.	75' of 4" casing.	Static 22'	1934.
412.	Ends in limestone.		4" casing.	Static 28'	1934.
413.	Ends in limestone.		4" casing.	Static ?	1934.
414.	Ends in limestone.		4" casing.	Static 15'	1934.
415.	Ends in limestone.		4" casing.	Static 15'	1934.
416.	Limestone	at 70'.	108' of 4" casing.	Static 20'	1934.
417.	Limestone	at 70'.	70' of 4" casing.	Static 20'	1934.
418.	Limestone	at 70'.	70' of 4" casing.	Static 25'	1934.
419.	Limestone	at 80'.	80' of 4" casing (?).	Static 20'	1934.
420.	Ends in limestone.		4" casing.	Static 25'	1934.
421.	Ends in limestone.		4" casing.	Static 20'	1934.
422.	Limestone	at 80'.	80' of 4" casing.	Static 20'	1934.
423.	Into limestone.		4" casing.	Static 20'	1934.
424.	Into limestone.		4" casing.	Static 20'	1934.
425.	Into limestone.		4" casing.	Static 20'	1934.
426.	Into limestone.		4" casing.	Static 10'	1934.
427.	Into limestone.		4" casing.	Static 10'	1934.
428.	Limestone	at 65'.	65' of 4" casing.	Static 7'	1934.
429.	Limestone	at 50'.	50' of 4" casing.	Static 18'	1934.
430.	Into limestone.		4" casing.	Static 10'	1934.
431.	Limestone	at 60'.	60' of 4" casing.	Static 10'	1934.
432.	Into limestone.		4" casing.	Static 20'	1934.
433.	Into limestone.		4" casing.	Static 20'	1934.
434.	Limestone	at 65'.	65' of 4" casing.	Static 16'	1934.
435.	Into limestone.		Stone curbing.	Static 28'	1934.
436.	Limestone	at 70'.	70' of 4" casing.	Static 20'	1934.
437.	Limestone	at 60'.	66' of 4" casing.	Static 18'	1934.
438.	Limestone	at 42'.	42' of 4" casing.	Static 26'	1934.
439.	Limestone	at 42'.	42' of 4" casing.	Static 28'	1934.
440.	Limestone	at 41'.	41' of 4" casing.	Static 12'	1934.
441.	Limestone	at 50'.	50' of 4" casing.	Static 30'	1934.
442.	Limestone	at 21'.	21' of 4" casing.	Static 0'	1934.
443.	Limestone	at 43'.	Stone curb.	Static 14'	1934.
444.	Rock	at 70'.	71' of 4½" casing.	Static 20'	1918.
445.	Rock	at 84'.	84' of 4½" casing.	Static 25'	
446.	Rock	at 110'.	101' of 4½" casing.	Static 63'	1924.
447.	Rock	at 85'.	85' of 4" casing.	Static 28'	1922.
448.	Rock	at 107'.	107' of 4½" casing.	Static 25'	1930.
449.	Rock	at 116'.	116' of 4½" casing.	Static 38'	1922.
450.	Rock	at 112'.	112' of 4½" casing.	Static 35'	1923.
451.	Rock	at 114'.	114' of 4½" casing.	Static 46'	1925.
452.	Rock	at 135'.	135' of 4½" casing.	Static 60'	1922.
453.	Rock	at 125'.	125' of 4½" casing.	Static 44'	1922.
454.	Rock	at 76'.	76' of casing.	Static 46'	1920.
455.	Rock	at 121'.	121' of 4½" casing.	Static 55'	1922.
456.	Rock	at 106'.	106' of casing.	Static 42'	1920.
457.	Rock	at 140'.	140' of 4½" casing.	Static 54'	1925.
458.	Rock	at 109'.	109' of 4½" casing.	Static 67'	1920.
459.	Rock	at 130'.	130' of 4" casing.	Static 45'	1942.
460.	Rock	at 94'.	147' of 12" casing.	Static 75'	
461.	Rock	at 70'.	70' of 4½" casing.	Static 8'	1925.
462.			87' of 8" casing. Pump broke suction at 100'.	Static 16'	1935.
463.	Rock	at 92'.	92' of casing.	Static 25'	1932.
464.	Rock	at 101'.	101' of casing.	Static 35'	1932.
465.	Rock	at 70'.	70' of casing. Flowed in 1928.		
466.	Rock	at 99'.	99' of 4½" casing.	Static 30'	1929.
467.	Rock	at 119'.	119' of casing.	Static 50'	1929.
468.	Rock	at 110'.	110' of casing.	Static 52'	1929.
469.	Rock	at 104'.	181' of casing.	Static 26'	1933.
470.	Rock	at 52'.	56½' of 4" casing.	Static 20'	1940.
471.	Rock	at 5½'.	40' of 4½" casing.	Static 13'	1939.
472.	Rock	at 55'.	56' of 4½" casing. Gravel at 30'.		
473.	Rock	at 4'.	20' of 4" casing. Quarry blasting stopped supply.		
474.	Rock	at 7'.	50' of 8" casing.	Static 35'	1940.
475.	Rock	at 50'.	Static water level can be measured.	Static 15'	1938.
476.	Rock	at 3'.	30' of 4½" casing.	Static 15'	